

THE TAPEWORMS OF REPTILES. PART III

R. CHESTER HUGHES, JOHN R. BAKER, and C. BENTON DAWSON

Oklahoma A. and M. College, Stillwater

This is the concluding number of a series of compilatory articles in which part I (H., B., and D. 1941a) contains "A key to the principal taxonomic groups of reptilian cestodes" and "The species of reptilian tape-worms in systematic outline" and part II (H., B., and D. 1941b) an "Host catalogue."

INDEX OF SPECIFIC NAMES

Valid names are referred to the respective genera in which and pages on which they are treated in part I. Nonvalid names are referred to the names under which they are listed as synonyms.

<i>acanthotetra</i> Parona, <i>Diplopygidium</i> ..	465	<i>continuus</i> Rudin, <i>Proteocephalus</i>	457
<i>adiposus</i> Rudin, <i>Proteocephalus</i>	461	<i>coronatus</i> mayer = <i>coryphaenae</i>	466
<i>aequalis</i> Meggitt = <i>pasqualei</i>	466	<i>coryphaenae</i> Kudolph, <i>Pentacaria</i>	468
<i>agrine</i> Diesing = <i>erinacei</i>	461	<i>crassa</i> Woodiana, see Appendix below	
<i>afriicana</i> Masan, see Appendix below		<i>crassiceps</i> Baylis, <i>Oochoristica</i>	468
<i>agamus</i> Baylis = <i>ameivus</i>	463	<i>crenata</i> Krader = <i>tubercuata</i>	464
<i>agrostogastris</i> Harwood, <i>Proteocephalus</i> ..	457	<i>crotaphopentis</i> Sandground, <i>Proteocephalus</i>	
<i>agata</i> Fraipont, <i>Taenia</i>	458	457
<i>amoiguis</i> Valiant, <i>Mesocestoidea</i>	466	<i>cryptobothrium</i> von Linstow = <i>rostellata</i>	
<i>ameivus</i> Beadard, <i>Oochoristica</i>	463	464
<i>americana</i> Harwood, <i>Oochoristica</i>	463	<i>cyaticus</i> Mayer = <i>coryphaenae</i>	458
<i>americana</i> Jewell, <i>Cylindrotaenia</i>	468	<i>decipiens</i> Diesing = <i>erinacei</i>	461
<i>americana</i> Meggitt = <i>hbrata</i>	463	<i>descreta</i> Creplin, <i>Taenia</i>	468
<i>amphibouri</i> Nybein, <i>Proteocephalus</i>	457	<i>dispar</i> Smiley, <i>Phyllobothrium</i>	461
<i>amphisbaenae</i> Rudolph, <i>Oochoristica</i>	463	<i>dispar</i> Göze, <i>Nematotaenia</i>	468
<i>anous</i> Harwood, <i>Oochoristica</i>	463	<i>dispar</i> <i>saxamandrae</i> Frolich = <i>dispar</i>	468
<i>appendiculatus</i> Rudolph = <i>coryphaenae</i> ..	466	<i>dithyridium</i> Diesing = <i>lacertae</i> V.	466
<i>arcuatus</i> Baird = <i>pitonis</i>	461	<i>atremum</i> Leonida, <i>Bothridium</i>	461
<i>arenaria</i> Sonsino = <i>varanii</i>	465	<i>ecnicola</i> Collin, <i>Pterocercus</i>	462
<i>articulata</i> Stossich, <i>Taenia</i>	468	<i>ecrinatum</i> Rudolph, a nematode	468
<i>articulatus</i> Rudin, <i>Proteocephalus</i>	457	<i>echinorhynchoides</i> Sonsino, <i>Joyeuxiella</i> ..	465
<i>ascabotidis</i> Marchi, <i>Dipylidium</i>	464	<i>elaphis</i> Harwood, <i>Oochoristica</i>	468
see also <i>acanthotetra</i>	465	<i>elapsoides</i> Sandground, <i>Proteocephalus</i> ..	457
<i>barbouri</i> Viguera, <i>Proteocephalus</i>	457	<i>elegans</i> Perrier = <i>ambriata</i>	462
<i>baylisi</i> Baer = <i>lygsoematis</i>	464	<i>elongata</i> Johnston, <i>Austramphilina</i>	456
<i>beddardi</i> Woodland, <i>Proteocephalus</i>	457	<i>elongatus</i> Blumberg = <i>lineatus</i>	466
<i>bicolor</i> von Nordmann = <i>coryphaenae</i>	456	<i>elongatus</i> Fuhrmann, <i>Proteocephalus</i>	457
<i>biró</i> von Rátz, <i>Proteocephalus</i>	427	<i>erinacei</i> Rudolph, <i>Diphyllobothrium</i>	461
<i>bisulcatus</i> Riggenbach, <i>Scyphocephalus</i> ..	462	<i>erinacei-europaei</i> Rudolph = <i>erinacei</i>	461
<i>bivittellobata</i> Loewen, <i>Oochoristica</i>	463	<i>eumecis</i> Harwood, <i>Oochoristica</i>	468
<i>boae</i> MacCallum, <i>Proteocephalus</i>	457	<i>eunectes</i> Smith = <i>gerrardii</i>	458
<i>boae-tigridis</i> Creplin = <i>pitonis</i>	461	<i>excelsa</i> T. & M., <i>Oochoristica</i>	468
<i>boeici</i> von Siebold = <i>coryphaenae</i>	456	<i>expansa</i> Perrier = <i>ambriata</i>	462
<i>brasiliensis</i> Fuhrmann = <i>fuhrmanni</i>	463	<i>fabulosum</i> Meggitt = <i>acanthotetra</i>	465
<i>bremseri</i> Baird, <i>Taenia</i>	468	<i>faranciae</i> MacCallum, <i>Proteocephalus</i>	457
<i>bressaui</i> Fuhrmann, <i>Oochoristica</i>	463	<i>fausti</i> Vialli = <i>erinacei</i>	462
<i>brevis</i> MacCallum, <i>Proteocephalus</i>	457	<i>felis</i> Creplin = <i>erinacei</i>	461
<i>browni</i> Thomas, <i>Sparganum</i>	462	<i>flabrata</i> Meggitt, <i>Oochoristica</i>	468
<i>bufonis</i> Gmelin = <i>dispar</i>	468	<i>fictus</i> Meggitt, <i>Proteocephalus</i>	457
<i>calmettei</i> Barrois, <i>Proteocephalus</i>	457	<i>finis</i> Meggitt, <i>Proteocephalus</i>	457
<i>canis-lagopodis</i> Rudolph = <i>lineatus</i>	466	<i>fimbriata</i> Diesing, ¹ <i>Duthiersia</i>	462
<i>chelodinae</i> MacCallum, <i>Taenia</i>	468	<i>fixus</i> Meggitt, <i>Proteocephalus</i>	457
<i>chyzeri</i> von Rátz, = <i>pasqualei</i>	466	<i>flavus</i> Rudin, <i>Proteocephalus</i>	457
<i>colubri</i> Rudolph = ? <i>racemosus</i>	459	<i>fortunatum</i> Meggitt = <i>pasqualei</i>	466
<i>colubri-blumenbachii</i> Cobbold, <i>Ligula</i>	462	<i>fuhrmanni</i> Baer = <i>pasqualei</i>	466
<i>colubri-redii</i> Rudolph, a nematode	468	<i>fuhrmanni</i> Hughes, <i>Oochoristica</i>	463
<i>congolensis</i> S. & L., <i>Proteocephalus</i>	457	<i>fusca</i> Meggitt = <i>crassiceps</i>	463
<i>conicus</i> Zeder = <i>coryphaenae</i>	456	<i>gabonicus</i> Beadard, <i>Proteocephalus</i>	458

¹Contribution No. 104 from the Department of Zoology, Oklahoma Agricultural and Mechanical College.

²Corrigendum—The topmost line on page 457 in part I should read: *Proteocephalus adiposus* (Rudin 1917) nobis.—*Ophiotaenia adiposa* R. 1917.

³See Appendix, below.

<i>gallerdi</i> Johnston, <i>Protocephalus</i>	458
<i>gerrardi</i> Baird, <i>Protocephalus</i>	458
<i>gracievilae</i> Loewen, <i>Oochoristica</i>	463
<i>gracilis</i> Beddard, <i>Protocephalus</i>	458
<i>grandis</i> Creplin = <i>pithonis</i>	461
<i>grandis</i> La Rue, <i>Protocephalus</i>	458
<i>guritii</i> Cobbold = <i>lacertae</i> V.	466
<i>hainanensis</i> Hsu, <i>Oochoristica</i>	463
<i>hertwigi</i> Mola, <i>Railiistina</i>	468
<i>hippuris</i> Zeder = <i>coryphaenae</i>	456
<i>haplocephali</i> Hill, <i>Pisicoocystis</i>	467
<i>houdemeri</i> Hsu, <i>Ophioalipora</i>	464
<i>houghtoni</i> F. C. & K. = <i>erinacei</i>	462
<i>hubbardi</i> H., B., & D., <i>Tetrathyridium</i>	466
<i>hyalinus</i> Rudin, <i>Protocephalus</i>	458
<i>imbricat</i> Diesing, <i>Anicstrocephalus</i>	463
<i>imperata</i> Vanni, <i>Duthieria</i>	462
<i>inocognitus</i> Meggitt, <i>Tetrarhynchus</i>	466
<i>jaegerkloeldi</i> Janicki, <i>Nematotaenia</i>	468
<i>japonensis</i> Yamaguti, <i>Protocephalus</i>	458
<i>jararus</i> Fuhrmann, <i>Protocephalus</i>	458
<i>khalili</i> Hamid, <i>Oochoristica</i>	468
<i>kwiperi</i> I. & I.-L., <i>Austramphalina</i>	466
<i>labiatus</i> Carruelo = <i>ovatum</i>	461
<i>lacertae</i> von Linstow, <i>Cysticercus</i>	467
<i>lacertae</i> Rudolphi, <i>Taenia</i>	468
<i>lacertae</i> Valenciennes, <i>Tetrathyridium</i>	466
<i>lacertae</i> muralis Rudolphi = <i>l. V.</i>	466
<i>lacertae</i> viridis Rudolphi = <i>l. V.</i>	466
<i>lachesidis</i> MacCallum, <i>Protocephalus</i>	458
<i>lachesis</i> von Linstow, <i>Pterocercus</i>	462
<i>laeta</i> Leidy = <i>perspicuus</i>	459
<i>lagrangei</i> J. & H., <i>Oochoristica</i>	463
<i>lawcootatum</i> Molin = <i>erinacei</i>	461
<i>laticeps</i> Duvernoy = <i>pithonis</i>	461
<i>latissimus</i> Woodland, see Appendix below	
<i>leali</i> Hill, <i>Pisicoocystis</i>	467
<i>liguloides</i> Leuckart = <i>erinacei</i>	462
<i>lineatus</i> Göze, <i>Mesocoeloides</i>	466
<i>litterata</i> Batsch = <i>lineatus</i>	466
<i>longmani</i> Johnston, <i>Protocephalus</i>	458
<i>louis</i> Crisp, <i>Cysticercus</i>	467
<i>lygosomae</i> Burt, <i>Oochoristica</i>	463
<i>lygosomatis</i> Skinner, <i>Oochoristica</i>	463
<i>macrobothrius</i> Rudin, <i>Protocephalus</i>	458
<i>macrobothrius</i> Rudolphi = <i>coryphaenae</i>	456
<i>maculatus</i> Leuckart = <i>erinacei</i>	461
<i>mansonii</i> Manson = <i>erinacei</i>	462
<i>mansonoides</i> Mueller = <i>erinacei</i>	462
<i>marenselleri</i> Barrois, <i>Protocephalus</i>	458
<i>megabothrius</i> Crety, <i>Cysticercus</i>	467
<i>megacephalus</i> Diesing = <i>pithonis</i>	461
<i>megalocephalus</i> Creplin = <i>pithonis</i>	461
<i>meggitti</i> Hilmy, <i>Protocephalus</i>	458
<i>metapharyngeus</i> Hatch, <i>Dibothrium</i>	462
<i>mjöbergi</i> Nybelin, <i>Protocephalus</i>	458
<i>mönnigi</i> Fuhrmann, <i>Protocephalus</i>	458
<i>monocophoroides</i> López-Neyra = <i>nölleri</i>	465
<i>monocophorum</i> Lühe, <i>Diplopygidium</i>	465
<i>morhuae</i> Rudolphi = <i>coryphaenae</i>	456
<i>mychocephala</i> von Rätz, <i>Taenia</i>	468
<i>nesia</i> Beddard, <i>Protocephalus</i>	458
<i>nankingensis</i> Hsu, <i>Protocephalus</i>	459
<i>natrix</i> Harwood, <i>Oochoristica</i>	464
<i>nattereri</i> Parona, <i>Protocephalus</i>	459
<i>nitotius</i> Beddard, <i>Protocephalus</i>	459
<i>nölleri</i> Skrjabin, <i>Diplopygidium</i>	465
<i>nybelini</i> Hilmy, <i>Protocephalus</i>	459
<i>obesus</i> Creplin = <i>lacertae</i> V.	466
<i>obovatus</i> Molin = <i>ditretrum</i>	461
<i>obvoluta</i> Zeder = <i>diaper</i>	468
<i>obumurai</i> Faust, C., & K. = <i>erinacei</i>	462
<i>ochiipensis</i> Malan, see appendix below	
<i>ernatum</i> M. & S., <i>Bothridium</i>	461
<i>ocheroffi</i> Meggitt, <i>Oochoristica</i>	464
<i>ovatum</i> Diesing, <i>Bothridium</i>	461
<i>pancerii</i> Polonio = <i>erinacei</i>	461
<i>papillae</i> Rudolphi = <i>coryphaenae</i>	456
<i>paraguayensis</i> Rudin, <i>Protocephalus</i>	459
<i>parva</i> Baylis = <i>lygosomatis</i>	463
<i>parva</i> Stunkard = <i>parvula</i>	464
<i>parvovaria</i> Steelman, <i>Oochoristica</i>	464
<i>parvula</i> Stunkard, <i>Oochoristica</i>	464
<i>pasqualei</i> Diamare, <i>Jopuazialla</i>	466
<i>pasqualeiformis</i> L.-N. = <i>pasqualei</i>	466
<i>pelamidis</i> Rudolphi = <i>coryphaenae</i>	456
<i>perspicuus</i> La Rue, <i>Protocephalus</i>	459
<i>philipi</i> Burt, <i>Protocephalus</i>	459
<i>phrynosomatis</i> Harwood, <i>Oochoristica</i>	464
<i>piamentatus</i> von Linstow, <i>Protocephalus</i>	459
<i>pithonis</i> de Blainville, <i>Bothridium</i>	461
<i>p. minor</i> J. & B., <i>Bothridium</i>	461
<i>p. parvum</i> J. & B., = <i>p. minor</i>	461
<i>polonioi</i> Hughes, <i>Taenia</i>	468
<i>psammophis</i> H. & J., <i>Tetrathyridium</i>	467
<i>pseudo-cucumerina</i> Bailliet = <i>lineatus</i>	466
<i>pseudo-elyptica</i> Bailliet = <i>lineatus</i>	466
<i>pseudopodus</i> , Krabbe = <i>tuberculata</i>	464
<i>pusnicus</i> Khoidokowski, <i>Protocephalus</i>	459
<i>pythonis</i> Retzius = <i>pithonis</i>	461
<i>quadriceornis</i> Hoc = <i>coryphaenae</i>	456
<i>quadrivittatus</i> Göze = <i>coryphaenae</i>	456
<i>q. gadimirrhuae</i> V. = <i>coryphaenae</i>	456
<i>quinquecoronatum</i> L. & M. = <i>acanthotetra</i>	465
"racemosa" of Diesing = <i>gerrardi</i>	458
"racemosa" of Parona = <i>calmettei</i>	457
<i>racemosus</i> Rudolphi, <i>Protocephalus</i>	459
<i>raulieti</i> Marotel = <i>calmettei</i>	457
<i>raulieti</i> von Rätz = <i>erinacei</i>	462
<i>ranarum</i> Rudolphi = <i>erinacei</i>	461
<i>reptans</i> Diesing = <i>erinacei</i>	461
<i>rhabdophidis</i> Burt, <i>Protocephalus</i>	469
<i>robusta</i> Woodland, see Appendix below	
<i>rossicum</i> Skrjabin = <i>pasqualei</i>	466
<i>rostellata</i> Zachocke, <i>Oochoristica</i>	464
<i>rostratus</i> Mingazzini = <i>echinorhynchoides</i>	465
<i>rotundata</i> Molin = <i>tuberculata</i>	464
<i>russelli</i> Beddard, <i>Protocephalus</i>	459
<i>saccifer</i> von Rätz, <i>Protocephalus</i>	459
<i>san-bernardinensis</i> Rudin, <i>Protocephalus</i>	459
<i>sarawakensis</i> Woodland, see Appendix below	
<i>secundus</i> Tubangui, <i>Scyphocephalus</i>	463
<i>septans</i> von Linstow = <i>erinacei</i>	461
<i>serpentis</i> Parona, a nematode	468
<i>serpentis</i> Yamaguti, <i>Diphyllobothrium</i>	462
<i>serpentum</i> Gmelin, a nematode	468
<i>serpentum</i> von Linstow, <i>Monobothrium</i>	461
<i>serrata</i> stephana Diesing = <i>lineatus</i>	466
<i>shipleyi</i> von Linstow, <i>Protocephalus</i>	459
<i>sigmoides</i> Moghe = <i>crassiceps</i>	463
<i>skrjabini</i> Popov, <i>Diplopygidium</i>	465
<i>solitaria</i> Polonio = <i>polonioi</i>	468
<i>spirillum</i> Pallas, a nematode	468
<i>spirillum</i> Pallas, a nematode	468
<i>striatus</i> Johnston, <i>Protocephalus</i>	459
<i>testudinis</i> Vaulleuard = <i>coryphaenae</i>	456
<i>testudo</i> Magath, <i>Protocephalus</i>	459
<i>thapari</i> Jöhr, <i>Oochoristica</i>	464
<i>thelieri</i> Fuhrmann, <i>Oochoristica</i>	464
<i>thelieri</i> Rudin, <i>Protocephalus</i>	460
<i>tidewelli</i> Johnston, <i>Protocephalus</i>	460
<i>trachysauri</i> MacCallum, <i>Oochoristica</i>	464
<i>trimeresuri</i> Parona, <i>Protocephalus</i>	460
"trinchesei" of L. & M. = <i>nölleri</i>	465
<i>trinchesei</i> Diamare = <i>acanthotetra</i>	465
<i>trionychinus</i> Lönnberg, <i>Protocephalus</i>	460
<i>triseriale</i> Lühe = <i>acanthotetra</i>	465
<i>tritonis</i> Leidy = <i>erinacei</i>	461
<i>truncata</i> Krabbe = <i>tuberculata</i>	464
<i>tuberculata</i> Rudolphi, <i>Oochoristica</i>	464
<i>varani</i> Shipley, <i>Palais</i>	463
<i>varani</i> Stossich, <i>Pancreina</i>	465
<i>variabilis</i> major Mueller = <i>lineatus</i>	466
<i>varius</i> Beddard, <i>Protocephalus</i>	459
<i>venusta</i> Woodland, see Appendix below	
<i>viperis</i> Beddard, <i>Protocephalus</i>	460

<i>whittoni</i> Steelman, <i>Oochoristica</i> -----	464	<i>zschokkei</i> Hungerbühler, <i>Diplopygidium</i> .	465
<i>woodlandi</i> Moghe, <i>Proteocephalus</i> -----	460	" <i>zschokkei</i> " of López-Neyra = <i>nölleri</i>	465
<i>sonuri</i> Baylis, <i>Oochoristica</i> -----	464	<i>zschokkei</i> Rudin, <i>Proteocephalus</i> -----	460

APPENDIX

Since parts I and II of the present study were published the following data have come to the attention of the writers. *Oochoristica africana* and *O. a. ookiepensis*, both of Malan (1939), were taken respectively from *Agama hispida distans* and *Scaptira knoxi* in South Africa. Price (1932) reported the occurrence of *Duthiersia fimbriata* in *Cyclura stejnegeri* in the West Indies.

Woodland (1938) described, as new, *Duthiersia crassa* from *Varanus monitor*, *D. venusta* from *V. m.* and *V. salvator*, *D. sarawakensis* from *V. s.*, *D. robusta* from *V. niloticus*, and *D. latissima* from *V. exanthematicus*. Later this author (W. 1941) concluded that all of the African forms represent *D. fimbriata* and all the Indian specimens, *D. expansa*— the status of *D. sarawakensis* being still unsettled.

BIBLIOGRAPHY

This list is intended to be essentially complete for literature on reptilian cestodes subsequent to 1912. A few important monographs of earlier dates are included. The reader will be able to find all of the other early references in Stiles and Hassall 1902-1912 and 1912.

- Anderson, M. G. 1935. Some intestinal parasites of *Natrix sipedon* Linn., with notes on the identity of *Ophiotaenia (Taenia) lactea* Leidy with *Ophiotaenia perspicua* La Rue. Ohio J. Sc. 35: 78-80.
- Baer, J. G. 1924. Contribution à la faune helminthologique sudafricaine. Note préliminaire. Ann. Parasitol. 2: 239-247.
- 1926. Contributions to the helminth fauna of South Africa. Mammalian cestodes. Rep. Director Vet. Educ. and Research, Dept. Agric. Union South Africa 11/12: 61-136.
- 1927a. Contributions to the anatomy of some reptilian cestodes. Parasitology 19: 274-283.
- 1927b. Monographie des cestodes de la famille des Anoplocephalidae. Bull. Biol. France et Belgique, Suppl. 10: 1-141.
- 1933. Contribution à l'étude de la faune helminthologique africaine. Rev. Suisse Zool. 40: 31-84.
- 1935. Etude de quelques helminthes de lémurines. Ibid. 42: 275-291.
- Baylis, H. A. 1919. On two new cestodes of the genus *Oochoristica* from lizards. Parasitology 11: 405-414.
- 1920. Notes on some parasitic worms from East Africa. Ann. and Mag. Nat. Hist., s. 9, 6: 283-295.
- 1929a. A manual of helminthology, medical and veterinary. 303 p. New York: William Wood and Co.
- 1929b. Some new parasitic nematodes and cestodes from Java. Parasitology 21: 256-265.
- 1933. On some parasitic worms from Java, with remarks on the acanthocephalan genus *Pallisentis*. Ann. and Mag. Nat. Hist., s. 10, 12: 443-449.
- Beddard, F. E. 1911. Contributions to the anatomy and systematic arrange-

- ment of the Cestoidea. II. On two new genera of cestodes from mammals. Proc. Zool. Soc. London 1911: 994-1018.
- 1913a. Idem. VII. On six species of tapeworms from reptiles, belonging to the genus *Ichthyotaenia*. Ibid. 1913: 4-36.
- 1913b. Idem. VIII. On some species of *Ichthyotaenia* and *Ophidotaenia* from Ophidia. Ibid. 1913: 153-168.
- 1913c. Idem. IX. On a new genus of ichthyotaeniids. Ibid. 1913: 243-261.
- 1914. Idem. XIII. On two new species belonging to the genera *Oochoristica* and *Linstowia*, with remarks upon these genera. Ibid. 1914: 263-283.
- Burt, D. R. R. 1933. *Oochoristica lygosomae*, sp. nov., a cestode from the lizard *Lygosoma punctatum*. Spolia Zeylanica 18: 1-7.
- 1937. Two new reptilian cestodes of the genus *Proteocephalus* (*Ophiotaenia*). Ibid. 20: 157-179.
- Chandler, A. C. 1936. Introduction to human parasitology. 5th ed. 661 p. New York: John Wiley and Sons.
- 1940. Introduction to parasitology. 6th ed. 698 p. New York: John Wiley and Sons.
- Dollfus, R. P. 1935. Sur quelques tétrarhynques. Bull. Soc. Zool. France 60: 353.
- Faust, E. C. 1938. Infection experiments in man and other mammalian hosts with sparganum stage of oriental diphyllbothrids. Proc. Soc. Exper. Biol. and Med. 26: 252-254.
- Faust, E. C., H. E. Campbell, and C. R. Kellogg. 1929. Morphological and biological studies of *Diphyllbothrium* in China. Am. J. Hyg. 9: 560-583.
- Faust, E. C. and C. M. Wassel. 1931. Preliminary survey of the intestinal parasites of man in the central Yangtze valley. China Med. J. 35: 532-561.
- Fuhrmann, O. 1916. Eigentümliche Fischecestoden. Zool. Anz. 46: 385.
- 1920. Considerations générales sur les *Davainea*. Festschr. Zschokke 27: 1-19.
- 1924. Two new species of reptilian cestodes. Ann. Trop. Med. and Parasitol. 28: 505-513.
- 1927. Brasilianische Cestoden aus Reptilien und Vögeln. Abhandl. Senckenb. Naturf. Geselsch. 40: 389-401.
- 1932. Les ténias des oiseaux. Mem. Univ. Neuchâtel. 8: 1-381.
- 1935. Rectification de nomenclature. Ann. Parasitol. 13: 386.
- Gaiger, S. H. 1915. A revised check list of the animal parasites of domesticated animals in India. J. Comp. Path. and Therap. 28: 67-76.
- Gedoelst, L. 1911. Synopsis de parasitologie de l'homme et des animaux domestiques. 332 p. Lierre and Bruxelles: Lambertin.
- Guiart, J. 1927. Classification des tétrarhynques. Ass. Franç. Avance. Sc. C. R. 50: 397-401.
- Hamid, A. 1932. A cestode, *Oochoristica khalili* n. sp. from a snake, *Psammodphis schokari* Forskal. Parasitology 24: 240-283.
- Harwood, P. D. 1932. The helminths parasitic in the Amphibia and Reptilia of Houston, Texas, and vicinity. Proc. U. S. Nat. Mus. 81(17): 1-71.

- 1933. The helminths parasitic in a water moccasin (snake) with a discussion of the characters of the Proteocephalidae. *Parasitology* 25: 130-142.
- Henry, A. and C. Joyeux. 1920. Contribution à la faune helminthologique de la Haute-Guinée française. *Bull. Soc. Path. Exot.* 13: 176-182.
- Herde, K. E. 1938. Early development of *Ophiotaenia perspicua* La Rue. *Tr. Am. Micr. Soc.* 51: 282-291.
- Hilmy, J. S. 1936. Parasites from Liberia and French Guinea. Part III. Cestodes from Liberia. *Publ. Egypt. Univ. Fac. Med.* 9: 1-72.
- Hsü, H. F. 1935. Contributions à l'étude des cestodes de Chine. *Rev. Suisse Zool.* 42: 477-570.
- Hubbard, W. E. 1938. A remarkable infection of tapeworm larvae in a whipsnake. *Amer. Midl. Nat.* 19: 617-618.
- Hudson, J. R. 1934. A list of cestodes known to occur in East African mammals, birds and reptiles. *J. East Africa and Uganda Nat. Hist. Soc.* 1933: 205-217.
- Hughes, R. C. 1940. The genus *Oochoristica* Lühe 1898. *Amer. Midl. Nat.* 23: 368-381.
- 1941. The taeniae of yesterday. *Res. Monogr., Sch. Arts and Sc., Okla. A. and M. Coll.* 1: 1-83.
- Hughes, R. C., J. R. Baker, and C. B. Dawson. 1941a. The tapeworms of reptiles. Part I. *Amer. Midl. Nat.* 25: 454-468.
- 1941b. *Idem.* Part II. Host catalogue. *Wasmann Collector* 4:97-104.
- Ihle, J. E. W., and M. E. Ihle-Landenberg. 1932. Über einen neuen Cestodarium (*Kosterina Kuiperi* n. gen., n. sp.) aus einer Schildkröte. *Zool. Anz.* 100: 309-316.
- von Janicki, C. 1928. Cestodes s. str. aus Fischen und Amphibien. In L. A. Jägerskiöld, *Results of the Swedish Zoological Expedition to Egypt and the White Nile, 1901* 5: 1-58.
- Jewell, M. E. 1916. *Cylindrotaenia americana* nov. spec. from the cricket frog. *J. Parasitol.* 2: 181-192.
- Johnston, T. H. 1911. *Proteocephalus gallardi*: a new cestode from the blacksnake. *Ann. Queensland Mus.* 10: 175-182.
- 1912. A census of Australian reptilian entozoa. *Proc. Roy. Soc. Queensland* 23: 234-249.
- 1914a. Australian trematodes and cestodes. *Med. J. Australia* 1: 243-244.
- 1914b. Second report on the Cestoda and Acanthocephala collected in Queensland. *Ann. Trop. Med. and Parasitol.* 8: 105-112.
- 1916. Helminthological notes. *Mem. Queensland Mus.* 5: 186-196.
- 1931. An amphiliid cestode from an Australian tortoise. *Austral. J. Exper. Biol. and Med. Sc.* 8: 1-7.
- Johri, L. M. 1935. Report on a collection of cestodes from Lucknow (U. P. India). *Rec. Indian Mus.* 36: 153-177.
- Joyeux, C. 1923. Recherches sur la faune helminthologique africaine. *Arch. Inst. Pasteur, Tunis* 12: 119-167.
- 1927. Recherches sur la faune helminthologique algérienne. *Arch. Inst. Pasteur Algérie* 5: 509-528.

- Joyeux, C. and J. G. Baer. 1927a. Sur quelques larves de bothriocéphales. Bull. Soc. Path. Exot. 20: 921-936.
- 1927b. Recherches sur quelques espèces du genre *Bothridium* de Blainville 1824. Ann Parasitol. 5: 127-139.
- 1928. Rectification de nomenclature. Ibid. 6: 144.
- 1929a. Etudes sur le réencapsulement du *Sparganum ranarum* (Gastaldi 1854). Compt. Rend. Soc. Biol., Paris 102: 305-307.
- 1929b. Recherches expérimentales sur la larve pléroceroïde de *Diphyllobothrium ranarum* Gastaldi. Ibid. 101: 294-296.
- 1930. On a collection of cestodes from Nigeria. J. Helminthol. 8: 59-64.
- 1931. Evolution des pléroceroïdes de *Diphyllobothrium* (Cestodes, Pseudophyllidea). Compt. Rend. Soc. Biol., Paris 108: 97-99.
- 1932. Recherches sur les cestodes appartenant au genre *Mesocestoides* Vaillant. Bull. Soc. Path. Exot. 25: 993-1010.
- 1933a. Sur le cycle évolutif d'un ténia de serpent. Compt. Rend. Acad. Sc., Paris 188: 1838-1839.
- 1933b. Le réencapsulement de quelques larves de cestodes. Ibid. 197: 493-496.
- 1936. Cestodes. Faune de France 30: 1-613.
- Joyeux, C., J. G. Baer, and R. Martin. 1933a. Sur le cycle évolutif des *Mesocestoides*. Compt. Rend. Soc. Biol., Paris 114: 1179-1180.
- 1933b. Recherches sur les sparganoses. Bull. Soc. Path. Exot. 26: 1199-1207.
- 1936. Sur quelques cestodes de la Somalie-Nord. Ibid. 29: 82-96.
- Joyeux, C. and E. Houdemer. 1927. Recherches sur la faune helminthologique de l'Indochine (cestodes et trematodes). Ann. Parasitol. 5: 289-309.
- 1928. Idem. (Suite et fin). Ibid. 6: 27-58.
- Joyeux, C., E. Houdemer, and J. Baer. 1934. Recherches sur la biologie des *Sparganum* et l'étiologie de la sparganose oculaire. Bull. Soc. Path. Exot. 27: 70-78.
- Kofend, L. 1921. Cestoden aus Säugetieren und aus *Agama colonorum*. Denkschr. Akad. Wissensch., Wien, Math.-Naturw. Kl. 98: 1-10.
- La Rue, G. R. 1911. A revision of the cestode family Proteocephalidae. Zool. Anz. 38: 473-482.
- 1914. Idem. Illinois Biol. Monogr. 1: 1-351.
- Loewen, S. L. 1940. On some reptilian cestodes of the genus *Oochoristica* (Anoplocephalidae). Tr. Am. Micr. Soc. 59: 511-518.
- López-Neyra, C. R. 1927. Considérations sur le genre *Dipylidium* Leuckart. Bull. Soc. Path. Exot. 20: 434-440.
- 1928. Recherches sur le genre *Dipylidium*, avec description de quatre espèces. Ibid. 21: 239-258.
- 1929a. Revisión del género *Dipylidium* Leuckart. Mem. R. Acad. Cien. Exact. Fís. Nat. Madrid, s. 1, 32: 1-12.
- 1929b. Consideraciones sobre el género *Davainea* (s. l.) y descripción de dos especies nuevas. Bol. R. Soc. Españ. Hist. Nat. 29: 345-359.
- 1931. Revisión del género *Davainea*. Mem. Acad. Cien. Exact. Fís. Nat. Madrid 1: 1-179.

- López-Neyra, C. R. and J. M. Muñoz-Medina. 1921. *Dipylidium quinque-coronatum* nov. sp. parasito intestinal del gato domestico. Bol. R. Soc. Españ. Hist. Nat. 21: 421-426.
- MacCallum, G. A. 1921. Studies in helminthology. Zoopathologica 1: 137-284.
- Magath, T. B. 1924. *Ophiotaenia testudo*, a new species from *Amyda spinifera*. J. Parasitol. 11: 44-49.
- 1929. The early life history of *Crepidobothrium testudo*. Ann. Trop. Med. and Parasitol. 23: 121-129.
- Malan, J. R. 1939. Some helminths of South African lizards. Onderstepoort J. Vet. Sc. and Animal Indust. 11: 23-50.
- Manson-Bahr, P. H. 1925. Manson's *Tropical diseases*. 8th ed. 895 p. New York: William Wood and Co.
- Maplestone, P. A. and T. Southwell. 1923. Notes on Australian cestodes. No. 7. Ann. Trop. Med. and Parasitol. 17: 317-331.
- Meggitt, J. F. 1924. The cestodes of mammals. 282 p. London: Edw. Goldston.
- 1925. On the life history of an amphibian tapeworm (*Diphyllobothrium ranarum* Gastaldi). Ann. and Mag. Nat. Hist., s. 9, 16: 654-655.
- 1926. On a collection of Burmese cestodes. Parasitology 18: 230-237.
- 1927a. Remarks on the cestode families Monticellidae and Ichthyotaeniidae. Ann. Trop. Med. and Parasitol. 21: 69-87.
- 1927b. On cestodes collected in Burma. Parasitology 19: 141-153.
- 1927c. Report on a collection of cestodes mainly from Egypt. Part I. Families Anoplocephalidae, Davaineidae. Ibid. 19: 314-327.
- 1927d. Idem. Part II. Cyclophyllidea: family Hymenolepididae. Ibid. 19: 420-450.
- 1931. On cestodes collected in Burma. Part II. Ibid. 23: 250-263.
- 1933. Cestodes obtained from animals dying in the Calcutta Zoological Gardens during 1931. Rec. Indian Mus. 23: 145-165.
- 1934. On some tapeworms from the bullsnake (*Pityopsis sayi*), with remarks on the species of the genus *Oochoristica* (Cestoda). J. Parasitol. 20: 181-189.
- 1940. On two tapeworms from a Burmese snake. Ann. and Mag. Nat. Hist., s. 11, 5: 225.
- Moghe, M. A. 1926. Two new species of cestodes from Indian lizards. Rec. Indian Mus. 28: 53-60.
- Monticelli, F. S. and C. Crety. 1891. Ricerche intorno alla sottofamiglia Solenophorinae Montic. Crety. Mem. R. Accad. Sc. Torino 41: 381-402.
- Mueller, J. F. 1928. The genus *Mesocestoides* in mammals. Zool. Jahrb., Jena, Abt. Syst. 55: 403-418.
- 1935. A *Diphyllobothrium* from cats and dogs in the Syracuse region. J. Parasitol. 21: 114-121.
- 1936. Comparative studies on certain species of *Diphyllobothrium*. Ibid. 22: 471-478.
- 1938a. An additional species of *Diphyllobothrium* (subgenus *Spir-*

- ometra) from the United States. Livro Jubilar L. Travassos, Rio de Janeiro, p. 337-340.
- 1938b. The hosts of *Diphyllbothrium mansonoides* (Cestoda: Diphyllbothriidae). Proc. Helminth. Soc. Washington 4: 68-69.
- Nybelin, O. 1917. Australische Cestoden. In *Results of Dr. D. E. Mjöberg's Swedish Scientific Expedition to Australia 1910-1913*. K. Svenska Vetensk. Acad. Handl. 52: 1-48.
- 1922. Anatomisch-systematischen Studien über Pseudophyllideen. Göteborg Vet. Handl. 26: 1-228.
- Obersteiner, W. 1914. Über eine neue Cestodenform *Bilocularia hyperapolytica* nov. gen. nov. spec. aus *Centrophorus granulosus*. Arb. Zool. Inst. Univ. Wien 20: 109-124.
- Okumura, T. 1919. An experimental study of the life history of *Sparganum mansoni* Cobbold. Kitasato Arch. Exper. Med. 3: 190-197.
- Poche, F. 1922. Zur Kenntnis der Amphilinidea. Zool. Anz. 54: 276-287.
- 1926. Das System der Platyodaria. Arch. Naturg. 91: 1-458.
- Popov, P. 1935. Sur le développement de *Diplopylidium skrjabini* n. sp. Ann. Parasitol. 13: 322-326.
- Price, E. W. 1932. A new host for *Duthiersia fimbriata*. In *Society Proceedings—Helminthological Society of Washington*. J. Parasitol. 19: 84.
- von Rätz, S. 1912. Une larve pléroceroïde du porc. Presse Med. 20: 867-868.
- Rudin, E. 1917. Die Ichthyotaenien der Reptilien. Rev. Suisse Zool. 25: 11-381.
- Sandground, H. J. 1926. A new mammalian cestode from Brazil. In *Medical report of the Hamilton Rice Expedition to the Amazon, in conjunction with the Department of Tropical Medicine of Harvard University, 1924-1925*. Harvard Univ. Press 1926: 286-291.
- 1928. Some new cestode and nematode parasites from Tanganyika Territory. Proc. Boston Soc. Nat. Hist. 39: 131-150.
- Schwartz, R. 1908. Die Ichthyotaenien der Reptilien und Beiträge zur Kenntnis der Bothriocephalen. 52 p. Basel: Dissertation, Universität Basel.
- Skinker, M. S. 1935a. A new species of *Oochoristica* from a skunk. J. Wash. Acad. Sc. 25: 59-65.
- 1935b. Miscellaneous notes on cestodes. Proc. Helminthol. Soc. Washington 2: 68.
- Skrjabin, K. I. 1922. Ztudyu po izuchenniu paraziticheskikh chervel plotiadnykh I. *Dipylidium rossicum* n. sp. Novyi lencochnyl glist sobakn. Arkh. Nauk. Pract. Vet. Moskva. 1: 1-8.
- 1924. *Progynopylidium nölleri* n. g., n. sp., ein neuer Bandwurm der Katze. Berl. Tierärztl. Wchnschr. 40: 420-422.
- Solomon, S. G. 1932. On a collection of parasitic worms from East Africa. J. Helminthol. 10: 209-230.
- Southwell, T. 1922. Cestodes in the collection of the Indian Museum. Ann. Trop. Med. and Parasitol. 16: 355-382.
- 1926. Cestodes in the collection of the Liverpool School of Tropical Medicine. Ibid. 20: 222-228.

- 1930. Cestoda. In *The fauna of British India, including Ceylon and Burma* 2: 2-262. London: Taylor and Francis.
- Southwell, T. and S. Adler. 1923. A note on *Ophiotaenia punica* (Cholodovski 1908), La Rue 1911. *Ann. Trop. Med. and Parasitol.* 17: 333-335.
- Southwell, T. and F. Lake. 1939. On a collection of Cestoda from the Belgian Congo. *Ibid.* 33: 63-90.
- Steelman, G. M. 1939a. On a new cestode from the Texas horned lizard. *Tr. Am. Micr. Soc.* 58: 452-455.
- 1939b. *Oochoristica whitentoni*, a new anoplocephalid cestode from a land tortoise. *J. Parasitol.* 25: 479-482.
- Stiles, C. W. and A. Hassall. 1902-1912. Index-catalogue of medical and veterinary zoology. Parts 1-36. *Bull. Bureau Animal Industry, U. S. Dept. Agric.* 39: 1-2703.
- 1912. Idem. Subjects: Cestoda and Cestodaria. *Bull. Hyg. Lab., U. S. Pub. Health Serv.* 85: 1-467.
- Stunkard, H. W. 1938a. Parasitic flatworms from Yucatan. *Publication Carnegie Inst. Washington* 491: 33-50.
- 1938b. *Oochoristica parvula* n. nom. for *Oochoristica parva* Stunkard, 1938, preoccupied. *J. Parasitol.* 24: 554.
- Thomas, L. J. 1937. A new source of *Diphyllobothrium* infection. *Science* 85: 119.
- Tubangui, M. A. 1938. Pseudophyllidean cestodes occurring in the Philippines. *Livro Jubilar L. Travassos, Rio de Janeiro*, p. 489-494.
- Tubangui, M. A. and V. A. Masilungan. 1936. *Oochoristica excelsa*, a new reptilian cestode. *Philippine J. Sc.* 61: 75-78.
- Vanni. 1932. Sopra un cestode parassita del varano del Nilo. *Ann. Med. Nav. e Colon.* 38: 571-574.
- Vialli, M. 1931. Nota sinonimica sui botriocefali dei ricci. *Monitore Zool. Ital.* 42: 209-212
- Vigueras, I. P. 1934. *Ophiotaenia barboursi* n. sp. (Cestoda) parásito de *Tretanorhynchus varidbilis*. *Mem. Soc. Cubana Hist. Nat.* 8: 231-234.
- Walton, A. C. 1939. The Cestoda as parasites of Amphibia. *Contrib. Biol. Lab. Knox Coll., Galesburg, Indiana* 64: 1-31.
- Witenberg, G. 1932. On the cestode subfamily Dipylidiinae Stiles. *Ztschr. Parasitenk., Berlin* 4: 542-584.
- 1934. Studies on the cestode genus *Mesocestoides*. *Arch. Zool. Ital., Torino* 20: 467-508.
- Woodland, W. N. F. 1924. On a new *Bothriocephalus* and a new genus of Proteocephalidae from Indian freshwater fishes. *Parasitology* 16: 441-451.
- 1925. On three new proteocephalids (Cestoda) and a revision of the genera of the family. *Ibid.* 17: 370-394.
- 1938. On the species of the genus *Duthiersia* Perrier, 1873 (Cestoda). *Proc. Zool. Soc. London, Ser. B, Syst. and Morphol.* 108: 17-36.
- 1941. A revision of African and Asiatic forms of the genus *Duthiersia* (Cestoda). *Ibid.* 110: 207-218.
- Yamaguti, S. 1935. Studies on the helminth fauna of Japan. Part 7. Cestodes of mammals and snakes. *Japan. J. Zool.* 6: 247-278.