

THE TREMATODES OF REPTILES, PART III, CONCLUSION¹

R. CHESTER HUGHES, JOE W. HIGGINBOTHAM,

and JASPER W. CLARY, Oklahoma A. and M. College, Stillwater

This is the concluding number in a series of compilatory articles of which part I (H., H., and C. 1942) contains "The species of reptilian flukes in systematic outline" and part II (H., H., and C. 1941) an "Host catalogue."

INDEX OF SPECIFIC NAMES

Valid names are referred to the respective genera in which, and pages on which, they are treated in part I. Invalid names are referred to the names under which they are severally listed as synonyms.

<i>abbreviatum</i> Brandes, <i>Paradiplostomum</i>	131	<i>attenuatus</i> Stunkard = <i>chelydrae</i> Staf.	125
<i>abducens</i> B. & D., <i>Lechlorchis</i>	122	<i>auridiatomi</i> Byrd, <i>Telorchis</i>	126
<i>aberrans</i> Looss, <i>Microscaphidium</i>	118	<i>avitellina</i> F. & L., <i>Haltrema</i>	118
<i>acariaeum</i> Looss, <i>Enodiotrema</i>	122	<i>bairdi</i> Harwood = <i>medius</i>	127
<i>aerovocaliferum</i> Gastaldi, <i>Distoma</i>	128	<i>baraditi</i> Sonsino, <i>Distoma</i>	110
<i>acetabularis</i> Crow, <i>Neorenifer</i>	123	<i>bascantiensis</i> Goldberger, <i>Styphlodora</i>	125
<i>acetabulata</i> B. & R., see Appendix		<i>bifurcum</i> Wedl, <i>Distoma</i>	132
<i>aculeatus</i> Linstow, <i>Telorchis</i>	126	<i>bifurcus</i> Braun, <i>Telorchis</i>	126
" <i>aculeatus</i> "—Stunkard = <i>pseudoaculeatus</i>	127	<i>biobus</i> Looss, <i>Pleurogonium</i>	116
<i>adhaerens</i> Looss = <i>vallei</i>	110	<i>blandingi</i> MacCallum, <i>Spirorchis</i>	129
<i>adulescens</i> Nicoll, <i>Opisthoglyphe</i>	121	<i>blandingioides</i> Byrd, <i>Spirorchis</i>	129
<i>aequalis</i> Nicoll, <i>Aporchis</i>	124	<i>boae</i> MacCallum, <i>Zoogonoides</i>	114
<i>aequatus</i> Stafford, <i>Zeworchis</i>	124	<i>bolognensis</i> Baer = <i>colubri-murorum</i>	120
<i>afrantoi</i> Pereira, <i>Opisthogonimus</i>	121	<i>bosci</i> Cobbold, <i>Paraechiorchis</i>	123
<i>agkistrodonis</i> B., F., & R., <i>Styphlodora</i>	125	<i>brachus</i> Barker, <i>Pachypolus</i>	122
<i>albicollis</i> MacCallum = <i>coronatum</i>	133	<i>brachydelphium</i> Heymann, <i>Patagium</i>	128
<i>albus</i> K. & H., <i>Cricoccephalus</i>	115	<i>brachyoesophagidius</i> A. & H., <i>Renifer</i>	124
<i>allostomum</i> Diesing = <i>colubri-murorum</i>	120	<i>brevicaecum</i> Ochi, <i>Mesocoelium</i>	112
<i>ambloplitis</i> Hopkins = <i>cooperti</i>	110	<i>brevicaecus</i> Caballero, see Appendix	
<i>americanensis</i> B. & R., see Appendix		<i>brevis</i> MacCallum, <i>Diplostomum</i>	132
<i>americanum</i> Harwood, <i>Mesocoelium</i>	112	<i>buccicola</i> Odhner, <i>Haplometroides</i>	121
<i>amphileucus</i> Looss, <i>Cyclorchis</i>	117	<i>burmanica</i> Chatterji, <i>Cephalogonimus</i>	119
<i>amphiorchis</i> Braun, <i>Orchidasma</i>	111	<i>burmanicus</i> Chatterji, <i>Mesostephanus</i>	130
<i>amphiorchis</i> Price, <i>Amphiorchis</i>	128	<i>burminis</i> Bhalariao, <i>Atrophecaecum</i>	117
<i>amphiumae</i> Chandler, <i>Cephalogonimus</i>	119	<i>caduceus</i> Odhner, <i>Oistosomeum</i>	122
<i>amudariensis</i> Strom, <i>Allopharynx</i>	124	<i>caimancola</i> Dollfus, <i>Herpetodiplostomum</i>	131
<i>amydas</i> Ogata, <i>Astiotrema</i>	121	<i>cantonensis</i> Wallace, <i>Macrodera</i>	120
<i>amydas</i> Stunkard, <i>Vasotrema</i>	130	<i>caouanae</i> Kollar & Braun = <i>megachondrus</i>	122
<i>anacondae</i> MacCallum = <i>clavus</i>	126	<i>carli</i> André, see Appendix	
<i>ancistrodonis</i> MacCallum, <i>Renifer</i>	124	<i>caudatum</i> Polonio = <i>colubri-murorum</i>	120
<i>ancyloides</i> Dubois, <i>Petalodiplostomum</i>	131	<i>cavum</i> Dubois, <i>Prolecihodiplostomum</i>	131
<i>anguis</i> Linstow, <i>Agamodistomum</i>	128	<i>ceratophorae</i> Dollfus, <i>Paradistomum</i>	112
<i>aniarum</i> Leidy, <i>Neorenifer</i>	123	<i>chapmani</i> Harwood = <i>angustus</i>	126
<i>angustus</i> Stafford, <i>Proteneis</i>	126	<i>chelodinae</i> MacCallum, <i>Neopolystoma</i>	133
" <i>angustus</i> "—MacCallum = <i>corti</i>	126	<i>cheloniae</i> Oguro, <i>Medioporus</i>	116
<i>anthos</i> Braun, <i>Calycodes</i>	119	<i>cheloniae</i> atras Braun = <i>pachyderma</i>	128
<i>apoliatum</i> Heymann, <i>Distoma</i>	128	<i>c.-imbricatæ</i> Diesing, <i>Amphiatoma</i>	119
<i>armatisimum</i> von Linstow, <i>Distoma</i>	128	<i>chelopi</i> MacCallum = <i>corti</i>	126
<i>arrectum</i> Dujardin, <i>Distoma</i>	113	<i>chelydrae</i> MacC. 1902, <i>Heronimus</i>	115
" <i>arrectum</i> "—Molin = <i>molini</i>	125	<i>chelydrae</i> MacC. 1918 = <i>parvum</i>	
<i>artericola</i> Ward, <i>Spirorchis</i>	129	S. 1916	118
<i>aspidonectes</i> MacCallum, <i>Teloporia</i>	116	<i>chelydrae</i> MacCallum 1921, <i>Eustoma</i>	121
<i>aspidonectis</i> MacCallum = <i>orbiculare</i>	133	<i>chelydrae</i> MacC. 1926 = <i>haematobium</i>	129
<i>aspina</i> B., F., & R., <i>Styphlodora</i>	125	<i>chelydrae</i> Stafford, <i>Auridistomum</i>	125
<i>assula</i> Dujardin, <i>Dist.</i> (<i>Dicrocoelium</i>)	113	<i>cincta</i> Nicoll, <i>Sigmaopera</i>	115
<i>asymetrica</i> Travassos, <i>Helicotrema</i>	111	<i>cinosterni</i> MacCallum, <i>Diplostomum</i>	132
<i>asymetrica</i> Wallace, <i>Encyclometra</i>	120	<i>clavigerum</i> Zeder = <i>strigis</i>	132
<i>atas</i> T. & M., <i>Acanthotomum</i>	116	<i>clavus</i> Diesing, <i>Telorchis</i>	126
<i>attenuatum</i> Rudolphi = <i>longicollis</i>	120	<i>clennydis</i> Yamaguti, <i>Telorchis</i>	126
<i>attenuatum</i> Stunkard, <i>Vasotrema</i>	130	<i>cloacicola</i> Lühe, <i>Distoma</i>	123
<i>attenuatus</i> Goldberger, <i>Telorchis</i>	126		

¹Contribution No. 106 from the Department of Zoology, Oklahoma Agricultural and Mechanical College.

<i>cochlear</i> Looss, <i>Pyelosomum</i>	116
<i>cokeri</i> Barker & Parsons, <i>Cotyloaspis</i>	109
<i>colubri</i> Bose == <i>bosci</i>	123
<i>colubri</i> von Linstow == <i>strigis</i>	132
<i>colubri</i> americani Rudolphi == <i>bosci</i>	120
<i>colubri-murorum</i> Rud., <i>Encyclometra</i>	120
<i>c. natrix</i> intestinalis R. == <i>mentulatus</i>	121
<i>c. natrix pulmonalis</i> R. == <i>longicollis</i>	120
<i>colubri tessellati</i> Rudolphi == <i>mentulatus</i>	121
<i>compactum</i> Dawes == <i>dawesi</i> , quod vide	
<i>compactum</i> B., F., & R., <i>Styphlodora</i>	125
<i>compactum</i> Stunkard, <i>Cephalogonimus</i>	119
<i>concauocorpa</i> Sizemore == <i>chelydrae</i> S.	125
<i>conchicola</i> von Baer, <i>Aspidogaster</i>	109
<i>condita</i> de Faria, <i>Styphlodora</i>	125
<i>conferta</i> Nicoll, <i>Daesymetra</i>	122
<i>congolense</i> Berghé, <i>Pharyngostomum</i>	130
<i>conicum</i> Polonio, <i>Diploclidius</i>	119
<i>constrictum</i> Dubois, <i>Proleclithodiplostomum</i>	131
<i>constrictum</i> Leared == <i>europaeus</i>	123
" <i>constrictum</i> "—Looss == <i>loosii</i> P.	123
" <i>constrictum</i> "—Monticelli == <i>mistroides</i>	129
<i>constrictum</i> Price, <i>Schizamphistomoides</i>	119
<i>convoluta</i> Faust == <i>parvum</i> S. 1916	118
<i>cooperi</i> Hopkins, <i>Crepidostomum</i>	110
<i>cordatum</i> Diesing, <i>Pharyngostomum</i>	130
<i>cornucopia</i> Molin == <i>strigis</i>	132
<i>coronarum</i> Cobbold, <i>Acanthostomum</i>	116
<i>coronatum</i> Leidy, <i>Polystomoides</i>	133
<i>corti</i> Stunkard, <i>Telorchis</i>	126
<i>crassa</i> Looss, <i>Epibathra</i>	116
<i>crassicolle</i> Rudolphi == <i>salamandrae</i>	111
<i>crocodilarum</i> T. & M., <i>Neodiplostomum</i>	132
<i>crocodili</i> Poirier, <i>Allechinostomum</i>	113
<i>crotali</i> Humbolt, <i>Porocephalus</i>	134
<i>crotali durissi</i> Rudolphi == <i>crotali</i>	134
<i>crucifer</i> Nicoll, <i>Paradistomum</i>	112
<i>crystallina</i> Rudolphi, <i>Tetracoctyle</i>	133
<i>cyclemidia</i> Tubangui, <i>Telorchis</i>	126
<i>cymbiforme</i> Rudolphi, <i>Phylloclidistomum</i>	120
<i>cystophora</i> Wagener == <i>keesleri</i>	114
<i>danfirthi</i> Hoffman, <i>Mesocoelium</i>	112
<i>dawesi</i> Harwood == <i>salamandrae</i>	111
<i>dawesi</i> nobis, see Appendix	
<i>delicatulum</i> Diesing == <i>testudinis</i> R.	128
<i>delitecens</i> Looss == <i>albus</i>	115
<i>dentipharyngeata</i> Chatterji, <i>Styphlodora</i>	125
<i>desmogonius</i> Stephens, <i>Desmogonius</i>	115
<i>dhongokii</i> M. & B., <i>Telorchis</i>	126
<i>dienteros</i> Sumwalt, <i>Ophioxenos</i>	119
<i>digitatum</i> MacCallum == <i>coronatum</i>	133
<i>dillanei</i> Nicoll, <i>Leclithochirium</i>	114
<i>dilymphosa</i> Bhalerao, <i>Stunkardia</i>	119
<i>diminutum</i> Stunkard, <i>Telorchis</i>	126
<i>diploporum</i> Stunkard, <i>Acanthostomum</i>	117
<i>disimilis</i> Byrd, <i>Unicaecum</i>	130
<i>disimilis</i> Caballero, <i>Telorchis</i>	126
<i>dolichocotyle</i> Cohn, <i>Catadiscus</i>	119
<i>domitilae</i> Caballero, <i>Neopolystoma</i>	133
<i>dorsale</i> Byrd == <i>salamandrae</i>	111
<i>drymarchon</i> Byrd & Denton, <i>Neorenisifer</i>	123
<i>dubius</i> Klein, <i>Haliptegus</i>	114
<i>elegans</i> Dawes, see Appendix	
<i>elegans</i> F. & L., <i>Pulchrosomoides</i>	114
<i>elegans</i> MacCallum == <i>orbiculare</i>	133
<i>elegans</i> Stunkard, <i>Spirorchis</i>	129
<i>elephantis</i> Cort, <i>Spirorchis</i>	129
<i>equus</i> Mehra, <i>Microderma</i>	121
<i>ellipticus</i> Pratt 1903, <i>Renifer</i>	124
<i>ellipticus</i> Pratt 1914, <i>Diachistorchis</i>	115
<i>elongatum</i> Mehra, <i>Astiotrema</i>	121
<i>elongatum</i> T. & M., <i>Acanthostomum</i>	117
<i>elongatum</i> Pratt, <i>Neorenisifer</i>	123
<i>emydalis</i> Moghe, <i>Cephalogonimus</i>	119
<i>emydis</i> Eismont, <i>Astiotrema</i>	121
<i>emydis</i> MacCallum == <i>innominata</i>	129
<i>ercolanii</i> Monticelli, <i>Telorchis</i>	126
<i>eugari</i> T. & M., <i>Harmotrema</i>	110
<i>eurinus</i> Talbot, <i>Zenogorchis</i>	124
<i>europaeus</i> Price, <i>Learedius</i>	139
<i>eustroptus</i> MacCallum == <i>innominata</i>	139
<i>evaginatus</i> Byrd, <i>Hapalorhynchus</i>	128
<i>eversum</i> Hsu, <i>Macraestibulum</i>	116
<i>excalotes</i> T. & M., <i>Paradistomum</i>	112
<i>excisum</i> von Linstow == <i>strigis</i>	132
<i>exhamatum</i> Ozaki, <i>Neopolystoma</i>	133
<i>extensus</i> Barker & P. == <i>H. chelydrae</i>	115
<i>fausti</i> Hunninen & H. == <i>cooperi</i>	111
<i>flavocinctum</i> Linstow == <i>salamandrae</i>	125
<i>floridans</i> B., F., & R., <i>Styphlodora</i>	125
<i>floridanum</i> Stunkard == <i>orbiculare</i>	133
<i>foliaformis</i> Talbot, <i>Pneumatophilus</i>	124
<i>folium</i> Thapar & Ali == <i>lobatum</i>	120
<i>formosum</i> Nicoll, <i>Neorenisifer</i>	123
<i>fraterna</i> Odhner, <i>Cyathocotyle</i>	130
<i>fukuii</i> Ogata, <i>Astiotrema</i>	121
<i>fusipora</i> Guberlet, <i>Vitellostrema</i>	114
<i>gabesensis</i> Ruskowski, <i>Telorchis</i>	126
<i>gangeticus</i> Harshe == <i>loosii</i>	121
<i>gangeticus</i> Mehra 1932, <i>Neopronocephalus</i>	115
<i>gangeticus</i> Mehra 1937, <i>Spinometra</i>	125
<i>gangeticus</i> Fande == <i>amphimus</i>	119
<i>gastricus</i> Mehra, <i>Diachistorchis</i>	115
<i>gavialis</i> Narain, <i>Crocodylicola</i>	131
<i>geckonum</i> Bhalerao, <i>Paradistomum</i>	112
" <i>gelatinosum</i> "—Poirier == <i>poirieri</i> Stos.	127
<i>gelatinosus</i> Rudolphi, <i>Rhytidodes</i>	137
<i>geolemmidys</i> Yamaguti, <i>Telorchis</i>	126
<i>geomydae</i> Ozaki, <i>Mesocoelium</i>	112
<i>geomydae</i> MacC. == <i>chelydrae</i> M. 1918	115
<i>georgiana</i> B. & R., see Appendix	
<i>georgianum</i> Byrd == <i>salamandrae</i>	111
<i>georgianum</i> Byrd & D., <i>Neorenisifer</i>	123
<i>gharialii</i> Mehra, <i>Eozitodendrium</i>	118
<i>gladiolum</i> Dubois, <i>Mesodiplostomum</i>	131
<i>glandularis</i> Byrd & D., <i>Neorenisifer</i>	123
<i>gracilis</i> Stunkard, <i>Hapalorhynchus</i>	128
<i>gracillimum</i> Lühe, <i>Distoma</i>	128
<i>grande</i> Diesing, <i>Nematophila</i>	118
<i>grandispinus</i> Caballero, <i>Renifer</i>	124
<i>gregarium</i> Tubangui, <i>Paradistomum</i>	112
<i>guberletii</i> Byrd, <i>Stomatrema</i>	127
<i>gurtlii</i> Cobbold == <i>lacetata</i> V.	134
<i>guttati</i> MacCallum == <i>corti</i>	126
<i>gyrinipeta</i> Lutz == <i>vaginata</i>	132
<i>haematobium</i> Stunkard, <i>Spirorchis</i>	129
<i>hugmanni</i> L. & F., <i>Telorchis</i>	126
<i>hardellii</i> Mehra, <i>Spirorchis</i>	129
<i>hassalli</i> Goto == <i>oblongum</i>	133
<i>hasta</i> Looss, <i>Octangium</i>	118
<i>heterocoelium</i> Travassos, <i>Heterocoelium</i>	127
<i>heterodontis</i> Byrd & Denton, <i>Neorenisifer</i>	123
<i>hirsutum</i> Looss, <i>Leclithodendrium</i>	113
<i>hollyi</i> Dubois, <i>Cystodiplostomum</i>	131
<i>horrida</i> Leidy, <i>Styphlodora</i>	125
<i>hospitale</i> Stafford == <i>salamandrae</i>	111
<i>ichthyocystis</i> Lutz == <i>vaginata</i>	132
<i>incerta</i> Cobbold, <i>Distoma</i>	128
<i>incommodum</i> Leidy, <i>Odhnertiorema</i>	111
<i>indica</i> Sinha, <i>Lissemysia</i>	110
<i>indica</i> Thapar, <i>Astiotrema</i>	121
<i>indicum</i> Bhalerao, <i>Paraphostomum</i>	114
<i>indicum</i> Mehra, <i>Biorchis</i>	121
<i>indicum</i> N. & D., <i>Paradistomum</i>	112
<i>indicus</i> Bhalerao, <i>Testisaculus</i>	114
<i>indicus</i> Thapar, <i>Hapalorhynchus</i>	128
<i>inermis</i> MacCallum == <i>orbiculare</i>	133
<i>inermis</i> Lebour == <i>validus</i>	123
<i>infecundum</i> Nicoll, <i>Harmotrema</i>	110
<i>infidum</i> de Faria, <i>Infidum</i>	112
<i>inhabilis</i> Cort == <i>parvum</i> S. 1916	118
<i>innominata</i> Ward, <i>Spirorchis</i>	129
<i>insculpta</i> MacCallum == <i>corti</i>	126
<i>instar</i> Looss, <i>Erdiotrema</i>	122
<i>interiora</i> W. & H., <i>Lophotaspis</i>	110
<i>intermedia</i> O. & O., <i>Alaria</i>	130
<i>interrogativus</i> Nicoll, <i>Opisthogonimus</i>	121

<i>intestinalis</i> Price, <i>Rhytidodoides</i> -----	128	<i>magnum</i> Stunkard, <i>Allasotoma</i> -----	118
<i>l. testudinis mydas</i> Rud. = <i>t. m.</i> -----	128	<i>magnum</i> Travassos, <i>Paradistomum</i> -----	112
<i>longinatum</i> F. & L., <i>Metacetabulum</i> -----	118	<i>magnum</i> Tubangui = <i>gregarium</i> -----	112
<i>irroratus</i> Rudolphi, <i>Pachypoelus</i> -----	122	<i>m. orotermineus</i> Bhalerao, <i>Paradistomum</i> -----	112
<i>jaerdtinge</i> F. & L., <i>Echinotoma</i> -----	114	<i>magnus</i> Byrd & Denton, <i>Renifer</i> -----	124
<i> japonica</i> Y. & O., <i>Encyclometra</i> -----	120	<i>magnus</i> Sinha = <i>amphimac</i> -----	119
<i> japonicus</i> Ozaki, <i>Polystomoides</i> -----	184	<i>magnus</i> Szidat, <i>Opisthoglyphe</i> -----	121
<i> japonicus</i> Ogata, <i>Cephalogonimus</i> -----	119	<i>marajoarum</i> F. & L., <i>Acanthostomum</i> -----	117
<i> japonicus</i> Brumpt = <i>parva</i> -----	117	<i>marcianae</i> La Rue, <i>Agamastomum</i> -----	132
<i> japonicus</i> Hughes, <i>Sidattia</i> -----	130	<i>maternum</i> MacC. = <i>chelydras</i> M. 1918. -----	115
<i> kachuga</i> Mehra, <i>Spinemetra</i> -----	125	<i>medians</i> Olsson, <i>Pleurogonimus</i> -----	113
<i> kachuga</i> Stewart, <i>Polystomoides</i> -----	184	<i>medius</i> Stunkard, <i>Telorchis</i> -----	127
<i> kasensis</i> Crow, <i>Neoreinifer</i> -----	123	<i>"medius"</i> —McMullen = <i>corti</i> -----	126
<i> kaseleri</i> Grebnitzky, <i>Halipegus</i> -----	114	<i>medusae</i> Dubois, "Diplostome" -----	182
<i> kinosterni</i> Byrd? = <i>diminutus</i> -----	126	<i>megachondrus</i> Looss, <i>Endiostrema</i> -----	122
<i> konoi</i> Ogata, <i>Telorchis</i> -----	126	<i>megacotyle</i> F. & O. = <i>clemmydis</i> -----	126
<i> koidsumi</i> Kobayashi = <i>albus</i> -----	115	<i>megacotyle</i> Stunkard = <i>coronatum</i> -----	133
<i> laboanus</i> Bennett, <i>Neochasmus</i> -----	117	<i>megabothrium</i> Pereira, <i>Opisthogonimus</i> -----	121
<i> laertes</i> Diesing = <i>l. Valenciennes</i> -----	134	<i>megaloon</i> Linstow, <i>Distoma</i> -----	128
<i> laertes</i> Rudolphi = <i>mentulatus</i> -----	121	<i>megametris</i> B., P., & R., <i>Pauropylum</i> -----	121
<i> laertes</i> Valenciennes, <i>Tetrathyridium</i> -----	134	<i>megametris</i> Talbot, <i>Renifer</i> -----	124
<i> lachesidae</i> MacCallum, <i>Styphlodora</i> -----	125	<i>megaovum</i> Ozaki, <i>Polystomoides</i> -----	134
<i> lanceolatum</i> Dubois, <i>Heterodiplostomum</i> -----	131	<i>megas</i> Barker = <i>pandus</i> -----	115
<i> lanka</i> Fernando = <i>ceratophoras</i> -----	112	<i>megasorchis</i> Crow, <i>Lechriorchis</i> -----	122
<i> lateralis</i> Oguro 1886, <i>Diaschistorchis</i> -----	115	<i>megastomus</i> Looss, <i>Cricoccephalus</i> -----	116
<i> lateralis</i> Oguro 1888, <i>Amphirochis</i> -----	128	<i>megittii</i> Bhalerao, <i>Mesocoelium</i> -----	112
<i> lateriporus</i> Skrjabin, <i>Laureriella</i> -----	110	<i>mehri</i> Gogate, <i>Ptyasorchis</i> -----	124
<i> laterotrema</i> Byrd & Denton, <i>Renifer</i> -----	124	<i>mehri</i> Chatterji, <i>Neopronocephalus</i> -----	115
<i> laicoaudae</i> Yamaguti, <i>Harmotrema</i> -----	110	<i>mehri</i> Pande, <i>Cephalogonimus</i> -----	120
<i> laicoaudae</i> Yamaguti, <i>Oesophagicola</i> -----	117	<i>membranaceus</i> Caballero, see Appendix -----	
<i> latum</i> Godeoist, <i>Anchitrema</i> -----	113	<i>"mentulatum"</i> —Ercolani = <i>ercolanii</i> -----	126
<i> lasarevi</i> Skrjabin & Popoff, <i>Patagium</i> -----	128	<i>mentulatus</i> Rudolphi, <i>Plagiorchis</i> -----	121
<i> learedi</i> Price, <i>Learedius</i> -----	129	<i>meridionalis</i> Harwood = <i>salamandras</i> -----	111
<i> leithonotus</i> Lühe = <i>phlodyadum</i> -----	121	<i>mesocoelium</i> Cohn, <i>Pintneria</i> -----	113
<i> leidy</i> Byrd & Denton, <i>Pneumatophylus</i> -----	124	<i>mesorchium</i> Byrd = <i>salamandras</i> -----	111
<i> leiperi</i> Bhalerao, <i>Mesocoelium</i> -----	112	<i>microcephala</i> Travassos, <i>Odhnertrema</i> -----	111
<i> lenoiri</i> Poirier, <i>Cephalogonimus</i> -----	120	<i>microcephalum</i> Brandes = <i>strigis</i> -----	182
<i> lenoiri</i> Poirier, <i>Cotyloaspis</i> -----	110	<i>microcotyle</i> Stunkard = <i>coronatum</i> -----	133
<i> leptus</i> Barker & Covey = <i>angustus</i> -----	126	<i>microon</i> Nicoll, <i>Mesocoelium</i> -----	112
<i> linearis</i> Looss, <i>Pleurogonius</i> -----	116	<i>microrchis</i> F. & O., <i>Polystomoides</i> -----	134
<i> linguaformis</i> Dubois = <i>cordatum</i> -----	180	<i>microrchis</i> Yamaguti, <i>Encyclometra</i> -----	120
<i> linguatula</i> Looss, <i>Polyangulum</i> -----	118	<i>midas</i> K. & H. = <i>ocellatum</i> -----	134
<i> linstowii</i> Stossich = <i>aculeatus</i> -----	126	<i>minutissimus</i> Looss, <i>Pleurogonius</i> -----	116
<i>"linstowii"</i> —Goldberger = <i>corti</i> -----	126	<i>minutum</i> Byrd, <i>Spirorchis</i> -----	129
<i> lobatum</i> Mehra, <i>Ommatobrephus</i> -----	120	<i>minutum</i> Mehra, <i>Cephalogonimus</i> -----	120
<i> lobatum</i> najii Mehra, <i>Ommatobrephus</i> -----	120	<i>mistroides</i> Monticelli, <i>Harmotrema</i> -----	129
<i> lobatus</i> Looss, <i>Glyphicephalus</i> -----	116	<i>molini</i> Kobayashi, <i>Polyangium</i> -----	112
<i> lobatus</i> Stunkard = <i>corti</i> -----	126	<i>moghei</i> Bhalerao, <i>Paradistomum</i> -----	112
<i> longicaecum</i> Luhman, <i>Pyelosomum</i> -----	116	<i>molini</i> H. H., & C., ¹ <i>Cercocoleithos</i> -----	125
<i> longicirra</i> Chatterji, <i>Kaurma</i> -----	110	<i>mollis</i> Leidy, <i>Pleorchis</i> -----	114
<i> longicirrus</i> Odlaug, <i>Dasymetra</i> -----	122	<i>monas</i> Rudolphi, <i>Distoma</i> -----	110
<i> longicollis</i> Abildgaard, <i>Macrodera</i> -----	120	<i>monodi</i> Dollfus, <i>Mesocoelium</i> -----	112
<i> longitestis</i> Byrd, <i>Vasotrema</i> -----	180	<i>monticellii</i> Stossich, <i>Astiostrema</i> -----	121
<i> longiusculus</i> Looss, <i>Pleurogonius</i> -----	116	<i>monstruosum</i> Braun, <i>Ochetosoma</i> -----	127
<i> longum</i> Brandes, <i>Proterodiplostomum</i> -----	181	<i>multifalx</i> Stunkard, <i>Polystomoides</i> -----	134
<i> loosi</i> Price, <i>Haplotrema</i> -----	129	<i>multispinus</i> Bennett, <i>Allopharynx</i> -----	124
<i> loosi</i> Travassos, <i>Gloasidium</i> -----	124	<i>mutabile</i> Molin, <i>Paradistomum</i> -----	112
<i> loosi</i> Mehra, <i>Astiostrema</i> -----	121	<i>mutadomum</i> Wallace = <i>cordatum</i> -----	130
<i> luckeri</i> McIntosh, <i>Infusum</i> -----	112	<i>mydas</i> Rudolphi = <i>trigonoccephalus</i> -----	116
<i> louisiana</i> Byrd = <i>salamandras</i> -----	111	<i>mydas</i> K. & H. = <i>ocellatum</i> -----	134
<i> lushi</i> Travassos, <i>Microderma</i> -----	121	<i>naja</i> Rudolphi = <i>longicollis</i> -----	120
<i> lunatus</i> Looss = <i>irroratus</i> -----	122	<i>najas</i> Nicoll, <i>Styphlodora</i> -----	125
<i> lusi</i> Travassos, <i>Paradistomum</i> -----	112	<i>nardoi</i> Polonio, <i>Distoma</i> -----	120
<i> lyestinus</i> Mehra, <i>Hemiorhynchus</i> -----	128	<i>naticris</i> B. & C. = <i>colubri-murorum</i> -----	120
<i> macalmini</i> Nicoll, <i>Dolichopera</i> -----	127	<i>naticris</i> Byrd & Denton, <i>Styphlodora</i> -----	125
<i> macallumi</i> Johnston, <i>Paradistomum</i> -----	112	<i>naticris</i> H. & A., <i>Paralechriorchis</i> -----	128
<i> macrocephalum</i> Rudolphi = <i>strigis</i> -----	182	<i>naticris</i> MacCallum = <i>aniamum</i> -----	127
<i> macrophallus</i> Oguro, <i>Madionorus</i> -----	116	<i>naticris</i> Müllinger = <i>colubri-murorum</i> -----	120
<i> macrorchis</i> Brandes, <i>Monostoma</i> -----	128	<i>naticris</i> Bhalerao, <i>Travassostomum</i> -----	132
<i> macrorchis</i> Gogate, <i>Palitrema</i> -----	113	<i>nematoides</i> Mülling = <i>ercolanii</i> -----	126
<i> magna</i> Byrd & Denton, <i>Stenylodora</i> -----	128	<i>nephrocephalum</i> Diesing = <i>renicapite</i> -----	115
<i> magnanotum</i> Odhn. <i>Haliostrema</i> -----	111		
<i> magnitestis</i> Byrd, <i>Spirorchis</i> -----	129		

¹See Appendix.

²The account of this species should be revised to read as follows: *Plagiorchis molini* Lent and de Freitas 1940.—Dist. "arrectum" of Molin 1859, *Telorchis arrectus*—Stossich 1904, *Cercocoleithos arrectus*—Perkins 1928; *C. molini* Hughes, Higginbotham, and Clary 1941.

<i>nicoli</i> Bhalerao, <i>Styphlodora</i>	125	<i>primus</i> Stafford, <i>Lechriorchis</i>	123
<i>nicoli</i> Holl & Allison, <i>Dasymetra</i>	122	<i>productum</i> Odhner, <i>Acanthostomum</i>	117
<i>nicolii</i> Mehra, <i>Harmotrema</i>	110	<i>propria</i> Nicoll, <i>Lechriorchis</i>	123
<i>nigrocystica</i> Bradley, <i>Cercaria</i>	128	<i>proteus</i> Brandes, <i>Deuterobria</i>	118
<i>nigrovenosum</i> <i>natrix</i> <i>torquata</i> Diesing		<i>provittolaris</i> Bennett, <i>Dasymetra</i>	122
= <i>nigrovenosus</i>	111	<i>pseudamphistomum</i> Creplin, <i>Monostoma</i>	128
<i>nigrovenosus</i> Bellingham, <i>Leptophallus</i>	111	<i>pseudomyas</i> Byrd, <i>Spirorchis</i>	129
<i>obesus</i> Nicoll = <i>salamandras</i>	111	<i>pseudocaulatus</i> Dollfus, <i>Telorchis</i>	127
<i>obesus</i> Creplin = <i>lacertas</i> V.	134	<i>pseudostoma</i> Willemoes-Suhm, <i>Crocodilicola</i>	181
<i>obliquus</i> Looss, <i>Pronocephalus</i>	116	<i>pulmonalis</i> <i>colubri</i> <i>natrix</i> V. = <i>longicollis</i>	120
<i>oblongum</i> Wright, <i>Polystomoidella</i>	133	<i>pulvinata</i> Braun, <i>Braunotrema</i>	119
" <i>oblongum</i> "—Leidy = <i>orbiculare</i>	133	<i>purvisi</i> S. & K., <i>Chiorchis</i>	118
<i>obscurum</i> Mehra = <i>hardellii</i>	129	<i>pusilla</i> Guberlet, <i>Stomatrema</i>	127
<i>obtusicaudum</i> Mackin, <i>Macravestibulum</i>	116	<i>putorii</i> von Linatow = <i>cordatum</i>	180
<i>obutum</i> Looss, <i>Lechithodendrium</i>	113	<i>pyzidatum</i> Rudolphi, <i>Distoma</i>	128
<i>ocadias</i> F. & O., <i>Polystomoides</i>	134	<i>quaesitum</i> Nicoll, <i>Acanthostomum</i>	117
<i>ocellatum</i> Rudolphi, <i>Polystomoides</i>	134	<i>rami</i> Bhalerao, <i>Astiotrema</i>	121
<i>odhnerensis</i> Mehra, <i>Hapalorhynchus</i>	129	<i>ramlianus</i> Looss, <i>Plagiorchis</i>	122
<i>odhneri</i> Bhalerao, <i>Astiotrema</i>	121	<i>ramonas</i> McCoy, <i>Cercaria</i>	124
<i>opacum</i> Stunkard = <i>coronatum</i>	133	<i>reductum</i> Looss, <i>Enodiotrema</i>	122
<i>ophiboli</i> MacCallum = <i>septicus</i>	123	<i>reelfootii</i> Byrd, <i>Hapalorhynchus</i>	129
<i>ophidiarium</i> T. & M., <i>Opisthorchis</i>	117	<i>renalis</i> Tubangui, <i>Styphlodora</i>	125
<i>ophiocyatis</i> Lutz = <i>vaginata</i>	132	<i>renicapite</i> Leidy, <i>Astrorchis</i>	115
<i>orbiculare</i> Stunkard, <i>Neopolystoma</i>	133	<i>renifera</i> Looss, <i>Astiotrema</i>	121
<i>ordinata</i> Nicoll, <i>Agamodistomum</i>	133	" <i>reniferum</i> "—Odhner = <i>odhneri</i>	121
<i>oricola</i> Leidy = <i>incommodum</i>	111	<i>reniforme</i> Lühe = <i>renifera</i>	121
<i>orientale</i> Ozaki, <i>Leurosoa</i>	122	<i>resectus</i> Looss, <i>Cricocephalus</i>	116
<i>orientale</i> Yamaguti, <i>Astiotrema</i>	121	<i>resupinatus</i> Caballero, see Appendix	
<i>orientalis</i> F. & T., <i>Lophotaenia</i>	110	<i>reticulare</i> Beneden, <i>Microscaphidium</i>	118
<i>orientalis</i> Mehra 1934, <i>Spirorchis</i>	129	" <i>reticulare</i> "—Walter = <i>linguata</i>	118
<i>orientalis</i> Mehra 1937, <i>Glossimetra</i>	125	<i>robustum</i> Stunkard, <i>Vasotrema</i>	130
<i>orientalis</i> N. & Das, <i>Paradistomum</i>	112	<i>robustum</i> Goldberger, <i>Telorchis</i>	127
<i>orientalis</i> Yamaguti, <i>Kaurma</i>	110	" <i>robustus</i> "—Stunkard = <i>singularis</i> B.	127
<i>oris</i> Paul, <i>Polystomoides</i>	134	<i>robustus</i> Looss, <i>Charazicephalus</i>	115
<i>ornada</i> Travassos, <i>Glassidiella</i>	124	<i>rossicus</i> I. & Z. = <i>kesleri</i>	114
<i>ornata</i> Odhner, <i>Stephanoprora</i>	114	<i>ruber</i> K. & H., <i>Cricocephalus</i>	116
<i>ornata</i> Travassos = <i>ornada</i>	124	<i>rudolphii</i> T. & M., <i>Harmotrema</i>	110
<i>ornata</i> Willemoes-Suhm, <i>Polycotyle</i>	131	<i>rugosa</i> MacCallum, <i>Neopolystoma</i>	133
<i>orula</i> Talbot, <i>Neorenisfer</i>	123	<i>rugosus</i> Odhner, <i>Cotylotritus</i>	113
<i>otidis</i> Frölich = <i>strigis</i>	132	<i>ruszkowskii</i> Yamaguti = <i>gabesensis</i>	126
<i>ovale</i> Byrd = <i>salamandras</i>	111	<i>ruszkowskii</i> Stunkard, <i>Unicaecum</i>	130
<i>ovalis</i> Barker, <i>Opisthorchis</i>	117	<i>sagitta</i> Looss, <i>Ocangium</i>	118
<i>ovalis</i> B. & R., <i>Leptophyllum</i>	120	<i>sagittaria</i> Dickerman, <i>Proterometra</i>	114
<i>ovalis</i> Linton, <i>Pachypolus</i>	122	<i>salamandras</i> Frölich, <i>Brachycolium</i>	111
<i>ovatus</i> Tubangui, <i>Postorhigenes</i>	113	<i>sanguina</i> Sinha, <i>Spirorchis</i>	129
<i>ovocaudatus</i> Vulpin = <i>kesleri</i>	114	<i>sanguineum</i> Sonsino, <i>Anchitrema</i>	113
<i>ozakii</i> Oguro, <i>Pleurogonius</i>	116	<i>sauromates</i> Poirier, <i>Neorenisfer</i>	123
<i>pachyderma</i> Braun, <i>Distoma</i>	128	<i>schistosomatoides</i> Price, <i>Neospirorchis</i>	129
<i>pallidus</i> MacCallum = <i>corti</i>	126	<i>scleroporum</i> Creplin, <i>Schizamphistomum</i>	119
<i>paloensis</i> Tubangui, <i>Paradistomum</i>	112	<i>sclerops</i> Travassos, <i>Pachypolus</i>	122
<i>pandus</i> Braun, <i>Diaschistorchis</i>	115	<i>scripta</i> Stunkard, <i>Spirorchis</i>	130
<i>papillosum</i> Stunkard = <i>scleroporum</i>	119	<i>scyphocephalum</i> Braun, <i>Acanthostomum</i>	117
<i>papillostomum</i> MacCallum = <i>scleroporum</i>	119	<i>secundus</i> Canavan = <i>natrix</i> H. & A.	123
<i>parallelum</i> Looss, <i>Angiodictyum</i>	117	<i>secundus</i> Pratt, <i>Rhytidodes</i>	123
<i>parms</i> Mehra & Bokhari = <i>parvus</i>	127	<i>septicus</i> MacCallum, <i>Neorenisfer</i>	123
<i>parva</i> Stossich, <i>Rätzia</i>	117	<i>serialis</i> Looss, <i>Adenogaster</i>	115
<i>parvula</i> Nicoll, <i>Dolichoepora</i>	127	<i>serpenticola</i> Massino, <i>Plagiorchis</i>	122
<i>parvum</i> Stun, 1916, <i>Allasostomoides</i>	118	<i>serpentinum</i> T. & H., <i>Crepidostomum</i>	110
<i>parvum</i> Stunkard 1923, <i>Spirorchis</i>	129	<i>serpentis</i> Hughes, <i>Tetracotyle</i>	133
<i>parvum</i> Travassos = <i>E. travassosi</i>	112	<i>serpentis</i> S. & H., <i>Neorenisfer</i>	123
<i>parvus</i> Braun, <i>Telorchis</i>	127	<i>serpentis</i> Yamaguti, <i>Proalarioides</i>	131
<i>pellucidus</i> Mehra = <i>orientalis</i> M. 1934	129	<i>serpentum</i> Gogate, <i>Gogatea</i>	130
<i>pellucidus</i> Mehra & B., <i>Telorchis</i>	127	<i>serratata</i> Looss, <i>Styphlodora</i>	125
<i>persimilis</i> Nicoll, <i>Styphlodora</i>	125	<i>vesilis</i> Odhner, <i>Nephrocephalus</i>	111
<i>philodradum</i> West, <i>Opisthoganimus</i>	121	<i>shelkownikovi</i> S. & P. = <i>solitagus</i>	127
<i>picta</i> Stunkard = <i>elegans</i> S.	129	<i>siamense</i> Poirier, <i>Pseudoneodiplostomum</i>	132
<i>pictas</i> MacCallum = <i>innominata</i>	129	<i>signatum</i> Dujardin = <i>nigrovenosus</i>	111
<i>piscator</i> Bhalerao, <i>Xenopharynx</i>	127	" <i>signatum</i> "—Ercolani = <i>ercolanii</i>	121
<i>pleroticus</i> Braun, <i>Telorchis</i>	127	<i>similis</i> Price 1934, <i>Learedius</i>	129
<i>plasientera</i> Sumwalt, <i>Lechriorchis</i>	122	<i>similis</i> Price 1939, <i>Rhytidodoides</i>	123
<i>poirieri</i> Dubois = <i>pseudostoma</i>	131	<i>similis</i> Sonsino, <i>Styphlodora</i>	125
<i>poirieri</i> Stossich, <i>Telorchis</i>	127	<i>similis</i> Travassos, <i>Infidum</i>	112
" <i>poirieri</i> "—Stossich = <i>stossichi</i>	127	<i>simplex</i> Polonio, <i>Diatoma</i>	123
<i>polesianus</i> Esimont, <i>Hapalotrema</i>	129	<i>simplexus</i> B., P., & R., <i>Psurophyllum</i>	121
<i>posterorichis</i> Oguro, <i>Pucosomum</i>	116		
<i>proboscidium</i> Rudolphi = <i>crotali</i>	134		

*See Appendix.

<i>sinensis</i> F. & T., <i>Cotyloaspis</i>	110	<i>theriocystis</i> Lutz = <i>strigis</i>	126
<i>singularis</i> Bennett, <i>Telorchis</i>	127	<i>thomasi</i> Dollfus, <i>Pseudoneodiplostomum</i>	132
<i>singularis</i> Nicoll, <i>Ommatobrephus</i>	120	<i>tiliquae</i> Nicoll, <i>Tetracotyle</i>	133
<i>stratae</i> Nicoll, <i>Diplostomulum</i>	133	<i>timotheevi</i> Dollfus = <i>colubri-murorum</i>	120
<i>skriabini</i> Price, <i>Octangioides</i>	118	<i>trachysauri</i> MacCallum, <i>Paradiotomum</i>	112
<i>socialis</i> Luhe, <i>Mesocoelium</i>	113	<i>trachysauri</i> MacCallum = <i>maccallumi</i>	112
<i>sokolowi</i> Skriabin, <i>Anchitrema</i>	113	<i>travassosi</i> Bhalerao 1936, <i>Eurytrema</i>	112
<i>solaris</i> Braun, <i>Cymatocarpus</i>	111	<i>travassosi</i> Bhalerao 1937, <i>Pneumotrema</i>	122
<i>solidum</i> Van C. & M. = <i>cooperi</i>	110	<i>travtrema</i> Pereira, <i>Travtrema</i>	122
<i>solidus</i> Looss, <i>Glyphicephalus</i>	118	<i>triangularis</i> Mehrs, <i>Neopronocephalus</i>	115
<i>solitaria</i> Looss, <i>Styphlotrema</i>	125	<i>trifoliata</i> Price, <i>Dermatomytrema</i>	119
<i>solitagus</i> Odhner, <i>Telorchis</i>	127	"trigonocephalum" - Beneden = <i>longiusculus</i>	116
<i>s. macrocanus</i> Dollfus, <i>Telorchis</i>	127	<i>trigonocephalus</i> Rudolphi, <i>Pleurogonium</i>	116
<i>solus</i> Nicoll, <i>Xenopharynx</i>	127	"trigonocephalum" - Looss = <i>obliquus</i>	116
<i>spectabilis</i> Dubois, <i>Ophiodiplostomum</i>	131	<i>troosti</i> MacCallum = <i>orbiculare</i>	133
<i>epharpidis</i> MacCallum = <i>renicapsite</i>	115	<i>trospidonoti</i> MacCallum, <i>Allopharynx</i>	124
<i>epinulosum</i> Looss, <i>Schizamphistomoides</i>	119	<i>tropidonotis</i> Vidyarthi, <i>Proclarioides</i>	132
<i>epinulosum</i> MacCallum = <i>orbiculare</i>	133	<i>tumidulum</i> Dubois, <i>Proterodiplostomum</i>	131
<i>spirale</i> Diesing, <i>Helicotrema</i>	111	<i>tygari</i> Talbot, <i>Lechiorchis</i>	123
<i>stenocotyle</i> Cohn, <i>Leptophyllum</i>	120	<i>uluae</i> Viborg = <i>strigis</i>	132
<i>stenonura</i> Ingles = <i>corti</i>	126	<i>umbonatum</i> Odhner = <i>crocodili</i>	113
<i>storeriae</i> Harwood = <i>salamandrae</i>	111	<i>undulatus</i> Looss, <i>Cymatocarpus</i>	111
<i>stossichi</i> Goldberger, <i>Telorchis</i>	127	<i>unicum</i> Looss = <i>renifera</i>	121
<i>strigis</i> Schrank, <i>Strigea</i>	132	<i>vaginata</i> Brandes, <i>Strigea</i>	132
<i>strigis</i> otii Viborg = <i>strigis</i>	132	<i>validus</i> Nicoll, <i>Neorenisfer</i>	123
<i>stunkardi</i> Byrd, <i>Hapalorchynchus</i>	129	<i>vallei</i> Stossich, <i>Lophotaepsis</i>	110
<i>stunkardi</i> Harwood = <i>multifalx</i>	134	<i>varani</i> Price, <i>Cyclorchis</i>	117
<i>stunkardi</i> Rumbold, <i>Cotyloaspis</i>	110	<i>varani</i> Tubangui, <i>Euparadiotomum</i>	111
<i>subflavum</i> Sonsino = <i>colubri-murorum</i>	120	<i>varanum</i> Verma, <i>Tremiorchis</i>	122
<i>synorchis</i> Luhnman, <i>Hapalotrema</i>	129	<i>variabilis</i> Nitzsch = <i>strigis</i>	132
<i>synlomentera</i> Sumwalt, <i>Paralechiorchis</i>	123	<i>variabilis</i> Leidy, <i>Pneumatophilus</i>	124
<i>tabascensis</i> C. & S., <i>Schizamphistomoides</i>	119	<i>vegrandis</i> La Rue, <i>Diplostomulum</i>	133
<i>tabacense</i> Sonsino = <i>medians</i>	113	<i>verlatum</i> Talbot, <i>Natriodera</i>	123
" <i>tabacense</i> " - Looss = <i>tener</i>	113	<i>vesicaudus</i> Nickerson, <i>Cephalogonimus</i>	120
<i>takahashi</i> F. & O., <i>Diaschistorchis</i>	116	<i>vicinum</i> Odhner, <i>Acanthostomum</i>	117
<i>takanoi</i> Kobayashi, <i>Octangium</i>	118	<i>villicae</i> Byrd, <i>Dasymetra</i>	122
<i>tamiamiensis</i> McIntosh, <i>Leptophyllum</i>	120	<i>viperae</i> von Linstow, <i>Agamodistomum</i>	128
<i>tener</i> Looss, <i>Pleurogenoides</i>	113	<i>vitellosus</i> Bennett = <i>angustus</i>	126
<i>teres</i> poro <i>simplicis</i> Goze = <i>strigis</i>	132	<i>vivax</i> Sonsino = <i>jouyeuzi</i> ?	130
<i>terrapenis</i> Harwood, <i>Neopolystoma</i>	133	<i>wardi</i> Byrd, <i>Neorenisfer</i>	123
<i>tertius</i> Pratt, <i>Pachypoelus</i>	122	<i>whartoni</i> Price, <i>Polystomoidella</i>	133
<i>testudinis</i> Braun = <i>scyphocephalum</i>	117	<i>zenodontis</i> C. & V. = <i>philodryadum</i>	121
<i>testudinis</i> Dubois, <i>Herpetodiplostomum</i>	131	<i>yoshidai</i> Ozaki, <i>Hapalorchynchus</i>	129
<i>testudinis</i> Rudolphi, <i>Diatoma</i>	128	<i>zonuri</i> Malan, <i>Paradiotomum</i>	112
<i>testudinis</i> mydae Rudolphi, <i>Diatoma</i>	128	<i>zschokkei</i> Volz, <i>Neorenisfer</i>	123
<i>tezanus</i> Harwood = <i>aniarum</i>	123		
<i>tezanus</i> Harwood = <i>corti</i>	126		

APPENDIX

Data not included in Parts I and II of the present study.—Caballero y C. (1940b) recorded the occurrence of *Polystomoidella oblongum* in *Kinosternon integrum* and described *Schizamphistomoides resupinatus* from *Dermatemys mawii* and *Cercorchis membranaceus* from *Chrysemys ornata*—all in Mexico. The same author (C. 1941) reported *Cercorchis kinosterni* and described *C. thamnophidis* from *Thamnophis megalops*; he also described *Renifer brevicoccus* from *T. megalops* and *T. angustirostris melanogaster*—all in Mexico.

Styphlodora elegans Dawes 1941 and *Styphlodora dawesi* nobis (= *S. compactum* Dawes 1941 not Byrd, Parker, and Reiber 1940) were described from *Python reticulatus* in Malaya.

Byrd and Reiber (1942) have described a new genus (*Pseudocrocodylica*) and three new species (*P. americanense*, *P. georgiana*, and *Pseudoneodiplostomum acetabulata*) of trematodes from *Alligator mississippiensis*.

Owing to an error in printing *Mesocoelium carli* Andr e 1915 from *Kinixys belliana* in Africa was not listed in part I.

Descriptions of several additional new species and two new genera of reptilian flukes occur in the supplementary references listed at the close of the bibliography.

BIBLIOGRAPHY

This list of references is intended to be essentially complete for the literature on reptilian trematodes published subsequent to 1907. For articles of earlier dates the reader is advised to consult the works of Stiles and Hassall (1902-1912, 1908).

- Allison, L. N. and F. J. Holl. 1937. A new trematode *Pseudoreniker brachyoesophagidius* from a North American snake. Tr. Am. Micr. Soc. 56: 203-205.
- André, E. 1915. *Mesocoelium carli* n. sp. trématode parasite d'une tortue africaine. Rev. Suisse Zool. 23: 91-93.
- Azim, M. A. 1935. On the life history of *Lepoderma ramlianum* Looss, 1896, and its development from a xiphidiocercaria. J. Parasitol. 21: 365-368.
- Baer, J. G. 1924. Description of a new genus of Lepodermatidae (Trematoda) with a systematic essay on the family. Parasitology 16: 22-31.
- 1931. Un nouveau genre de trématode provoquant des lésions dans le rein de la taupe. (Note préliminaire). Actes Soc. Hévet. Sc. Nat. 1931: 337-338.
- Barker, F. D. 1911. The trematode genus *Opisthorchis* R. Blanchard 1895. Studies Zool. Lab., Univ. Nebr. 103: 513-561.
- 1922. The parasitic worms of animals of Bermuda. I. Trematodes. Proc. Am. Acad. Arts and Sc. 57: 213-237.
- Barker, F. D. and G. W. Covey. 1911. A new species of trematode from the painted terrapin, *Chrysemys marginata* Agassiz. Univ. Studies, Univ. Nebr. 11: 193-218.
- Barker, F. D. and S. Parsons. 1914a. A new aspidobothrid trematode from Lesseur's terrapin. A preliminary note. Tr. Am. Micr. Soc. 33: 261-262.
- 1914b. A new species of monostome from the painted terrapin, *Chrysemys marginata*. Zool. Anz., Leipzig 45: 193-194.
- 1917. A monostome lungfluke from the painted terrapin, *Chrysemys marginata* Agassiz. Tr. Am. Micr. Soc. 36: 55-66.
- Baylis, H. A. 1937. Some parasitic worms from East African chamaeleons. Ann. and Mag. Nat. Hist., s. 10, 19: 584-593.
- Baylis, H. A. and H. G. Cannon. 1924a. A new trematode from a grass-snake. Ibid., s. 9, 13: 194-196.
- 1924b. Further notes on a new trematode from a grass-snake. Ibid., s. 9, 13: 558-559.
- Beaver, P. C. 1929. Studies on the development of *Allasostoma parvum*. J. Parasitol. 16: 13-23.
- Bennett, H. J. 1933. New trematodes from Louisiana reptiles. Anat. Rec. 57: 97-98.
- 1935. Four new trematodes from reptiles. J. Parasitol. 21: 83-90.
- 1938. *Dasymetra provittelaria*, a new species of trematode from a snake, *Farancia abacura*. Proc. Louisiana Acad. Sc. 4: 247.
- Bennett, H. J. and C. H. Sharp. 1938. Helminth parasites of *Sternotherus odoratus* and *Terrapene carolina triunguis* from Louisiana. Ibid. 4: 241-242.

- Bennett, H. J. and J. E. Tobie. 1936. New records on the prevalence and distribution of some Telorchinae from *Pseudemys elegans* Wied. Proc. Helminth. Soc. Washington 3: 62-63.
- van den Berghe, L. 1939. Un strigéidé nouveau du Congo Belge *Pharyngostomum congolense*. Rev. Zool. et Botan. Africaines 32: 199-205.
- Bhalerao, G. D. 1926. On the trematode parasites of a water-snake, *Tropidonotus piscator*. Parasitology 18: 4-13.
- 1927a. Three new trematodes from reptiles. Proc. Indian Sc. Cong. 14: 191.
- 1927b. A new species of trematode from *Mabuia dissimilis*. Ann. and Mag. Nat. Hist., s. 9, 20: 611-615.
- 1929a. The genus *Paradistomum* in Burmese reptiles. Ibid., s. 10, 3: 412-421.
- 1929b. Idem. Proc. Indian Sc. Cong. 16: 189.
- 1931a. Two new parasites from the king-cobra, *Naja hannah*. Ibid. 18: 221-222.
- 1931b. Two new trematodes from reptiles: *Paryphostomum indicum* n. sp. and *Stunkardia dilymphosa* n. g., n. sp. Parasitology 23: 99-108.
- 1931c. Two new parasites from the king cobra (*Naja hannah*). Ann. and Mag. Nat. Hist., s. 10, 8: 102-109.
- 1936a. Studies on the helminths of India. Trematoda I. J. Helminth. 14: 163-180.
- 1936b. Idem. II. Ibid. 14: 181-206.
- 1937. On *Pneumotrema travassosi* gen. et sp. n., and two other trematoda parasites from the animals dying in the Zoological Society's gardens during 1936-1937. Proc. Zool. Soc. London, s. B, 107: 365-369.
- 1938. On a new trematode, *Travassosstomum natritis* n. g., n. sp., from the intestine of the Indian river-snake, *Natrix piscator* (Schneider). Livro Jub. Travassos, p. 81-86.
- 1940. Observations on the anatomy of *Acanthostomum burminis* (Bhalerao, 1926). Indian J. Vet. Sc. and Animal Husbandry 10: 94-97.
- Bradley, B. 1926. Notes on larval trematodes from New South Wales. Med. J. Australia 13 (2): 573-578.
- Brumpt, E. 1922. Précis de parasitologie. 3. ed. 1216 p. Paris: Masson et cie.
- Byrd, E. E. 1935. Life history studies of Reniferinae (Trematoda, Digenia) parasitic in Reptilia of the New Orleans area. Tr. Am. Micr. Soc. 54: 196-225.
- 1936a. A new trematode parasite, *Renifer wardi* n. sp., from the watersnake, *Natrix rhombifera*, from Columbus, Mississippi. J. Parasitol. 22: 229-231.
- 1936b. A new trematode parasite from the mud-turtle, *Kinosternon subrubrum hippocrepis* (Gray). Ibid. 22: 413-415.
- 1937a. A new host record for *Brachycoelium hospitale* Stafford (Trematoda: Lecithodendriidae). Proc. Helminth. Soc. Washington 4: 78-79.
- 1937b. The trematode parasites from a red-bellied watersnake, *Farancia abacura*. Parasitology 29: 359-364.

- 1937c. Observations on the trematode genus *Brachycoelium* Dujardin. Proc. U. S. Nat. Mus. 84: 183-199.
- 1938a. The present status of the trematode family Spirorchidae Stunkard. J. Parasitol. 24 (6, suppl.): 28.
- 1938b. Studies on the blood flukes of the family Spirorchidae. I. Preliminary report. J. Tennessee Acad. Sc. 13: 133-136.
- 1939. Idem. Part II. Revision of the family and description of new species. Ibid. 14: 116-161.
- 1940. A note on the strigeid trematodes of the alligator, with remarks on the "prostatic" gland. J. Parasitol. 26 (6, suppl.): 32.
- Byrd, E. E. and J. F. Denton. 1937. *Pneumatophilus leidyi*, n. sp. (Trematoda: Plagiorchiidae), a new lung fluke from the watersnake. Proc. Helminth. Soc. Washington 4: 79-81.
- 1938a. Two new trematode parasites of the genus *Styphlodora* (Plagiorchiidae: Styphlodorinae) from the gall bladder of a watersnake, with a discussion on the systematics of the subfamily. Ibid. 5: 42-46.
- 1938b. New trematodes of the subfamily Reniferinae, with a discussion of the systematics of the genera and species assigned to the subfamily group. J. Parasitol. 24: 379-401.
- Byrd, E. E., M. V. Parker, and R. J. Reiber. 1940a. A new genus and two new species of digenetic trematodes, with a discussion of the systematics of these and certain related forms. Ibid. 26: 111-122.
- 1940b. Taxonomic studies on the genus *Styphlodora* Looss, 1899 (Trematoda: Styphlodorinae), with descriptions of four new species. Tr. Am. Micr. Soc. 49: 294-326.
- Byrd, E. E. and R. J. Reiber. 1942. Strigeid trematodes of the alligator, with remarks on the prostate gland and terminal portions of the genital ducts. J. Parasitol. 28: 51-73.
- Byrd, E. E. and R. L. Roudabush. 1939. *Leptophyllum ovalis* n. sp., a new trematode from the brown watersnake. Ibid. 25: 471-473.
- Caballero y C., E. 1938. Algunos tremátodos de reptiles de México. An. Inst. Biol., Univ. Nac. México 9: 103-120.
- 1940a. Revision de las especies que actualmente forman el género *Heronimus* MacCallum, 1902 (Trematoda: Heronimidae Ward, 1917). Ibid. 11: 225-230.
- 1940b. Tremátodos de las tortugas de México (1). Ibid. 11: 559-572.
- 1941. Tremátodos de las culebras de agua dulce de México. I. Ibid. 12: 111-121.
- Caballero y C., E. and D. Sokoloff. 1934. Un nuevo trematódo anfishoma parásito del intestino de una tortuga de agua dulce *Dermatemys mawii* Gray. *Schizamphistomoides tabascensis*, n. sp. Ibid. 5: 41-44.
- 1935. A new trematode (*Schizamphistomoides tabascensis* n. sp.) from the intestine of the fresh water turtle, *Dermatemys mawii* Gray. Tr. Am. Micr. Soc. 54: 135-137.

- Canavan, W. P. N. 1933. A redescription of *Distomum incommodum* Leidy, from *Alligator mississippiensis*, and creation of a new genus (*Homoscaphis*) for it. *Parasitology* 25: 501-509.
- 1937. Two new species of trematodes, a renifer *Lechriorechis secundus* n. sp. from *Natrix s. sipedon* and a dicrocoelid *Dicrocoelium proxillicens* n. sp. from *Kakatoe sulphurea*. *J. Parasitol.* 23: 478-481.
- Chandler, A. C. 1923. Three new trematodes from *Amphiuma means*. *Proc. U. S. Nat. Mus.* 63 (3): 1-7.
- Chatterji, R. C. 1936. The helminths parasitic in the fresh-water turtles of Rangoon. *Rec. Indian Mus.* 38: 81-94.
- 1940. Helminth parasites of the snakes of Burma, I. Trematoda. *Philippine J. Sc.* 71: 381-401.
- Ciurea, I. 1922. Sur quelques trématodes du renard et du chat sauvage. *Compt. Rend. Soc. Biol., Paris* 87: 268-269.
- 1933. Les vers parasites de l'homme, des mammifères, et des oiseaux provenant des poissons du Danube et de la Mer Noire. Premier mémoire. Trématodes, family Heterophyidae Odhner, avec un essai de classification des trématodes de la superfamille Heterophyoidea Faust. *Arch. Roumaines Path. Expér. et Microbiol.* 6: 5-134.
- Cordero, E. H. and E. G. Vogelsang. 1928. *Distomum xenodontis* n. sp., nuevo trematode del intestino de *Xenodon merremi* (Wagler) de Jujuy. *Bol. Inst. Cln. Quir.* 4: 636-641.
- Cort, W. W. 1914. Larval trematodes from North American fresh-water snails. *J. Parasitol.* 1: 65-84.
- 1917. Homologies of the excretory system of the forked-tailed cercariae. A preliminary report. *Ibid.* 4: 49-57.
- 1918. The excretory system of *Agamodistomum marcianae* (La Rue), the agamodistome stage of a forked-tailed cercaria. *Ibid.* 4: 130-134.
- Crow, H. E. 1913. Some trematodes of Kansas snakes. *Science Bull. Univ. Kansas* 7: 125-134.
- Crozler, B. and J. T. Self. 1941. A new host record of the trematode *Neoreniker serpentis*. *Proc. Oklahoma Acad. Sc.* 21: 31.
- Dawes, B. 1941. On *Styphlodora elegans* n. sp. and *Styphlodora compactum* n. sp., trematode parasites of *Python reticulatus* in Malaya, with a key to the species of the genus *Styphlodora* Looss, 1899. *Parasitology* 33: 445-458.
- Dickerman, E. E. 1937. Cystocercous cercariae of the mirabilis group from Lake Erie snails. *J. Parasitol.* 23: 566.
- Dietz, E. 1909. Die Echinostomiden der Vögel. *Zool. Anz., Leipzig* 34: 180-192.
- Dinnik, IU. A. 1928. K obnaruzheniiu na Severnom Kavkaze dvukh redkikh presnovodnykh paraziticheskikh chervei. *Trav. Sta. Biol. Caucase Nord* 2: 126.
- Dollfus, R. P. 1922. Observations sur la morphologie de *Paradistoma mutabile* (Molin) (dicrocoelide nouveau pour la faune française). *Bull. Soc. Zool. France* 47: 387-404.

- 1923. Addition à la bibliographie de mes notes sur les Dicrocoelinae et *Paradistoma mutabile* (Molin). *Ibid.* 48: 32.
- 1924a. Sur un distome de *Tropidonotus natrrix*. *Ibid.* 49: 268-276.
- 1924b. Polyxénie et progénèse de la larve métacercariaire de *Pleurogenes medians* (Olsson). *Compt. Rend. Acad. Sc., Paris* 179: 305-308.
- 1924c. Qu'est-ce que *Distoma subflavum* Sonsino? *Bull. Soc. Path. Exot.* 17: 572-577.
- 1927. Parasitisme chez un pagure d'une larve de distome de tortue. *Compt. Rend. Soc. Biol., Paris.* 96: 1352-1355.
- 1929a. Helmintha I. Trematoda et Acanthocephala. *In* Monod's *Contribution à l'étude de la faune du Cameroun*. II. Faune Colon. Franç. (Gruvel) 3: 73-114.
- 1929b. Existe-t-il des cycles évolutifs abrégés chez les trématodes digénétiques? Le cas de *Ratzia parva* (Stossich, 1904). *Ann. Parasitol.* 7: 196-203.
- 1929c. Sur le genre *Telorchis*. *Ibid.* 7: 29-54.
- 1930. Le point d'aboutissement des canaux collecteurs à la vessie chez les distomes; son importance au point de vue systématique. *Ibid.* 8: 143-146.
- 1931. [Clinostomatoidea comprend seulement les deux familles des Clinostomatidae et des Nephrocephalidae]. *Ibid.* 9: 492-493 (footnote).
- 1934. [Liolopidae R.-Ph. D. n. f.]. *Ibid.* 12: 173 (footnote).
- 1935. Sur *Crocodylicola* et autres hémistomes de crocodiliens. *Arch. Mus. Nat. Hist. Nat., Paris*, s. 6, 12: 637-646.
- 1937. Parasitologia mauritanica Helmintha (iii) trématodes de sélagiens et de chéloniens. *Bull. Comité Etudes Hist. et Scient. Afrique Occid. Franç.* 19: 397-519.
- Dubois, G. 1932. Revision des "hémistomes" et étude de formes nouvelles. *Bull. Soc. Neuchâtel. Sc. Nat.* 56: 375-412.
- 1935. Contribution à l'étude de quelques parasites de l'ordre des Strigeatoidea. *Rev. Suisse Zool.* 42: 1-19.
- 1936. Nouveaux principes de classification des trématodes du groupe des Strigeida. Note préliminaire. *Ibid.* 43: 507-515.
- 1937. Les diplostomes de reptiles (Trematoda: Proterodiplostomidae nov. fam.) du Musée de Vienne. *Bull. Soc. Neuchâtel. Sc. Nat.* 61: 5-80.
- 1938a. Liste systématique des strigéidés du Brésil et du Venezuela. *Livro Jub. Travassos*, p. 145-156.
- 1938b. Monographie des Strigeida (Trematoda). *Mém. Soc. Neuchâtel. Sc. Nat.* 6: 1-535.
- Ejsmont, L. 1927. *Spirhapalum polesianum* n. g., n. sp. trematode du sang d'*Emys orbicularis* L. *Ann. Parasitol.* 5: 220-235.
- 1930a. *Astiotrema emydis* n. sp. przywra z *Emys orbicularis* L. *Sprawoz. Polsk. Acad. Umiej.* 35: 15.
- 1930b. *Idem.* *Bull. Internat. Acad. Polon. Sc. et Lett., Cracovie, Cl. Sc. Math. et Nat., s. B, Sc. Nat.* 2: 405-417.
- de Faria, G. 1910. Contribuição para a sistemática helmintológica brasileira. II. *Dicrocoelium infidum* n. sp. parasito da vezícula biliar da *Eunectes murina* L. *Mem. Inst. Oswaldo Cruz* 2: 22-28.

- 1911. Contribuições para a helmintologia brasileira. IV *Styphlodora condita* n. sp. *Ibid.* 3: 40-45.
- Faust, E. C. 1918. Life history studies on Montana trematodes. *Illinois Biol. Monogr.* 4: 1-120.
- 1919. The excretory system in Digenea. 1. Notes on the excretory system of an amphistome, *Cercaria convoluta*, nov. spec. *Biol. Bull.* 36: 315-321.
- 1922a. Notes on larval flukes from China. *Parasitology* 14: 248-267.
- 1922b. Notes on the excretory system in *Aspidogaster conchicola*. *Tr. Am. Micr. Soc.* 41: 113-117.
- 1929. Human helminthology, a manual for clinicians, sanitarians and medical zoologists. 616 p. Philadelphia: Lea & Febiger.
- 1932. The excretory system as a method of classification of digenetic trematodes. *Quart. Rev. Biol.* 7: 458-468.
- Faust, E. C. and C. C. Tang. 1935. New aspidogastrid species, with a consideration of the systematic position of the group. *J. Parasitol.* 21: 435.
- 1936. Notes on new aspidogastrid species, with a consideration of the phylogeny of the group. *Parasitology* 28: 487-501.
- Fernando, W. 1932. Contribution to Ceylon helminthology. 1. *Paradistomum lanka*, sp. nov., a parasite from the gall-bladder of the unicorn lizard of Ceylon. *Spolia Zeylanica* 17: 139-146.
- de Freitas, J. F. T. and H. Lent. 1937. Sobre um novo trematodeo parasito de *Iguana tuberculata* (Laur.). *Mem. Inst. Oswaldo Cruz* 32: 55-58.
- 1938a. Pesquisas helmintologicas realizadas no Estado do Pará II. Dois novos trematodeos de *Caiman sclerops* Gray. *Ibid.* 33: 53-56.
- 1938b. Sobre alguns trematodos parasitos de *Chelone mydas* (L.), principalmente Paramphistomoidea. *Ibid.* 33: 79-87.
- 1939. Revisão do gênero *Catadiscus* Cohn, 1904 (Trematóda. Paramphistomoidea). *Bol. Biol., S. Paulo*, n. s., 4: 305-315.
- Fukui, T. 1929. Studies on Japanese amphistomatous parasites, with revision of the group. *Jap. J. Zool.* 2: 219-351.
- 1933. *Teloporia* (Tremat.) = *Opisthoporus*. *Zool. Anz., Leipzig* 103: 332-333.
- Fukui, T. and T. Ogata. 1933. (On a new species of trematode obtained from ishigata (*Clemmys japonica*)), (Japanese). *Syokubutu oyobi Dōbutu, Tokyo* 1: 39-42.
- 1934. Sur une nouvelle espèce du genre *Paracercorchis* (trématode) parasite de la tortue d'eau douce *Clemmys japonica*. *Science Rep. Tokyo Bunrika Daigaku, Sect. B*, 1: 203-211.
- 1936a. Sur deux espèces nouvelles de trématode provenant de l'*Ocadia sinensis*. (Japanese; French summary). *Zool. Mag., Tokyo* 48: 765-770.
- 1936b. A new trematode from shinagame, *Ocadia sinensis*. (Japanese). *Syokubutu oyobi Dōbutu, Toyko* 4: 1707-1710.
- 1939. On three species of trematodes from *Ocadia sinensis* (Gray). *Vol. Jub. Yoshida* 2: 187-202.
- Gedoeelst, L. 1919. Une espèce nouvelle d'*Anchitrema*. *Compt. Rend. Soc. Biol., Paris* 82: 1250-1252.

- Gogate, B. S. 1932. On a new species of trematode (*Prohemistomum serpentum* n. sp.) from a snake with a note on an immature species of *Heterochinostomum* Odhner from the cat. *Parasitology*. 24: 318-320.
- 1935. On trematode parasites from *Ptyas korros* (Schlegel 1837) and *P. mucosus* (Linnaeus 1758) from Rangoon. *Rec. Indian Mus.* 37: 455-458.
- 1939. On a new trematode *Palitrema macrorchis* gen. et sp. nov. from Rangoon lizards. *Ibid.* 41: 57-60.
- Gohar, N. 1934. Liste des trématodes parasites et de leur hôtes vertébrés signalés dans la vallée du Nil. *Ann. Parasitol.* 12: 324-331.
- 1935. *Idem* (suite et fin). *Ibid.* 13: 80-90.
- Goldberger, J. 1911a. On some new parasitic trematode worms of the genus *Telorchis*. *Bull. Hyg. Lab., U. S. Pub. Health and Marine Hosp. Serv.* 71: 36-57.
- 1911b. A new trematode (*Styphlodora bascaniensis*) with a blind Laurer's canal. *Proc. U. S. Nat. Mus.* 40: 233-239.
- Goto, S. and Y. Matsudaira. 1918. On *Dissotrema papillatum* n. g., n. sp. an amphistomid parasite from a marine fish. *J. Coll. Sc. Imp. Univ. Japan* 39 (8): 1-20.
- Guberlet, J. E. 1928. Two new genera of trematodes from a red-bellied water snake. *J. Helminth.* 6: 205-218.
- Hall, M. C. and M. Wigdor. 1918a. Two new flukes from the dog (author's abstract). *Rep. Michigan Acad. Sc.* 20: 139.
- 1918b. Two new flukes from the dog. *J. Am. Vet. Med. Ass.* 53: 616-626.
- 1918c. *Idem*. *Studies Research Lab. Detroit* 168: 227-237.
- Harshé, K. R. 1932. On two new trematodes from Allahabad. *Allahabad Univ. Studies* 8: 32-46.
- Harwood, P. D. 1931. Some parasites of Oklahoma turtles. *J. Parasitol.* 18: 98-101.
- 1932. The helminths parasitic in the Amphibia and Reptilia of Houston, Texas, and vicinity. *Proc. U. S. Nat. Mus.* 81(17): 1-71.
- 1933. The helminths parasitic in a water moccasin (snake) with a discussion of the characters of the Proteocephalidae. *Parasitology* 25: 130-142.
- Hoffman, W. A. 1935. *Mesocoelium danforthi*, n. sp. (Dicrocoeliidae) from a lizard, *Celestus pleii*, in Puerto Rico. *Proc. Helminth. Soc. Washington* 2: 64.
- Holl, F. J. and L. N. Allison. 1935a. A new trematode *Dasymetra nicolli* from a snake. *Tr. Am. Micr. Soc.* 54: 226-228.
- 1935b. *Zeugorchis natricis* n. sp. a trematode from the water snake. *J. Parasitol.* 21: 197-199.
- Hopkins, S. H. 1931. Studies on Crepidostomum. II. The "*Crepidostomum laureatum*" of A. R. Cooper. *Ibid.* 18: 79-91.
- 1934. The papillose Allocreadiidae. *Illinois Biol. Monogr.* 13 (2): 1-80.
- Horsfall, M. W. 1933. The development of *Cercaria macrostoma* Faust into *Proterometra* (nov. gen.) *macrostoma*. *Science, n. s.*, 78: 175-176.

- 1935. Observations on the life history of *Macraveatibulum obtusicaudum* Mackin, 1930. (Trematoda: Pronocephalidae). Proc. Helminth. Soc. Washington 2: 78-79.
- Hughes, R. C. 1928. Studies on the trematode family Strigeidae (Holostomidae) No. XII. *Agamodistomum la-ruiei* sp. nov. Parasitology 20: 413-420.
- 1929a. Idem. No. XVIII. *Tetracotyle serpentis* sp. nov. Tr. Am. Micr. Soc. 48: 12-19.
- 1929b. Idem. No. XIV. Two new species of diplostomula. Occas. Papers Mus. Zool., Univ. Michigan 202: 1-29.
- Hughes, R. C., J. R. Baker, and C. B. Dawson. 1941. The tapeworms of reptiles. Part I. Am. Midland Naturalist 25: 454-468.
- Hughes, R. C., J. W. Higginbotham, and J. W. Clary. 1941. The trematodes of reptiles, part II, host catalogue. Proc. Oklahoma Acad. Sc. 21: 35-43.
- 1942. Idem, part I, systematic section. Am. Midland Naturalist 27: 109-134.
- Hunninen, A. V. and G. W. Hunter. 1933. On the species of *Crepidostomum* in trout. Tr. Am. Micr. Soc. 52: 150-157.
- Hsu, D. Y. 1937. Life history and morphology of *Macraveatibulum eversum* sp. nov. (Pronocephalidae, Trematoda). Ibid. 56: 478-504.
- Ingles, L. G. 1930. A new species of *Telorchis* from the intestine of *Clemmys marmorata*. J. Parasitol. 17: 101-103.
- 1933. Studies on the structure and life-history of *Zeugorchis syntomentera* Sumwalt, a trematode from the snake *Thamnophis ordinoides* from California. Univ. Calif. Publications Zool. 39: 163-178.
- 1936. Worm parasites of California Amphibia. Tr. Am. Micr. Soc. 55: 73-92.
- Isalchikov, I. M. and N. P. Zakharov. 1929. K faune paraziticheskikh cherval *Rana esculenta* Donskoy oblasti. Russk. Gidrobiol. Zhurnal 8: 49-53.
- Job, T. T. 1917. Some new endoparasites of the snake. Proc. Iowa Acad. Sc. 24: 315-317.
- Johnston, S. J. 1913a. On some trematode parasites of Australian frogs. Proc. Linn. Soc. N. South Wales 37: 285-362.
- 1913b. On some Queensland trematodes, with anatomical observations and descriptions of new species and genera. Quart. J. Micr. Sc. 59: 361-400.
- Johnston, T. H. 1910a. [Exhibit of Entozoa]. J. and Proc. Roy. Soc. N. South Wales 44: xi-xii.
- 1910b. [An exhibit of Australian helminths]. Ibid. 44: xvii.
- 1912. A census of Australian reptilian Entozoa. Proc. Roy. Soc. Queensland 23: 233-249.
- 1932. The parasites of the "stumpy-tail" lizard, *Trachysaurus rugosus*. Tr. and Proc. Roy. Soc. South Australia 56: 62-70.
- Joyeux, C. 1923a. Recherches sur la faune helminthologique africaine. Arch. Inst. Pasteur, Tunis 12: 119-167.
- 1923b. Idem. Ibid. 12: 328-338.

- Joyeux, C. and J. G. Baer. 1934. Sur un trématode de couleuvre. *Rev. Suisse Zool.* 41: 203-215.
- Joyeux, C. and H. Foley. 1930. Les helminthes de *Meriones shawi shawi* Rozet dans le nord de l'Algérie. *Bull. Soc. Path. Exot.* 55: 353-374.
- Joyeux, C. and E. Houdemer. 1928. Recherches sur la faune helminthologique de l'Indochine (cestodes et trématodes). *Ann. Parasitol.* 5: 289-309.
- Joyeux, C., R. du Noyer, and J. G. Baer. 1930. L'activité génitale des métacercaires progénétiques. *Bull. Soc. Path. Exot.* 23: 967-977.
- Khalil, M. 1923. On a trematode from the gall bladder of *Naja bungarus* with an emendment of the genus *Xenopharynx* Nicoll, 1912. *J. Helminth.* 1: 29-33.
- Kobayashi, H. 1915. Nihonsan naibukisei kyuchurui no kenkyu. *Dobuts. Zasshi, Tokyo* 27: 1-7, 50-57, 109-116, 180-182, 258-272, 299-311, 365-371, 421-427.
- 1920. On some digenetic trematodes in Japan. *Parasitology* 12: 380-410.
- Kossack, W. 1910. Neue Distomen. *Centralbl. Bakteriol.*, 1. Abt., Orig. 56: 114-120.
- Krull, W. H. 1933. Notes on *Allasostoma parvum* Stunkard. In *Proceedings of the Helminthological Society of Washington*. *J. Parasitol.* 20: 109.
- 1934. A note on the life history of a trematode, *Eustomos chelydrae* MacCallum, 1921. *Ibid.* 20: 326-327.
- 1935. A note on the life history of *Telorchis robustus* Goldb. (Trematoda: Telorchidae). *Proc. Helminth. Soc. Washington* 2: 65.
- 1936. Studies on the life history of *Telorchis robustus* (Trematoda: Plagiorchiidae). *Ibid.* 3: 54-56.
- 1937. Observations on the life history of *Eustomos chelydrae* MacCallum, 1921 (Trematoda: Plagiorchiidae). *Ibid.* 4: 75-78.
- La Rue, G. R. 1917. Two larval trematodes from *Thamnophis marciana* and *Thamnophis eques*. *Occas. Papers Mus. Zool., Univ. Michigan* 35: 1-12.
- 1926a. Studies on the trematode family Strigeidae (Holostomidae) No. II. Taxonomy. *Tr. Am. Micr. Soc.* 45: 11-19.
- 1926b. Idem. No. III. Relationships. *Ibid.* 45: 265-281.
- Lebour, M. V. 1913. A new trematode of the genus *Lechriorchis* from the dark green snake (*Zamenis gemonensis*). *Proc. Zool. Soc. London* 1913: 833-936.
- Lent, H. and J. F. T. de Freitas. 1937. Pesquisas helminthologicas realizadas no Estado do Pará. I. Trematoda: Fascioloidea. *Mem. Inst. Oswaldo Cruz* 32: 449-460.
- 1938. Idem. III. Um raro parasito das tartarugas fluviaes do Amazonas. *Ibid.* 33: 57-61.
- 1939. Idem. VII. Trematoda. Paramphistomoidea. *Bol. Biol., S. Paulo, n. s.*, 4: 82-86.
- 1940. Sur la position systématique de *Distoma arrectum* Molin, 1859. *Ann. Acad. Brasil. Sc.* 12: 319-323.
- Linton, E. 1910. Helminth fauna of the Dry Tortugas, II: trematodes. *Publications Carnegie Inst. Washington* 133: 11-98.

- Looss, A. 1912. Über den Bau einiger anscheinend seltner Trematoden-Arten. Zool. Jahrb., Jena, Suppl. 15: 323-366.
- Lühe, M. 1908. Zur Systematik und Faunistik der Distomen. I. Die Gattung *Metorchis* Looss, nebst Bemerkungen über die Familie Opisthorchiidae. Centralbl. Bakteriol., 1. Abt., Orig. 48: 428-436.
- 1909. Parasitischer Plattwürmer I. Trematoden. In Brauer's *Die Süßwasserfauna Deutschlands* 17: 1-217. Jena: G. Fischer.
- 1911. Acanthocephalen. Ibid. 16: 1-116. Jena: G. Fischer.
- Luhman, M. 1935. Two new trematodes from the loggerhead turtle (*Caretta caretta*). J. Parasitol. 21: 274-276.
- Lutz, A. 1928. Estudios de zoología y parasitología Venezolanas. 133 p. Rio de Janeiro.
- 1929a. Nova contribuição para o conhecimento do cyclo evolutivo das holostomídeas ou strigeídeas. Mem. Inst. Oswaldo Cruz, Suppl. 8: 128-130.
- 1929b. Inhalt der vorstehenden vorläufigen Mitteilung: neuer Beitrag zur Kenntnis des Entwicklungszyclus der Holostomiden oder Strigeiden. Ibid., Suppl. 8: 131.
- 1933a. Considerações sobre o *Distonum tetracystis* Gastaldi e formas semelhantes, erroneamente chamadas agamodistomos. Ibid. 27: 33-49.
- 1933b. Zur Kenntnis des *Distoma tetracystis* Gastaldi und ähnlicher Formen, die faelschlich als *Agamodistomum* bezeichnet werden. Ibid. 27: 50-60.
- 1934a. Notas sobre dicranocercarias brasileiras. Ibid. 27: 349-376.
- 1934b. Beobachtungen ueber brasilianische Dicranocercarien. Ibid. 27: 377-402.
- 1935a. Observações e considerações sobre cyathocotylineas e prohemistomíneas. Ibid. 30: 157-168.
- 1935b. Beobachtungen und Betrachtungen ueber Cyathocotylinen und Prohemistomínen. Ibid. 30: 169-182.
- MacCallum, G. A. 1916. Some new species of parasitic trematodes of marine fishes. Zoopathologica 1: 3-38.
- 1917. Some new forms of parasitic worms. Ibid. 1: 42-75.
- 1918. Notes on the genus *Telorchis* and other trematodes. Ibid. 1: 77-98.
- 1919. Studies on Polystomidae. Ibid. 1: 103-120.
- 1921. Studies in helminthology. Ibid. 1: 140-284.
- 1926. Revue du genre *Spirorchis* MacCallum. Ann. Parasitol. 4: 97-103.
- Mackin, J. G. 1930. A new pronoccephalid monostome from a freshwater turtle. J. Parasitol. 17: 25-29.
- Malan, J. R. 1939. Some helminths of South African lizards. Onderstepoort J. Vet. Sc. and Animal Indust. 12: 21-74.
- Mataré, F. 1910. Ueber eine neue *Tetracotyle* im Hirn von *Phoxinus laevis*. Ztschr. Wissensch. Zool. 94: 488-540.
- McCoy, O. R. 1928. Life history studies on trematodes from Missouri. J. Parasitol. 14: 207-228.
- McIntosh, A. 1935. *Odhneriotrema incommodum* (Leidy, 1856), a tre-

- matode from the mouth of *Alligator mississippiensis* (Daudin).
Ibid. 21: 53-55.
- 1939a. Description of a plagiorchoid trematode, *Leptophyllum tamiamiensis*, n. sp., from a poisonous snake. Proc. Helminth. Soc. Washington 6: 92-94.
- 1939b. A new microcoeliid trematode collected on the Presidential Cruise of 1938. Smithson. Misc. Collect. 98:(16): 1-2.
- McMullen, D. B. 1934. Life cycle of the turtle trematode, *Cercorchis medius*.
J. Parasitol. 20: 248-250.
- 1935. A note on the relationship of the Telorchinae and the Reniferinae. Ibid. 21: 217-219.
- 1937. A discussion of the taxonomy of the family Plagiorchidae Lühe, 1901, and related trematodes. Ibid. 23: 244-258.
- Mehra, H. R. 1928a. On the bionomics and structure of a new trematode *Ommatobrephus lobatum* n. sp. from *Zamenis mucosus*. Proc. Indian Sc. Cong. 15: 199.
- 1928b. On a new genus *Spinometra* belonging to the family Lepodermatidae from *Kachuga dhongata*. Ibid. 15: 200.
- 1930. Systematic discussion and classification of the family Lepodermatidae Odhner. Ibid. 17: 246.
- 1931a. Two distomate trematodes from Indian reptiles. Allahabad Univ. Studies 7: 31-52.
- 1931b. A new genus (*Spinometra*) of the family Lepodermatidae Odhner (Trematoda) from a tortoise, with a systematic discussion and classification of the family. Parasitology 23: 157-178.
- 1931c. On two new species of the genus *Astiotrema* Looss belonging to the family Lepodermatidae Odhner. Ibid. 23: 179-190.
- 1931d. On a new trematode *Microderma elinguis* n. g., n. s. Ibid. 23: 191-195.
- 1932a. New monostomes of the family Pronocephalidae with a classification of the family. Proc. Indian Sc. Cong. 19: 260-261.
- 1932b. Nouveaux monostomes de la famille des Pronocephalidae des tortues d'eau douce de l'Inde. Classification de cette famille. Ann. Parasitol. 10: 223-247.
- 1932c. Classification de la famille des Pronocephalidae Looss. Ibid. 10: 323-329.
- 1933. New blood flukes of the family Spirorchidae Stunkard from Indian fresh-water tortoises, with a discussion on the systematic position of the genus *Coecuritrema* n. g. and the relationships of the families of blood flukes. Bull. Acad. Sc. U. P. Agra and Oudh 2: 203-222.
- 1934. New blood flukes of the family Spirorchidae Stunkard from Indian fresh-water tortoises with a discussion on the synonymy of certain genera and the relationships of the families of blood flukes. Part. II. Ibid. 3: 169-196.
- 1935. New trematodes of the family Lecithodendriidae Odhner, 1911, with a discussion on the classification of the family. Proc. Acad. Sc. Allahabad 5: 99-121.
- 1936. A new species of the genus *Harmotrema* Nicoll, 1914 with a discussion on the systematic position of the genus and classification of the family Harmostomidae Odhner, 1912. Proc. Nat. Acad. Sc. India 6: 217-240.

- 1937. Certain new and already known distomes of the family Lepodermatidae Odhner (Trematoda), with a discussion on the classification of the family. *Ztschr. Parasitenk.*, Berlin 9: 429-469.
- Mehra, H. R. and M. A. Bokhari. 1932. On new distomate trematodes of the subfamily Telorchiiinae (family Lepodermatidae) with a systematic discussion of its genera. *Allahabad Univ. Studies* 8: 47-62.
- Mehra, H. R. and P. S. Negi. 1926. On a new trematode *Tremiorchis ranarum* nov. gen., nov. spec., from the common Indian frog *Rana tigrina*. *Parasitology* 18: 168-181.
- Mödlinger, G. 1924. Neue Trematoden der ungarischen Fauna. (Hungarian with German summary). *Math. és Természettud. Közlemények Magyar Tudomán. Akad.*, Budapest 41: 193-198.
- Moghe, M. A. 1930. On a new species of trematode from an Indian tortoise. *Ann. and Mag. Nat. Hist.*, s. 10, 6: 677-681.
- 1931. On a new species of trematode from a tortoise. *Proc. Indian Sc. Cong.* 18: 220.
- Narain, D. 1930. *Neodiplostomum gavialis* n. sp. from the crocodile. *J. Parasitol.* 16: 154-157.
- Narain, D. and R. S. Das. 1929. On the anatomy of two new trematodes of the genus *Dicrocoelium* with a key to the species of the genus. *J. Bombay Nat. Hist. Soc.* 33: 250-261.
- Nickerson, W. S. 1912. On *Cephalogonimus vesicaudus* n. sp. *Zool. Jahrb.*, Jena, Abt. Syst. 33: 249-256.
- Nicoll, W. 1911. On three new trematodes from reptiles. *Proc. Zool. Soc. London* 1911: 677-686.
- 1912a. On two new larval trematodes from the striped snake (*Tropidonotus ordinatus sirtalis*). *Ibid.* 1912: 767-770.
- 1912b. On two new trematode parasites from the Indian cobra. *Ibid.* 1912: 851-856.
- 1914a. Trematode parasites from animals dying in the Zoological Society's gardens during 1911-1912. *Ibid.* 1914: 139-154.
- 1914b. The trematode parasites of North Queensland. I. *Parasitology* 6: 333-350.
- 1915. A list of the trematode parasites of British marine fishes. *Ibid.* 7: 339-378.
- 1918a. *Dolichopera macalpini* n. sp., a new trematode parasite of Australian poisonous snakes. *Ibid.* 10: 290-293.
- 1918b. The trematode parasites of North Queensland. IV. Parasites of reptiles and frogs. *Ibid.* 10: 368-374.
- 1924. A reference list of the trematode parasites of British reptiles. *Ibid.* 16: 329-331.
- 1928. Vermes. *Zool. Rec.* 64 (6): 1-66.
- 1932. *Idem.* *Ibid.* 68 (6): 1-103.
- 1935. *Idem.* *Ibid.* 71 (6): 1-158.
- 1936. *Idem.* *Ibid.* 72 (6): 1-138.
- 1937. *Idem.* *Ibid.* 73 (6): 1-135.
- 1939a. *Idem.* *Ibid.* 74 (6): 1-137.
- 1939b. *Idem.* *Ibid.* 75 (6): 1-142.
- Ochi, S. 1930. über die Entwicklungsgeschichte von *Mesocoelium brevis*

- caecum* n. sp. (Japanese with German summary). Okayama Igaku Kwai Zasshi 42: 388-401.
- Odhner, T. 1910. Nordostafrikanische Trematoden grösstenteils vom Weissen Nil (von der schwedischen zoologischen Expedition gesammelt). 1. Fascioliden. In Jägerskiöld's *Results of the Swedish Zoological Expedition to Egypt and the White Nile 1901*, 4: 1-168.
- 1911a. Zum natürlichen System der digenen Trematoden II. Zool. Anz., Leipzig 37: 237-253.
- 1911b. Idem IV. Ibid. 38: 513-531.
- 1912a. Idem V. Ibid. 41: 54-71.
- 1912b. Die Homologien der weiblichen Genitalwege bei den Trematoden und Cestoden. Ibid. 39: 327-351.
- 1914. Die Verwandtschaftsbeziehungen der Trematodengattung *Paragonimus* Brn. Zool. Bidrag Uppsala 3: 231-246.
- 1926. *Protofasciola* n. g., ein Prototypus des grossen Leberegels. Ark. Zool., Stokholm 18 (20): 1-7.
- Odlaug, T. O. 1938. *Zeugorchis longicirrus*, a new trematode from *Natrix sipedon*. Tr. Am. Micr. Soc. 57: 173-177.
- 1940. Morphology and life history of the trematode, *Alaria intermedia*. Ibid. 59: 490-510.
- Ogata, T. 1934a. *Telorchis konoi* n. sp. (trématode) parasite de la tortue d'eau douce *Geoclemmys reevesi*. Science Rep. Tokyo Bunrika Daigaku, Sect. B, 1: 213-219.
- 1934b. Note sur un nouveau trématode *Cephalogonimus japonicus* parasite intestinal de la tortue comestible l'*Amyda japonica*. Ibid. 2: 45-53.
- 1938a. Note préliminaire sur deux espèces nouvelles de trématodes du genre *Astiotrema* provenant de l'*Amyda maackii*. Zool. Mag., Tokyo 50: 50-52.
- 1938b. A deformity of *Paracercorchis megacotyle* Fukui and Ogata. (Japanese). Botany and Zool., Tokyo 6: 1561-1565.
- Oguro, Y. 1936. Einige neue und bekannte Pronocephaliden aus japanischen Seeschildkröten. J. Sc. Hiroshima Univ., Zool. 5: 1-28.
- 1938. A new blood fluke *Amphiorchis lateralis* nov. sp. (Spirorchidae) found in a marine turtle in Japan. Ibid. 6: 1-4.
- Olivier, L. and T. O. Odlaug. 1938. *Mesocercaria intermedia* n. sp. (Trematoda: Strigeata) with a note on its further development. J. Parasitol. 24: 369-374.
- Olsen, O. W. 1937. A systematic study of the trematode subfamily Plagiorchiinae Pratt, 1902. Tr. Am. Micr. Soc. 56: 311-339.
- Ozaki, Y. 1932. A new trematode, *Leurosoma orientalis* gen. et sp. n., from the turtle, *Ocadia sinensis* Gray. Ann. and Mag. Nat. Hist., s. 10, 10: 42-45.
- 1935. Studies on the frog-trematode *Diplorchis ranae* I. Morphology of the adult form with a review of the family Polystomatidae. J. Sc. Hiroshima Univ., Zool. 3: 193-225.
- 1936. Two new trematodes from the tortoise *Geoemyda spengleri* (Gmelin). Ibid. 4: 81-90.
- 1939. A new blood fluke *Hapalorhynchus yoshidai*. (Japanese; English summary). Vol. Jub. Yoshida 1: 29-37.

- Pande, B. P. 1932. On two new species of the genus *Cephalogonimus* Poirier from water-tortoises of Allahabad with remarks on the family Cephalogonimidae Nicoll. Bull. Acad. Sc. U. P. Agra and Oudh 2: 85-100.
- Paul, A. A. 1936. Studies on North American polystomes. J. Parasitol. 22: 535.
- 1938. Life history studies of North American fresh-water polystomes. Ibid. 24: 489-510.
- Pereira, C. 1928a. Fauna helminthologica dos ophidios brasileiros (2). Bol. Biol. S. Paulo 1928: 13-22.
- 1928b. Idem (3). Ibid. 1928: 50-54.
- 1929a. *Travtrema travtrema* n. gen. e n. sp., trematoide parasito do intestino da cobra. Ibid. 1929: 92-96.
- 1929b. Revisão do genero *Opisthogonimus* (Trematoda). Rev. Mus. Paulista 16: 993-1009.
- Peréz Vigueras, I. 1935. Sobre la presencia en Cuba de *Diaschistorchis pandus* (Braun) (Trematoda) parásito de *Chelonia imbricata*. Rev. Parasitol., Cln. y Lab., Habana 1: 188-190.
- Perkins, M. 1928. A review of the Telorchinae, a group of distomid trematodes. Parasitology 20: 336-356.
- Poche, F. 1926. Das System der Platyodaria. Arch. Naturg., Berlin 91: 1-459.
- Pratt, H. S. 1914. Parasites of the loggerhead turtle (*Caretta caretta*) of the Gulf of Mexico. Arch. Parasitol. 16: 411-427.
- Price, E. W. 1929. *Distomum xenodontis* Cordero and Vogelsang, 1928. In *Proceedings of the Helminthological Society of Washington*. J. Parasitol. 15: 290.
- 1930. *Thaumatocotyle* Odhner, 1910, a preoccupied name. In *idem*. Ibid. 16: 161.
- 1931. Redescription of two new species of trematode worms from the MacCallum collection with a note on the family Pronocephalidae. Proc. U. S. Nat. Mus. 78(22): 1-10.
- 1932. The probable type host of *Braunotrema pulvinata* (Braun). In *Society Proceedings—Helminthological Society of Washington*. J. Parasitol. 18: 310.
- 1934. New genera and species of blood flukes from a marine turtle, with a key to the genera of the family Spirorchidae. J. Wash. Acad. Sc. 24: 132-141.
- 1935. A restudy of Stafford's types of the trematode genera *Lechriorchis* and *Zeugorchis*. J. Parasitol. 21: 437.
- 1936a. North American monogenetic trematodes. George Washington Univ. Bull. (Summaries of doctoral theses 1934-36): 10-13.
- 1936b. A new heterophyid trematode of the genus *Ascocotyle* (Centrocestinae). Proc. Helminth. Soc. Washington 3: 31-32.
- 1936c. Two new trematodes from African reptiles. Ibid. 3:67-68.
- 1936d. Redescriptions of the type species of the trematode genera *Lechriorchis* Stafford and *Zeugorchis* Stafford (Plagiorchidae). Ibid. 3:32-34.
- 1937. Three new genera and species of trematodes from cold-blooded vertebrates. Skrjabin Jub. Vol., p. 483-490.
- 1938. A restudy of *Faustula keksooni* (MacCallum) and *Distomum*

- tropidonoti* MacCallum (Trematoda). Proc. Helminth. Soc. Washington 5: 9-11.
- 1939a. A new genus and two new species of digenetic trematodes from a marine turtle. Ibid. 6: 24-25.
- 1939b. North American monogenetic trematodes IV. The family Polystomatidae (Polystomatoidea). Ibid. 6: 80-92.
- 1939c. A review of the trematode superfamily Opisthorchioidea. J. Parasitol. 25(6, suppl.): 9-10.
- 1940. Idem. Proc. Helminth. Soc. Washington 7: 1-13.
- Rai Choudhury, D. P. 1931. Remarks of the occurrence of the trematodes of the genus *Paradistomum* in *Calotes versicolor*. Proc. Indian Sc. Cong. 18: 220.
- Railliet, A. 1919. "Nouveaux trématodes du chien" par Hall and Wigdor. Réc. Méd. Vét. Paris 95: 229-232.
- Ralph, P. H. 1938. *Cercaria concavocorpa* Sizemore becomes *Tetrapapillatrema*, a new telorchid-like genus of Plagiorchioidea Dollfus. Tr. Am. Micr. Soc. 57: 376-382.
- Rankin, J. S., Jr. 1938. Studies on the trematode genus *Brachycoelium* Duj. I. Variation in specific characters with reference to the validity of the described species. Ibid. 57: 358-375.
- Rumbold, D. W. 1928. A new trematode from the snapping turtle. J. Elisha Mitchell Scient. Soc. 43: 195-198.
- Ruszkowski, J. S. 1926. *Telorchis gabesensis* n. sp., parasite de la tortue africaine, *Clemmys leprosa* Schweigg. Ann. Parasitol. 4: 327-329.
- Scheuring, L. and E. Eversbusch. 1926. Beiträge zur Entwicklungsgeschichte von *Strigea* (*Holostomum*) *cornu* Rud. Zool. Anz., Leipzig 66: 41-54.
- Schmidt, F. L. and W. E. Hubbard. 1940. A new trematode, *Neoreniifer serpentis*, from the water moccasin. Am. Midland Naturalist 23: 729-730.
- Senoo, H. 1908. Nippon san jisutoma. Dobuts. Zasshi, Tokyo 20: 10-14.
- Sinha, B. B. 1932. On the morphology and systematic position of *Cephalogonimus magnus* sp. n. (Trematoda) from *Trionyx gangeticus*. Ann. and Mag. Nat. Hist., s. 10, 10: 419-428.
- 1933. On the morphology and systematic position of *Cephalogonimus magnus* n. sp. from *Trionyx gangeticus*. Proc. Indian Sc. Cong. 20: 261.
- 1934a. On a new trematode parasitic in the intestine of *Hardella thurgi*. Ibid. 21: 261-262.
- 1934b. On a trematode genus of the family Spirorchidae from the vascular system of *Hardella thurgi*. Ibid. 21: 262.
- 1934c. On the morphology and systematic position of *Cephalogonimus magnus* sp. n. (Trematoda) from *Trionyx gangeticus*. Ann. and Mag. Nat. Hist., s. 10, 13: 400.
- 1934d. A new genus of blood flukes of the family Spirorchidae from the tortoise, *Hardella thurgi* (Gray). Rec. Indian Mus. 34: 147-151.
- 1935. Morphology of a new genus of trematode, family Aspidogastriidae Poche, 1907, from the intestine of a tortoise, *Lissemys*

- punctata*, together with a key for the identification of the known genera. Proc. Indian Acad. Sc., Sect. B, 1: 677-685.
- Sizemore, P. D. 1936a. *Cercaria concavocarpa* n. sp. Tr. Am. Micr. Soc. 55: 483-486.
- 1936b. Note on *Heronimus chelydrae* MacCallum. Ibid. 55: 487.
- Skrjabin, K. I. 1914. Parasitic trematodes and nematodes collected by the expedition of Prof. V. Dogiel and I. Sokolow in British East Africa. Sc. Results Zool. Exped. British East Africa 1 (4): 1-98 (Russian), 99-157 (English).
- 1924. Les trématodes d'*Emys orbicularis* de la vallée d'Arax. Oeuvres Inst. Trop. Armenie Erivan 1: 34-40.
- 1925. Sur les trématodes d'*Emys orbicularis*. Ann. Parasitol. 3: 280-289.
- Skrjabin, K. I. and P. Popoff. 1924. Bericht über die tätigkeit der helminthologischen Expedition in Armenien. (In Russian). Russk. Zhurnal Trop. Med. 3: 28-34.
- Solomon, S. G. 1935? [Abstract of Joyeux and Baer 1934, quod vide]. Helminth. Abst. 3: 46-47.
- Southwell, T. and A. Kirshner. 1937. A description of a new species of amphistome, *Chiorchis purvisi*, with notes on the classification of the genera within the group. Ann. Trop. Med. and Parasitol. 31: 215-244.
- Stephens, J. W. W. 1911. *Desmogonius desmogonius*, a new species and genus of monostome flukes. Ibid. 5: 497-500.
- Stewart, F. H. 1914. Studies in Indian helminthology, No. II. The anatomy of *Polystomum kachugae*, sp. nov., with notes on the genus *Polystomum*. Rec. Indian Mus. 10: 195-205.
- Stiles, C. W. and J. Goldberger. 1910. A study of the anatomy of *Watsonius* (n. g.) *watsoni* of man and nineteen allied species of mammalian trematode worms of the super-family Paramphistomoidea. Bull. Hyg. Lab., U. S. Pub. Health and Marine Hosp. Serv. 60: 1-264.
- Stiles, C. W. and A. Hassall. 1902-1912. Index-catalogue of medical and veterinary zoology. Parts 1-36. Bull. Bureau Animal Indust., U. S. Dept. Agric. 39: 1-2703.
- 1908. Idem. Subjects: Trematoda and trematode diseases. Bull. Hyg. Lab., U. S. Pub. Health and Marine Hosp. Surv. 37: 1-401.
- Strankowski, M. 1937. Badania anatomiczne nad *Polystoma ocellatum* Rud. Zoologica Poloniae, Lwow 2: 1-20.
- Strom, J. 1928. Beiträge zur Systematik der Trematoden der Gattung *Xenopharynx* Nic., 1912, im Zusammenhang mit der Beschreibung einer neuen Art, *X. amudariensis* n. sp. Zool. Anz., Leipzig 79: 167-172.
- Stunkard, H. W. 1915. Notes on the trematode genus *Telorchis* with descriptions of new species. J. Parasitol. 2: 57-66.
- 1916. On the anatomy and relationships of some North American trematodes. Ibid. 3: 21-27.
- 1917. Studies on North American Polystomidae, Aspidogastridae, and Paramphistomidae. Illinois Biol. Monogr. 3: 1-115.
- 1919. On the specific identity of *Heronimus chelydrae* MacCallum and *Aorchis extensus* Barker and Parsons. J. Parasitol. 6: 11-18.

- 1921. Notes on North American blood flukes. *Am. Mus. Novitates* 12: 1-5.
- 1922. Two new genera of North American blood flukes. *Ibid.* 39: 1-8.
- 1923a. Studies on North American blood flukes. *Bull. Am. Mus. Nat. Hist.* 48: 165-221.
- 1923b. A new genus of trematodes from the eastern painted turtle. *Anat. Rec.* 24: 373-374.
- 1923c. Observations on the development of *Polystoma multifalx* n. sp. from the pharynx of *Chrysemys floridiana*. *Ibid.* 26: 357.
- 1923d. A new trematode from the snapping turtle *Chelydra serpentina*. *Ibid.* 26: 358.
- 1924. On some trematodes from Florida turtles. *Tr. Am. Micr. Soc.* 43: 97-113.
- 1925a. The present status of the amphistome problem. *Parasitology* 17: 137-148.
- 1925b. A new blood fluke, *Unicaecum ruszkowskii* n. g., n. sp.; a contribution to the relationship of the blood-infesting trematodes. *Anat. Rec.* 31: 316.
- 1926a. *Idem.* *J. Parasitol.* 12: 164-165.
- 1926b. A new trematode, *Vasotrema amydae* n. g., n. sp., from the vascular system of the soft-shelled turtle, *Amyda*. *Anat. Rec.* 34: 165.
- 1927a. *Idem.* *J. Parasitol.* 13: 218.
- 1927b. Sur l'*Unicaecum ruszkowskii*, trématode sanguicole des tortues d'eau douce de l'Amérique du Nord. *Ann. Parasitol.* 5: 117-126.
- 1928. Observations nouvelles sur les trématodes sanguicoles du genre *Vasotrema* (Spirorchidae) avec description des deux espèces nouvelles. *Ibid.* 6: 303-320.
- 1930. Morphology and relationships of the trematode *Opisthoporus aspidonectes* (MacCallum, 1917) Fukui, 1929. *Tr. Am. Micr. Soc.* 49: 210-219.
- 1931. Further observations on the occurrence of anal openings in digenetic trematodes. *Ztschr. Parasitenk., Berlin* 3: 713-725.
- 1934. On the trematode genus *Teloporia* Fukui. *Zool. Anz., Leipzig* 106: 218-220.
- 1938. Parasitic flatworms from Yucatan. *Publications Carnegie Inst. Washington* 491: 33-50.
- Sumwalt, M. 1926. Trematode infestation of the snakes of San Juan Island, Puget Sound. *Washington Univ. Studies, Scient. Ser.* 13: 73-101.
- Szidat, L. 1928. Zur Revision der Trematodengattung *Strigea* Abildgaard. *Centralbl. Bakteriol., 1. Abt., Orig.* 105: 204-215.
- 1932. Parasiten aus Liberia und Französisch-Guinea. II. Teil: Trematoden. *Ztschr. Parasitenk., Berlin* 4: 506-521.
- 1936. Parasiten aus Seeschwalben. I. Über neue Cyathocotyliiden aus dem Darm von *Sterna hirundo* L. und *Sterna paradisea*. *Ibid.* 8: 285-316.
- Talbot, S. B. 1933. Life history studies on trematodes of the subfamily Reniferinae. *Parasitology* 25: 518-545.
- 1934. A description of four new trematodes of the subfamily

- Reniferinae with a discussion of the systematics of the subfamily.
Tr. Am. Micr. Soc. 53: 40-56.
- Talbot, S. B. and E. E. Hutton. 1935. The description of a new trematode of the subfamily Allocreadiinae, with notes on its life history. Proc. West Virginia Acad. Sc. 8: 46-49.
- Thapar, S. G. 1931. A new trematode parasite of the river tortoise, *Chitra indica*, from Lucknow. Proc. Indian Sc. Cong. 18: 219.
- 1933a. On a new trematode of the genus *Astiotrema* Looss, 1900, from the intestine of a tortoise, *Chitra indica*. J. Helminth. 11: 87-94.
- 1933b. A new blood fluke from an Indian tortoise, *Trionyx gangeticus*. Ibid. 11: 163-168.
- Thapar, S. G. and F. Ali. 1929a. On the trematodes of the digestive tract of *Tropidonotus piscator* from Lucknow. Ibid. 7: 247-252.
- 1929b. On a new trematode from the intestine of *Tropidonotus piscator*. Proc. Indian Sc. Cong. 16: 196.
- Travassos, L. 1916. Trematodeos novos. Brazil-Med. 33: 257-259.
- 1919. Contribuição para a sistematica dos Dicrocoelinae Looss 1899. Arch. Escola Super. Agric. e Med. Vet. Nictheroy 3: 7-24.
- 1920. Novo tipo de "Telorchinae." Rev. Soc. Brasil Sc. (1919) 3: 183-187.
- 1921a. Contribuições para o conhecimento da fauna helmintologica brasileira. XII. Sobre as especies brasileiras da subfamilia Brachycoelinae. Arch. Escola Super. Agric. e Med. Vet. Nictheroy 5: 59-67.
- 1921b. Idem. XV. Sobre as especies brasileiras da fam. Lecithodendriidae Odhner 1911. Ibid. 5: 73-79.
- 1922. Informações sobre a fauna helmintologica de Matto Grosso. Folha Med. 3: 187-190.
- 1927a. Trématodes nouveaux. Compt. Rend. Soc. Biol., Paris 97: 819-821.
- 1927b. Nouvelle espèce de trématodes. Ibid. 97: 1080-1081.
- 1927c. Idem. Ibid. 97: 1096.
- 1927d. Trematodeos novos VI. Bol. Biol., S. Paulo 7: 95-101.
- 1929a. Fauna helminthologica de Matto Grosso. Mem. Inst. Oswaldo Cruz 21: 309-341.
- 1929b. Faune helminthologique du Matto Grosso. Ibid. 21: 343-372.
- 1934. Synopse dos Paramphistomoidea. Ibid. 29: 19-178.
- 1941. Relatório da quarta excursão do Instituto Oswaldo Cruz a zona da Estrada de Ferro Noroeste do Brasil, realizada em Agosto e Setembro de 1940. Ibid. (1940) 35: 697-722.
- Tubangui, M. A. 1928. Trematode parasites of Philippine vertebrates. Philippine J. Sc. 36: 351-371.
- 1929. *Paradistomum gregarinum*, a new name for the trematode *Paradistomum magnum*. Ibid. 38: 443.
- 1931. Trematode parasites of Philippine vertebrates, III: Flukes from fish and reptiles. Ibid. 44: 417-423.
- 1933. Idem, VI Descriptions of new species and classification. Ibid. 52: 167-197.

- Tubangui, M. A. and V. A. Masiluñgan. 1935. Idem, VII Additional records of new species. *Ibid.* 58: 435-445.
 -----1936. Idem, VIII Flukes from a cobra and a crocodile. *Ibid.* 60: 255-265.
- Van Cleave, H. J. and J. F. Mueller. 1932. Parasites of the Oneida Lake fishes part I. Descriptions of new genera and new species. *Roosevelt Wild Life Ann.* 3: 9-71.
- Verma, S. C. 1930. On the synonymy of the genera *Tremiorchis* Mehra and Negi 1926 and *Centrovitus* Bhalerao 1926, with the description of *Tremiorchis varanum* n. sp. *Parasitology* 22: 302-312.
- Vidyarthi, R. D. 1937. A new parasite of the genus *Proalarioides* Yamaguti, 1933 (Trematoda: Proterodiplostomidae), with a note on *Neodiplostomum gavalis* Narain, 1930. *Ann. and Mag. Nat. Hist.*, s. 10, 20: 549-553.
- Vogel, H. 1934. Der Entwicklungszyklus von *Opisthorchis felineus* (Riv.) nebst Bemerkungen über die Systematik und Epidemiologie. *Zoologica, Stuttgart* 33 (2/3: 86): 1-103.
- Wallace, F. G. 1936. Two new trematode parasites of Canton snakes (Trematoda: Lepodermatidae). *Lingnan Sc. J.* 15: 355-364.
 -----1937. A new *Diplostomulum* from China. *J. Parasitol.* 23: 215-217.
 -----1939. The life cycle of *Pharyngostomum cordatum* (Diesing) Ciurea (Trematoda: Alariidae). *Tr. Am. Micr. Soc.* 58: 49-61.
- Walker, J. H. 1937. Experimental studies on eggs and miracidia of *Renifer aniarum* (Leidy, 1891) and *Dasymetra villicae* (Byrd, 1935). *Proc. Soc. Exper. Biol. and Med.* 37: 246-248.
 -----1939. Experimental studies on trematodes belonging to the subfamily Reniferinae. *Tr. Am. Micr. Soc.* 58: 404-430.
- Wall, L. D. 1939. Life history of *Spirorchis* sp. (Trematoda: Spirorchidae). *J. Parasitol.* 25 (6, suppl.): 28.
 -----1940. The life history of *Spirorchis parvus* (Stunkard) Trematoda: Spirorchidae. *Science, n. s.*, 92: 362-363.
 -----1941a. Life history of *Spirorchis elephantis* (Cort, 1917), a new blood fluke from *Chrysemys picta*. *Am. Midland Naturalist* 25: 402-411.
 -----1941b. *Spirorchis parvus* (Stunkard), its life history and the development of its excretory system (Trematoda: Spirorchidae). *Tr. Am. Micr. Soc.* 60: 221-260.
- Ward, H. B. 1917. On the structure and classification of North American parasitic worms. *J. Parasitol.* 4: 1-12.
 -----1918. Parasitic flatworms. In Ward and Whipple's *Fresh-water biology*. 13: 365-453. New York: John Wiley and Sons.
 -----1921. A new blood fluke from turtles. *J. Parasitol.* 7: 114-128.
- Ward, H. B. and S. H. Hopkins. 1931. A new North American aspidogastriid, *Lophotaspis interiora*. *Ibid.* 18: 69-78.
- Wharton, G. W. 1939. Studies on *Lophotaspis vallei* (Stossich, 1899) (Trematoda: Aspidogastridae). *Ibid.* 25: 83-86.
 -----1940. The genera *Telorchis*, *Protenes*, and *Auridistomum* (Trematoda: Reniferidae). *Ibid.* 26: 497-518.
 -----1941. The function of respiratory pigments of certain turtle parasites. *Ibid.* 27: 81-87.

- Wieczorowski, E. 1939. Parasitic lesions in turtles. *Ibid.* 25: 395-399.
- Wiśniewski, L. W. 1933. Über zwei neue progenetische Trematoden aus den balkanischen Gammariden. *Bull. Acad. Polonaise Sc. et Lettres, Cracovie*, s. B ii, 1932: 259-276.
- Witenberg, G. 1929. Studies on the trematode—family Heterophyidae. *Ann. Trop. Med. and Parasitol.* 23: 131-239.
- Wlassenko, P. W. 1929. Zur Systematik und Diagnostik der Gattung *Halipegus* Looss und der Familie Halipegidae Poche. *Zool. Anz., Leipzig* 86: 21-27.
- 1930. Do favni trematod amfibil ta reptilil okopits' m. kharkova. *Trav. Soc. Nat. Kharkov* 53: 49-57.
- Woodcock, H. M. 1925. *Vermes*. *Zool. Rec.* 60(6): 1-30.
- Yamaguti, S. 1933. Studies on the helminth fauna of Japan. Part 1. Trematodes of birds, reptiles and mammals. *Japan. J. Zool.* 5: 1-134.
- 1934. Über *Orchidasma amphiorchis* (Braun, 1899) Looss, 1900. *Ztschr. Parasitenk., Berlin* 6: 649-650.
- 1937a. Studies on the helminth fauna of Japan. Part 18. Two species of trematodes from the intestine of a tortoise, *Amyda japonica* (Temm. et Schleg.). 4 p. Kyoto: privately published.
- 1937b. A new trematode from *Amyda japonica* (Temm. et Schleg.). *Japan. J. Zool.* 7: 505-506.
- Yoshida, S. and Y. Ozaki. 1929. A new trematode, *Encyclometra japonica* nov. sp. from the snake, *Elaphe quadrivirgata*. *Annot. Zool. Japon.* 12: 239-243.
- Young, M. R. 1939. The helminth parasites of Australia. A bibliography with alphabetical lists of authors, hosts and parasites. 145 p. St. Albans: Imperial Bureau of Agricultural Parasitology (Helminthology).

SUPPLEMENTARY REFERENCES LISTED AT PROOFREADING

- Cordero, E. H. and E. G. Vogelsang. 1940. Nuevos trematodos. II. Cautro "Paramphistomidae" de los quelonios sudamericanos. *Rev. Med. Vet. y Parasitol., Caracas* 2: 3-14.
- Dawes, B. 1941. On *Multicotyle purvisi*, n. g., n. sp., an aspidogastrid trematode from the river turtle, *Siebenrockiella crassicollis*, in Malaya. *Parasitology* 33: 300-305.
- Mehra, R. K. 1939. New monostomes of the family Pronocephalidae, Looss, 1902. *Proc. Nat. Acad. Sc. India* 9: 99-130.
- Parker, M. V. 1941. The trematode parasites from a collection of amphibians and reptiles. *Rept. Reelfoot Lake Biol. Sta.* 5: 27-44.