NOTES ON OKLAHOMA PLANTS

George J. Goodman

Department of Botany and Microbiology, University of Oklahoma, Norman, Oklahoma

Setaria taberi Herrm. This species was reported in Oklahoma by Stratton (1) with the comment "County not given." A definite record, distributed as S. viridis, is Wallis 7754, collected in Cherokee County, Sept. 6, 1958.

Facelis retusa (Lam.) Sch. Bip. This South American introduction was first reported by Waterfall (2) from McCurtain County and two years later he reported its occurrence in Pushmataha County (3). Because the spread of these introductions is of some interest, the following collection is here recorded: near the University of Oklahoma Biological Station, Marshall County, May 9, 1969, Goodman 7936.

Proc. Okla. Acad. Sci. 50: 124 (1970)

Soliva pterosperma (Juss.) Less. This too is a South American introduction. It was found in considerable abundance on the grounds of the University of Oklahoma Biological Station near Willis, Marshall County, May 10, 1969, Goodman 7937. The plant has been known for several years in Texas, but this is the first record from Oklahoma.

REFERENCES

- R. STRATTON, Proc. Okla. Acad. Sci. 30: 14-15 (1951).
- U. T. WATERFALL, Proc. Okla. Acad. Sci. 38: 6-7 (1958).
- U. T. WATERFALL, Proc. Okla. Acad. Sci. 40: 15-16 (1960).