

An Updated Flora of the Wichita Mountains Wildlife Refuge

Keith A. Carter, Pablo Rodriguez, and Michael T. Dunn¹

Department of Biological Sciences, Cameron University, Lawton, Oklahoma 73505

¹Author for correspondence: Phone 580-581-2287; E-mail: michaeld@cameron.edu

The herbarium collections of the Wichita Mountains Wildlife Refuge have been transferred to the Cameron University Herbarium (CAMU) so that they could be safely curated, and electronically databased and still remain accessible to refuge personnel while for the first time becoming readily available to other interested researchers. This paper is a report on the initial inventory of the specimens. The 1784 specimen collection includes 101 families, 339 genera, and 634 species that have been physically repaired and taxonomically updated as needed, accessioned into the CAMU collections, and entered into the Specify Database.

INTRODUCTION

The Wichita Mountains are some of the oldest exposed mountains in the world and because the area was too rocky to plow, they formed a natural refugium that preserved what is arguably the largest remaining intact tract of southern mixed-grass prairie in existence. The mountains were part of the Kiowa-Comanche-Apache Reservation in the late 19th Century. When the reservation was opened to settlement in 1901, the land was set aside by the federal government. Originally administered by the Department of the Interior, jurisdiction was transferred to the Forest Service in 1905, and in 1935 management of the Wichita Mountains Wildlife Refuge (WMWR) was transferred to what is now the Fish and Wildlife Service (Morgan, 1973). In 1907 bison were reintroduced to the Refuge and in 1927 Congress issued a mandate to preserve the bloodline of Texas Longhorn Cattle. Elk, which had been extirpated by 1875 were transplanted from Jackson Hole, Wyoming, and today in addition to the buffalo, longhorn cattle, and elk that get most of the public's attention, the refuge is home to over 50 mammal species including prairie dogs, coyotes, bobcats, and mountain lions (Tyler, 2005). In addition, over 240 bird, 64 reptile and amphibian, and 36 fish species have been identified. Eight hundred and six vascular plants have been identified at the WMWR

(Eskew, 1938; Osborn and Allan, 1949; Buck, 1977).

Much of the natural history of the Refuge is recorded in herbarium collections that were housed in the basement of the headquarters building. In 2005, refuge management recognized the need to protect the specimens, and make the data available to the scientific community as well as the general public, but still keep the data accessible to Refuge biologists and technicians. The only facility that met all of the criteria was the Cameron University Herbarium (CAMU), and in 2006 the specimens were transferred to CAMU as a permanent loan. In 2008 The National Science Foundation (NSF) provided funding to procure additional cabinets and equipment and to hire student workers to enter the specimens into the Specify Database. This paper is the first report of the inventory of these specimens and will serve as a benchmark for future studies that will update the complete flora of the Refuge.

The 23,885 hectare Wichita Mountains Wildlife Refuge is located in northwestern Comanche County, Oklahoma (Fig.), ranging from 34°41'N to 34°50'N and 98°48'30"W to 98°30'30"W. Elevation ranges from 404 m (1330 ft) where Cache Creek crosses the WMWR southern boundary to 756 m (2479 ft) at the summit of Mt. Pinchot. The mountains themselves are predominantly Cambrian igneous rock and the surrounding

plains are predominantly Permian sedimentary rock (Price and Gilbert, 1996). The ecoregion is categorized as Great Plains Steppe Shrub Province (Bailey, 1995) or Central Great Plains (Woods et al., 2005) and receives on average 86.84 cm (34.19 in) of precipitation annually, with May the wettest month (mean 13.03 cm [5.13 in]) and January the driest (mean 3.50 cm [1.38 in]). Mean annual temperature is 22.22°C (72.0°F) (Oklahoma Climatological Survey, 2007).

MATERIALS AND METHODS

A total of 1784 specimens were accepted as a permanent loan from WMWR to CAMU in June 2006. NSF-Biological Research Collections funds were awarded in 2008 and were used to purchase new herbarium cabinets and begin curation during that summer. Specimens were first triaged for damage and physically repaired as necessary. Preliminary identification and taxonomic updating were the responsibility of KAC. Specimens were then entered into the Specify database by KAC and PR. All identifications and taxonomic updates were then verified by MTD before annotations were added and specimens were fumigated and curated into separate color coded genus folders. Because taxonomy for many of the specimens is ambiguous and no completed treatment of the flora of Oklahoma was broadly accepted, a combination of McGregor et al., (1986), Diggs et al (1999) and Judd et al., (2008) was used to update the taxonomy of the specimens (details available upon request).

RESULTS AND DISCUSSION

Three of the 1784 specimens were collected outside the WMWR proper but all three have duplicates collected on the Refuge. The collection includes 101 families, 339 genera, and 634 species (Appendix), including: 1 family of Charophyceans, 6 families of seedless vascular plants, 2 gymnosperm families, 1 basal angiosperm, 16 monocot families and 75 Eudicot families. The largest families are Asteraceae with 88 species and Poaceae with 99 species. The largest monocot genera are *Carex* and *Eragrostis* with 12 species each. The largest herbaceous and

woody eudicots are respectively *Polygonum* with nine and *Quercus* with eight species each.

Now that these preliminary data have been compiled, we hope to expand the project by updating the taxonomy of the classic Buck (1977) report on the flora of WMWR to enable direct comparison with this assemblage, quantify the percentage of exotics in the collections, and with the permission of WMWR biologists and administrators, begin surveying the Refuge for some of the rarer plants in the collection to identify those taxa in danger of extirpation.

ACKNOWLEDGEMENTS

We would like to acknowledge NSF-DBI-BRC Grant 0749657 for funding this research, and Sam Waldstein (former Refuge Manager), Ralph Bryant acting Refuge Manager (2006), Jeff Rupert (Refuge Manager) and Walter Munsterman (Wildlife Biologist) for their support of this project. In addition, Donna Lohr, Amber Roy, and Tom Sodhi assisted as student researchers.

REFERENCES

- Bailey RG 1995. Description of the Ecoregions of the United States. www.fs.fed.us/land/ecosysmgmt/index.html
- Buck P 1977. Vascular Plants of the Wichita Mountains Wildlife Refuge 1977. Unpublished informational handout of the Wichita Mountains Wildlife Refuge. Reprinted in: Oklahoma Native Plant Record, 2 (1): 4-21, 2002.
- Diggs GM Jr., Lipscomb BL, and O'Kennon RJ. 1999. Shinn's & Mahler's Illustrated Flora of North Central Texas. Botanical Research Institute of Texas, Fort Worth, TX: 1626p.
- Eskew CT 1939. The flowering plants of the Wichita Mountains Wildlife Refuge, Oklahoma. American Midland Naturalist, 20: 695-703.
- Judd WS, Campbell CS, Kellogg EA, Stevens PF, and Donoghue MJ. 2008. Plant Systematics, A Phylogenetic Approach, 3rd Ed., Sinauer Associates, Sunderland, Massachusetts: 611p.

- McGregor RL, Barkley TM, Brooks RE, and Schofield EK. 1986. Flora of the Great Plains. University of Kansas Press, Lawrence, Kansas: 1402p.
- Morgan EB, 1973. The Wichita Mountains, Ancient Oasis of the Prairies. Texan Press, Waco, Texas: 253p.
- Oklahoma Climatological Survey. 2007. Oklahoma Climatological Data. University of Oklahoma, Norman. (www.ocn.ou.edu).
- Osborn B and Allan PF. 1949. Vegetation of an abandoned prairie dog town in tall-grass prairie. *Ecology*, 30:322-332.
- Price JD and Gilbert MC. 1996. Geologic Map of the Mount Scott Area, Eastern Wichita Mountains, Oklahoma. U.S.G.S. National Cooperative Mapping Program. Specify Software Project, Biodiversity Research Center, University of Kansas, Lawrence, KS 66045. www.specifysoftware.org
- Tyler JD 2005. Birds of Southwestern Oklahoma and North Central Texas. Transcript Press Norman, Oklahoma: 119p.
- Woods AJ, Omernik JM, Butler DR, Ford JG, Henley JE, Hoagland BW, Arndt DS, and Moran BC. 2005. Ecoregions of Oklahoma (Color photo with map, descriptive text, summary tables, and photographs). U.S. Geological Survey, Reston, Virginia.




Figure Location of Wichita Mountains Wildlife Refuge, Comanche County, Oklahoma

APPENDIX

GREEN ALGAE

Characeae

Chara vulgaris L.

SEEDLESS VASCULAR PLANTS

Isoetaceae

Isoetes melanopoda Gay & Dur.

Equisetaceae

Equisetum laevigatum A. Braun

Aspleniaceae

Asplenium trichomanes L.

Dryopteridaceae

Dryopteris marginalis (L.) A. Gray

Woodsia obtusa (Spreng.) Torr.

Marsileaceae

Pilularia americana A. Braun

Marsilea vestita Hood. and Grev.

Pteridaceae

Cheilanthes eatoni Baker

Cheilanthes lanosa (Michx.) D.C. Eaton

Cheilanthes tomentosa Link.

Pellaea atropurpurea (L.) Link.

Pellaea wrightiana Hook.

GYMNOSPERMS

Cupressaceae

Juniperus virginiana L.

Pinaceae

Pinus elliottii Engelm.

ANGIOSPERMS

MONOCOTS

Agavaceae

Manfreda virginica (L.) Salisb. ex Rose

Alismataceae

Echinodorus berteroii (Spreng.) Fassett

Sagittaria latifolia Willd.

Sagittaria montevidensis Cham. & Schlecht.

Araceae

Arisaema dracontium (L.) Schott

Commelinaceae

Commelina erecta L.

Tradescantia occidentalis (Britt.) Smyth

Tradescantia ohiensis Raf.

Cyperaceae

Bulboschoenus maritimus (L.) Palla

Bulbostylis capillaris (L.) Kunth ex C.B. Clarke

Carex amphibola Steud.

Carex annectens (Bickn.) Bickn.

Carex austrina Mack.

Carex blanda Dewey

Carex emoryi Dewey

Carex festucacea Schkuhr. ex Willd.

Carex frankii Kunth.

Carex gravida Bailey

Carex grisea Wahl.

Carex microrhyncha Mack.

Carex muehlenbergii Schkuhr ex Willd.

Carex vulpinoidea Michx.

Cyperus acuminatus Torr. & Hook. ex Torr.

Cyperus echinatus (L.) Wood

Cyperus erythrorhizos Muhl.

Cyperus esculentus L.

Cyperus lupulinus (Spreng.) Marcks.

Cyperus odoratus L.

Cyperus pseudovegetus Steud.

Cyperus schweinitzii Torr.

Cyperus setigerus Torr. & Hook

Cyperus squarrosus L.

Cyperus strigosus L.

Eleocharis acutisquamata Buckley

Eleocharis compressa Sulliv.

Eleocharis engelmanni Steud.

Eleocharis montevidensis Kunth.

Eleocharis obtusa (Willd.) Schult.

Eleocharis palustris (L.) Roem. & Schult.

Eleocharis parvula (Roemer & J.A. Schultes)

Link ex Bluff, Nees & Schaeur

Eleocharis quadrangulata Fern.

Eleocharis tenuis (Willd.) Schult.

Eleocharis wolfii (A.Gray) A.Gray ex Britton

Fimbristylis puberula (Michx.) Vahl.

Fimbristylis vahlii (Lam.) Link.

Oklahoma Native Plant Record
Volume 8, Number 1, December 2008

Fuirena simplex Vahl.

Lipocarpha micrantha (Vahl.) Tucker

Schoenoplectus acutus (Muhl ex Bigelow) A.
Love & D. Love

Schoenoplectus pungens (Vahl.) Palla

Schoenoplectus tabernaemontani (K.C. Gmel.)
Palla

Scleria pauciflora Muhl.

Scirpus atrovirens Muhl.

Scirpus pendulus Muhl.

Hydrocharitaceae

Najas guadalupensis (Spreng.) Morong.

Iridaceae

Sisyrinchium angustifolium Mill.

Juncaceae

Juncus acuminatus Michx.

Juncus dudleyi Wiegand.

Juncus interior Wieg.

Juncus marginatus Rostk.

Juncus tenuis Woot. & Standl.

Juncus torreyi Coville

Lemnaceae

Lemna minor L.

Liliaceae

Allium canadense L.

Allium drummondii Regel.

Allium stellatum Ker.

Androstephium coeruleum (Scheele) Greene

Camassia scilloides (Raf.) Cory

Cooperia drummondii Herbert

Erythronium americanum Ker.

Nothoscordum bivalve Greene ex Rydb.

Orchidaceae

Spiranthes magnicamporum Sheviak.

Poaceae

Agrostis hyemalis (Walter) B.S.P.

Agrostis elliottiana Schult.

Alopecurus carolinianus Walt.

Andropogon gerardii Vitman.

Aristida dichotoma Michx

Aristida longespica Poir.

Aristida oligantha Michx.

Aristida purpurea Nutt.

Bothriochloa barbinodes (Lag.) Herter.

Bothriochloa laguroides (D.C.) Herter.

Bouteloua curtipendula (Michx) Torr.

Bouteloua gracilis (Willd ex Kunth) Lag. ex
Griffiths

Bouteloua hirsuta Lag.

Bouteloua rigidiseta (Steud.) Hitchc.

Bromus arvensis L.

Bromus catharticus Vahl

Bromus commutatus Schrad.

Bromus japonicus Thunb. ex Murray

Bromus pubescens Muhl. ex Willd.

Buchloe dactyloides (Nutt.) Engelm.

Cenchrus spinifex Cav.

Chasmanthium latifolium (Mickx.) H.O. Yates

Chloris verticillata Nutt.

Chloris virgata Sw.

Coelorachis cylindrica (Michx.) Nash

Cynodon dactylon (L.) Pers.

Dactylis glomerata L.

Dichanthelium acuminatum (Sw.) Gould & C.A.

Clark

Dichanthelium depauperatum (Muhl.) Gould

Dichanthelium linearifolium (Scribn. ex Nash)

Gould

Dichanthelium malacophyllum (Nash) Gould

Dichanthelium oligosanthes (J.A. Schultes)

Gould

Digitaria californica (Benth.) Henr.

Digitaria cognata (Schultes) Pilger

Digitaria sanguinalis (L.) Scop.

Echinochloa crus-galli (L.) Beauv.

Eleusine indica (L.) Gaertn.

Elymus canadensis L.

Elymus virginicus L.

Eragrostis capillaris (L.) Nees

Eragrostis cilianensis (All.) Vignal ex Janch

Eragrostis curtipedicellata Buckley

Eragrostis hypnoides (Lam.) B.S.P.

Eragrostis intermedia Hitchc.

Eragrostis pectinacea (Mickx.) Nees ex Steud.

Eragrostis pilosa (L.) Beauv.

Eragrostis reptans (Michx.) Nees

Eragrostis secundiflora J. Presl.

Eragrostis sessilispica Buckley

Eragrostis spectabilis (Pursh.) Steud.

Eragrostis trichodes (Nutt.) A.W. Wood

Eriochloa contracta Hitchc.

Eriochloa sericea (Scheele) Munro ex Vasey

Erioneuron pilosum (Buckley) Nash

Festuca versuta Beal

Hordeum pusillum Nutt.

Leersia oryzoides (L.) Sw.
Leptochloa fascicularis (Lam.) A. Gray
Limnodea arkansana (Nutt.) L.H. Dewey
Lolium pratense (Huds.) S.J. Darbyshire
Melica nitens (Scribn) Nutt. ex Piper
Muhlenbergia capillaris (Lam.) Trin.
Muhlenbergia mexicana (L.) Trin.
Muhlenbergia racemosa (Michx) B.S.P.
Panicum anceps Michx.
Panicum capillare L.
Panicum dichotomiflorum Michx.
Panicum obtusum Kunth.
Panicum philadelphicum Bernh. ex Trin.
Panicum virgatum L.
Pascopyrum smithii (Rydb.) A. Love
Paspalum dilatatum Poir.
Paspalum pubiflorum Rupr.
Paspalum setaceum Michx.
Phalaris caroliniana Walter
Poa annua L.
Poa arachnifera Torr.
Poa compressa L.
Schedonnardus paniculatus (Nutt.) Trel.
Setaria parviflora (Poir) Kerguélen
Setaria viridis (L.) P. Beauv.
Schizachyrium scoparium (Michx.) Nash
Sorghastrum nutans (L.) Nash
Sorghum halepense (L.) Pers.
Spartina pectinata Link
Sphenopholis obtusata (Michx) Scribn.
Sporobolus airoides Torr.
Sporobolus clandestinus (Biehler) Hitchc.
Sporobolus compositus (Poir.) Merr.
Sporobolus cryptandrus (Torr) A. Gray
Sporobolus neglectus Nash
Sporobolus pyramidatus (Lam.) Hitchc.
Sporobolus vaginiflorus (Torr ex A. Gray) A.W. Wood
Tridens albescens (Vasey) Wooton & Standl.
Tridens flavus (L.) Hitchc.
Tridens muticus (Torr) Nash
Tridens strictus (Nutt) Nash
Tripsacum dactyloides (L.) L.
Vulpia octoflora (Walter) Rydb.

Pontederiaceae

Heteranthera limosa (Sw.) Willd

Potamogetonaceae

Potamogeton amplifolius Tuckerm.
Potamogeton diversifolius Raf.

Potamogeton nodosus Poir
Potamogeton pusillus L.

Smilacaceae

Smilax bona-nox L.
Smilax pseudochina L.
Smilax rotundifolia L.
Smilax tamnoides L.

Typhaceae

Typha domingensis L.
Typha latifolia L.

EUDICOTS

Acanthaceae

Justicia americana (L.) Vahl
Ruellia caroliniensis (J.F. Gmel) Steud.
Ruellia humilis Nutt.

Amaranthaceae

Alternanthera caracasana Kunth
Amaranthus albus L.
Amaranthus hybridus L.
Amaranthus retroflexus L.
Amaranthus rudis Sauer
Froelichia floridana (Nutt.) Moq.
Froelichia gracilis (Hook.) Moq.
Gossypianthus lanuginosus (Poir.) Moq
Guillemina densa (Humb. & Bonpl. ex Willd.) Moq.

Anacardiaceae

Rhus glabra L.
Rhus trilobata Nutt.
Toxicodendron radicans (L.) Kuntze

Apiaceae

Ammoselinum popei Torr. & Gray
Chaerophyllum tainturieri Hook.
Cicuta maculata L.
Daucus pusillus Michx.
Eryngium leavenworthii Torr. & Gray
Lomatium foeniculaceum (Nutt.) Coulter. & Rose
Polytaenia nuttallii DC.
Ptilimnium nuttallii (DC.) Britt.
Sanicula canadensis L.
Spermolepis divaricata (Walt.) Raf. ex Ser.
Spermolepis echinata (Nutt. ex DC.) Heller

Apocynaceae

Apocynum cannabinum L.
Amsonia ciliata Walt.

Asclepiadaceae

Asclepias asperula (Dcne.) Woods.
Asclepias latifolia Engelm. & Gray
Asclepias pumila (Gray) Vail
Asclepias stenophylla Gray
Asclepias tuberosa L.
Asclepias verticillata L.
Asclepias viridis Walt.

Asteraceae

Achillea millefolium L.
Ambrosia artemisiifolia L.
Ambrosia psilostachya DC.
Ambrosia trifida L.
Antennaria parlinii Fern.
Aphanostephus pilosus Buckl.
Aphanostephus ramosissimus DC.
Aphanostephus skirrhobasis (DC.) Trel.
Artemisia dracunculus L.
Artemisia filifolia Torr.
Artemisia longifolia Nutt.
Artemisia ludoviciana Nutt.
Aster ericoides L.
Aster oblongifolius Nutt.
Aster patens Ait.
Aster subulatus Michx.
Baccharis salicina Torr. & Gray
Bidens cernua L.
Bidens frondosa L.
Brickellia eupatorioides (L.) Shinners
Centaurea americana Nutt.
Chaetopappa asteroides Nutt. ex DC.
Cirsium ochrocentrum Gray
Cirsium undulatum (Nutt.) Spreng.
Conyza canadensis (L.) Cronq.
Conyza ramosissima Cronq.
Coreopsis grandiflora Hogg ex Sweet
Coreopsis tinctoria Nutt.
Dysodiopsis tagetoides (Torr. & Gray) Rydb.
Echinacea angustifolia DC.
Eclipta prostrata (L.) L.
Engelmannia peristenia (Raf.) Goodman & C.A.
Watson
Erigeron strigosus Muhl. ex Willd.
Eupatorium serotinum Michx.
Evax prolifera Nutt. ex DC.
Evax verna Raf.

Gaillardia aestivalis (Walt.) H. Rock

Gaillardia pulchella Foug.
Gaillardia suavis (Gray & Engelm.) Britt. & Rusby
Gamochaeta purpurea (L.) Cabrera
Grindelia papposa McKelvey
Grindelia squarrosa (Pursh) Dunal
Gutierrezia dracunculoides (DC.) S.F. Blake
Helenium amarum (Raf.) H. Rock
Helenium microcephalum D.C.
Helianthus annuus L.
Helianthus hirsutus Raf.
Helianthus maximiliani Schrad.
Helianthus pauciflorus Nutt.
Helianthus petiolaris Nutt.
Heterotheca canescens (DC.) Shinners
Heterotheca stenophylla (Gray) Shinners
Hieracium longipilum Small
Hymenopappus scabiosaeus L'Hér.
Hymenopappus tenuifolius Pursh
Iva annua L.
Krigia caespitosa (Raf.) K.L. Chambers
Krigia dandelion (L.) Nutt.
Lactuca canadensis L.
Lactuca serriola L.
Lactuca tatarica (L.) C.A. Mey
Liatris aspera Michx.
Liatris punctata Hook.
Liatris scariosa (L.) Willd.
Machaeranthera pinnatifida (Hook.) Shinners
Nothocalais cuspidata (Pursh) Greene
Packera plattensis (Nutt.) W.A. Weber & A. Love
Palafoxia sphacelata (Nutt. ex Torr.) Cory
Pluchea camphorata (L.) DC.
Polanisia dodecandra (L.) D.C.
Pseudognaphalium canescens DC.
Pseudognaphalium stramineum (Kunth) W.A.
Weber
Pyrhopappus grandiflorus (Nutt.) Nutt.
Ratibida columnifera (Nutt.) Wooton & Standl.
Rudbeckia hirta L.
Silphium asteriscus L.
Silphium laciniatum L.
Silphium radula Nutt.
Solidago arguta Ait.
Solidago gigantea Ait.
Solidago missouriensis Nutt.
Solidago petiolaris Ait.
Tetraneurus linearifolia (Hook.) Greene
Thelesperma filifolium (Hook.) Gray
Townsendia exscapa (Richards.) Potter
Vernonia baldwinii Torr.

Xanthium strumarium L.

Xanthisma texanum DC.

Boraginaceae

Buglossoides arvensis (L.) I.M. Johnston

Lithospermum incisum Lehm.

Mysotis verna Nutt.

Brassicaceae

Draba brachycarpa Nutt. ex Torr. & A. Gray

Draba cuneifolia Nutt. ex Torr. & A. Gray

Draba reptans (Lam.) Fern.

Descurainia pinnata (Walt.) Britt.

Erysimum capitatum (Dougl. ex Hook.) Greene

Lepidium oblongum Small

Lepidium virginicum L.

Lesquerella auriculata (Engelm & A. Gray) S. Watson

Lesquerella engelmannii (A. Gray) S. Watson

Lesquerella gracilis (Hook.) S. Watson

Lesquerella ovalifolia Rydb. ex Britt.

Rorippa nasturtium-aquaticum (L.) Hayek

Rorippa palustris (L.) Bess.

Rorippa sessiliflora (Nutt.) Hitchc.

Sibara virginica (L.) Rollins

Callitrichaceae

Callitricha heterophylla Pursh.

Campanulaceae

Lobelia appendiculata A. DC.

Lobelia cardinalis L.

Triodanis leptocarpa (Nutt.) Nieuwl.

Triodanis perfoliata (L.) Nieuwl.

Capparaceae

Cleomella angustifolia Torr.

Caprifoliaceae

Viburnum rufidulum Raf.

Symporicarpos orbiculatus Moench

Caryophyllaceae

Cerastium brachypodium (Engelm. ex Gray) B.L.

Robins.

Minuartia michauxii (Fenzl.) Farw.

Minuartia patula (Michx.) Mattf.

Paronychia jamesii Torr. & A. Gray

Paronychia virginica Spreng.

Sagina decumbens (Ell.) Torr & A. Gray

Silene antirrhina L.

Ceratophyllace

Ceratophyllum demersum L.

Chenopodiaceae

Chenopodium album L

Chenopodium leptophyllum (Moq.) Nutt.

Chenopodium simplex (Torr.) Raf.

Chenopodium standleyanum Aell.

Salsola tragus L

Monolepis nuttalliana (Schult.) Greene

Cistaceae

Lechea tenuifolia Michx.

Clusiaceae

Hypericum drummondii (Grev. & Hook) Torr. &

A. Gray

Hypericum mutilum L.

Convolvulaceae

Convolvulus arvensis L.

Evolvulus nuttallianus Schult.

Cornaceae

Cornus drummondii C.A. Mey

Cuscutaceae

Cuscuta gronovii Willd.

Cuscuta coryli Engelm.

Crassulaceae

Sedum nuttallianum Raf.

Cucurbitaceae

Cyclanthera dissecta (Torr. & Gray) Arn.

Cucurbita foetidissima Kunth

Ibervillea lindheimeri (Gray) Greene

Melothria pendula L.

Ebenaceae

Diospyros virginiana L.

Euphorbiaceae

Acalypha gracilens A. Gray

Acalypha ostryifolia Riddell

Chamaesyce glyptosperma (Engelm) Small

Chamaesyce maculata (L.) Small

Chamaesyce missurica (Raf.) Shinners

Chamaesyce nutans (Lag.) Small

Chamaesyce prostrata (Aiton) Small

Croton capitatus Michx.

Croton glandulosus L.

Oklahoma Native Plant Record
Volume 8, Number 1, December 2008

Croton lindheimerianus Scheele.
Croton monanthogynus Michx.
Croton texensis (Klotzch.) Muell. Arg.
Euphorbia commutata Engelm.
Euphorbia corollata L.
Euphorbia dentata Michx.
Euphorbia marginata Pursh.
Euphorbia spathulata Lam.
Phyllanthus caroliniensis Walt.
Phyllanthus polygonoides Nutt. ex Spreng.
Stillingia sylvatica Garden ex L.
Tragia ramosa Torr.

Fabaceae

Acacia angustissima (Mill.) Kuntze
Amorpha canescens Pursh.
Amorpha fruticosa L.
Apios americana Medik.
Astragalus crassicarpus Nutt.
Astragalus plattensis Nutt.
Baptisia australis (L.) R. Br.
Baptisia bracteata Muhl. ex Elliot
Baptisia sphaerocarpa Nutt.
Cercis canadensis L.
Chamaecrista fasciculata (Michx.) Greene
Clitoria mariana L.
Crotalaria sagittalis L.
Dalea aurea Nutt. ex Pursh.
Dalea candida Willd.
Dalea enneandra Nutt.
Dalea multiflora (Nutt.) Shinners
Dalea purpurea Vent.
Dalea tenuis (J.M. Coulter) Shinners
Desmanthus illinoensis (Michx.) MacM
Desmanthus leptolobus Torr & A. Gray
Desmodium ciliare DC.
Desmodium nudiflorum (L.) DC.
Desmodium paniculatum (L.) DC.
Desmodium sessilifolium (Torr.) Torr. & A. Gray
Galactia volubilis (L.) Britt.
Glycyrrhiza lepidota (Nutt.) Pursh.
Gymnocladus dioicus (L.) Koch.
Hoffmannseggia glauca (Ortega) Eifert
Indigofera miniata Ortega
Lespedeza capitata Michx.
Lespedeza procumbens Michx.
Lespedeza virginica (L.) Britt.
Lotus unifoliolatus (Hook.) Benth.
Melilotus albus Medik.
Neptunia lutea (Leavenw.) Benth.
Pediomelum esculentum (Pursh.) Rydb.

Pediomelum linearifolium (Torr. & A. Gray) J.W.

Grimes

Psoralidium tenuiflorum (Pursh.) Rydb.
Senna marilandica (L.) Link.
Strophostyles helvula (L.) Elliott

Strophostyles leiosperma (Torr. & A. Gray) Piper

Strophostyles umbellatum (Muhl ex Willd.) Britt.
Stylosanthes biflora (L.) Britton, Sterns. & Pogg.
Vicia ludoviciana Nutt.

Fagaceae

Quercus buckleyi Nixon & Dorr.
Quercus macrocarpa Michx.
Quercus marilandica Muench.
Quercus muehlenbergii Engelm.
Quercus shumardii Buckl.
Quercus stellata Wang.
Quercus velutina Lam.
Quercus virginiana Mill.

Fumariaceae

Corydalis aurea Willd.

Gentianaceae

Sabatia campestris Nutt.

Geraniaceae

Geranium carolinianum L.

Grossulariaceae

Ribes aureum Pursh

Haloragaceae

Myriophyllum pinnatum (Walter) Britton, Stens &
Poggenb.

Myriophyllum spicatum L.

Hydrophyllaceae

Nama hispidum A. Gray

Juglandaceae

Carya illinoinensis (Wang.) K. Koch
Juglans major (Torr.) Heller
Juglans microcarpa Berland
Juglans nigra L.

Krameriaceae

Krameria lanceolata Torr.

Lamiaceae

- Hedeoma hispida* Pursh.
Lycopus americanus Muhl.
Monarda citriodora Cerv. ex Lag.
Monarda clinopodioides A. Gray
Monarda fistulosa L.

- Monarda pectinata* Nutt.
Nepeta cataria L.
Salvia azurea Michx. ex Lam.
Salvia reflexa Hornem.
Scutellaria drummondii Benth.
Scutellaria wrightii A. Gray
Scutellaria resinosa Torr.
Teucrium canadense L.
Teucrium laciniatum Torr.
Trichostema brachiatum L.

Lentibulariaceae

- Utricularia gibba* L.

Linaceae

- Linum berlandieri* Hook.
Linum hudsonioides Planch.
Linum imbricatum (Raf.) Shinners
Linum rigidum Pursh
Linum sulcatum Riddell

Loasaceae

- Mentzelia oligosperma* Nutt.
Mentzelia nuda (Pursh.) Torr & A. Gray

Lythraceae

- Ammannia auriculata* Willd.
Ammannia coccinea Rottb.
Lythrum alatum Pursh.

Malvaceae

- Callirhoe involucrata* (Torr. & A. Gray) A. Gray
Sphaeralcea coccinea Nutt.

Menispermaceae

- Cocculus carolinus* (L.) DC.

Molluginaceae

- Mollugo verticillata* L.

Moraceae

- Morus rubra* L.

Nyctaginaceae

- Mirabilis nyctaginea* (Michx.) MacM.
Mirabilis linearis (Gray) Greene
Mirabilis glabra (S. Wats.) Standl.
Mirabilis hirsuta A. Nels.
Mirabilis albida (Walter) Heimerl.

Oleaceae

- Fraxinus pennsylvanica* Marsh.

Onagraceae

- Calylophus serrulatus* (Nutt.) P.H. Raven
Gaura coccinea Nutt. ex Pursh.
Gaura parviflora Douglas ex Lehm.
Gaura sinuata Nutt.
Gaura suffulta Engelm. ex A. Gray
Gaura triangulata Buckley
Ludwigia alternifolia L.
Ludwigia decurrens (Walt.) DC.
Ludwigia peploides (Kunth) Raven
Ludwigia repens J.R. Forst
Oenothera biennis L.
Oenothera brachycarpa A. Gray
Oenothera grandis (Britton) Smith
Oenothera jamesii A. Gray
Oenothera laciiniata Hill
Oenothera linifolia Nutt.
Oenothera macrocarpa (A. Gray) W.L. Wagner
Oenothera triloba Nutt.
Stenosiphon linifolius (Nutt. ex E. James)
 Heynh.

Oxalidaceae

- Oxalis violacea* Rydb.
Oxalis stricta L.

Papaveraceae

- Argemone polyanthemos* (Fedde) G.B. Ownbey

Pedaliaceae

- Proboscidea louisianica* (Mill.) Thell.

Phytolaccaceae

- Phytolacca americana* L.

Plantaginaceae

- Plantago aristata* Michx.
Plantago elongata Pursh.
Plantago patagonica Jacq.
Plantago virginica L.
Plantago wrightiana Dcne.

Polemoniaceae

Ipomopsis rubra Fern.

Polygalaceae

Polygala alba Nutt.

Polygala verticillata L.

Polygonaceae

Eriogonum annuum Nutt.
Eriogonum longifolium Nutt.
Polygonum amphibium L.
Polygonum convolvulus L.
Polygonum hydropiperoides Michx.
Polygonum lapathifolium L.
Polygonum pensylvanicum L.
Polygonum punctatum Ell.
Polygonum ramosissimum Michx.
Polygonum scandens L.
Polygonum tenue Michx.
Rumex altissimus Wood
Rumex crispus L

Portulacaceae

Claytonia virginica L.
Portulaca pilosa L.
Portulaca umbraticola Kunth.
Portulaca oleracea L.
Talinum calycinum Engelm.
Talinum parviflorum Nutt.

Primulaceae

Adrosace occidentalis L.
Dodecatheon meadia L.
Samolus valerandi L.

Ranunculaceae

Anemone berlandieri Pritz
Delphinium carolinianum Walt.
Myosurus minimus L.

Rhamnaceae

Ceanothus herbaceus Raf.

Rosaceae

Agrimonia parviflora Aiton
Crataegus reverchonii Sarg.
Crataegus viridis L.
Geum aleppicum Jacq.
Geum canadense Jacq.
Potentilla arguta Pursh

Prunus angustifolia Marsh.
Prunus gracilis Engelm. & A. Gray
Prunus mexicana S. Watson
Prunus virginiana L.
Rubus aborigineum Rydb.

Rubus occidentalis L.

Rubiaceae

Cephalanthus occidentalis L.
Diodia teres Walt.
Galium aparine L.
Galium pilosum Aiton
Galium texense A. Gray
Galium virgatum Nutt.
Hedyotis nigricans (Lam.) Fosberg
Houstonia caerulea L.
Houstonia pusilla Schoepf

Rutaceae

Ptelea trifoliata L.

Salicaceae

Populus alba L.
Populus deltoides Marsh
Salix caroliniana Michx.
Salix nigra Marsh.

Santalaceae

Comandra umbellata (L.) Nutt.

Sapindaceae

Aesculus glabra Willd.
Acer grandidentatum Nutt.
Acer saccharinum L.
Acer saccharum Marsh.
Sapindus saponaria L.

Sapotaceae

Sideroxylon lanuginosum Michx.

Scrophulariaceae

Agalinis fasciculata Pennell
Bacopa rotundifolia (Michx.) Wettst.
Castilleja purpurea (Nutt.) G. Don.
Castilleja sessiliflora Pursh.
Collinsia violacea Nutt.
Gratiola virginiana L.
Leucospora multifida (Michx) Nutt.
Linaria canadensis (L.) Dumont.
Lindernia dubia (L.) Pennell

Penstemon cobaea Nutt
Penstemon oklahomensis Pennell
Scrophularia lanceolata Pursh.
Veronica arvensis L.
Veronica peregrine L.

Simaroubaceae
Ailanthus altissima (P. Mill.) Swingle

Solanaceae
Physalis cinerascens (Dunal) Hitchc.
Physalis longifolia Nutt.
Quinula lobata (Torr.) Raf.
Solanum dimidiatum Raf.
Solanum elaeagnifolium Cav.
Solanum ptycanthum Dunal
Solanum rostratum Dunal

Ulmaceae
Celtis laevigata Willd.
Ulmus americana L.
Ulmus rubra Muhl

Urticaceae
Boehmeria cylindrica (L.) Sw.
Parietaria pensylvanica Muhl. ex Willd.

Valerianaceae
Valerianella radiata (L.) Dufr.

Verbenaceae
Glandularia canadensis (L.) Nutt.
Glandularia pumila (Rydb.) Umber
Lippia cuneifolia (Torr.) Steud
Lippia nodiflora (L.) Michx.
Verbena bracteata Lag. & Rodr.
Verbena stricta Vent.
Verbena urticifolia L.

Violaceae
Hybanthus verticillatus (Ortega) Baill
Viola bicolor Pursh
Viola missouriensis Greene
Viola sororia Willd.

Vitaceae
Ampelopsis cordata Michx.
Cissus incisa Des Moul.
Parthenocissus quinquefolia (Buckley) Britton ex Small
Vitis cinerea (Engelm.) Millardet.
Vitis riparia Michx.
Vitis rupestris Scheele

Zygophyllaceae
Kallstroemia californica (S. Wats.) Vail
Tribulus terrestris L.