

Oklahoma Native Plant Record



Journal of the Oklahoma Native Plant Society
Volume 2, Number 1, December 2002

Oklahoma Native Plant Record

Journal of the Oklahoma Native Plant Society

Vol. 2 No. 1 December 2002

ISSN 1536-7738

Managing Editor, Sheila A. Strawn

Technical Editor, Patricia Folley

Technical Advisor, Bruce Hoagland

CD-ROM Producer, Chadwick Cox

Website: <http://www.usao.edu/~onps/>

The purpose of the ONPS is to encourage the study, protection, propagation, appreciation and use of the native plants of Oklahoma. Membership in ONPS shall be open to any person who supports the aims of the Society. ONPS offers individual, student, family, and life membership.

Officers and Board Members

President: Patricia Folley

Vice-president: Chadwick Cox

Secretary: Maurita Nations

Treasurer: Mary Korthase

Board Members:

Berlin Heck

Iris McPherson

Sue Amstutz

James Elder

Paul Reimer

Lawrence Magrath

Northeast Chapter Chair: James Elder

Central Chapter Chair: Judy Jordan

Cross-timbers Chapter Chair: Ronald Tyrl

Historian: Lynn Allen

Conservation Chair: *open*

Publicity Co-chairs:

Ruth Boyd & Betty Culpepper

Marketing Chair: Lawrence Magrath

Photo Contest: Paul Reimer

Ann Long Award Chair: Paul Reimer

Harriet Barclay Award Chair:

Constance Taylor

ONPS Service Award Chair: Sue Amstutz

Newsletter Editor: Chadwick Cox

Librarian: Bonnie Winchester

Website Manager: Chadwick Cox

Cover: *Gaillardia pulchella* (Indian Blanket)

Photo by Paul Buck, April 25, 1981. Winner
of the first ONPS Photo Contest in 1988.

Articles (c) The Authors

Journal compilation (c) Oklahoma Native Plant Society

Except where otherwise noted, this work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike4.0 International License, <https://creativecommons.org/licenses/by-nc-sa/4.0/>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly attributed, not used for commercial purposes, and, if transformed, the resulting work is redistributed under the same or similar license to this one.
<https://doi.org/10.22488/okstate.17.100009>

Oklahoma Native Plant Record

Volume 2, Number 1

Table of Contents

Forward	3
Ms. Patricia Folley, ONPS President	
Vascular Plants of the Wichita Mountains	4
Dr. Paul Buck	
Floristic List for Comanche County, Oklahoma.....	22
Dr. Bruce W. Hoagland	
<i>Schoenoplectus hallii</i> and <i>S. saximontanus</i>	54
Wichita Mountains Wildlife Refuge Survey 2000	
Dr. Lawrence K. Magrath	
Pontotoc Ridge Floristic Survey: 1999.....	64
Dr. Forrest L. Johnson	
Ms. Patricia Folley (ed.)	
ONPS Editorial.....	82
Water, Soil, and Plant Diversity in Oklahoma	
Dr. Sheila A. Strawn	

Foreword

Continuing our goal of publishing historical and current floristic surveys of the different areas of Oklahoma, this 2002 edition features Comanche County and the Wichita Mountains of southwestern Oklahoma. These beautiful pink granite remains of ancient high mountains are completely contained within our state and have an interesting history from the viewpoints of Native Americans and the later European settlers.

Several decades ago a young botanist named Paul Buck spent summers sleeping on concrete picnic tables at the Wichita Wildlife Refuge while making the best-known specific survey of the flora of that site. The resulting list of plants is still in use by visitors to the refuge and others interested in the plants of that region. We have published that survey for you here, for use whenever you visit the Refuge. More recently, the U.S. Army at Ft. Sill, which adjoins the refuge, contracted with the Oklahoma Biological Survey to make a similar study of the flora of the military reservation. From voucher specimens taken during those surveys and from many other botanists who visited the area for the love of its wild beauty, the Oklahoma Natural Heritage Inventory has compiled a floristic list for the whole of Comanche County. Dr. Bruce Hoagland, at the Oklahoma Biological Survey, has provided that list. We hope it will inspire today's botanists to continue to monitor extant species on the Refuge and surrounding areas.

The Wichita Wildlife Refuge was established by President William McKinley in 1901, with 57,120 acres of land. Currently, about 22,500 acres are open to the public. The Refuge is a part of the National Wildlife Refuge system, and maintained by the federal government. A visitors' center provides assistance, educational material, and a library and gift shop. But a remarkable organization of volunteers manages the prodigious task of everyday contact with the many visitors who enter the Refuge every day of the year. By planned tours, educational programs, and hours of labor maintaining trails, the Friends of the Wichitas have made the Refuge a comfortable place for people without reducing the quality of the environment for wildlife. A sister organization of ONPS, the Friends and we share many members. Through the years Oklahoma Native Plant Society volunteers, especially Dr. Buck, have helped staff the field trips. In the process, some of us who might not have made the trip to Comanche County quite so often before, have come to love it as part of our 'home state'.

Next year, we hope to feature another, and very different section of this varied state: the Ozarks. All who have, or know about, material on that area that might be suitable for this publication, should contact our editor, Sheila Strawn. Also planned for future issues are lists of the plants reported at specific sites by our intrepid teams of field-trippers. Help us make this publication grow!

Patricia Folley
President, ONPS
August, 2002

**VASCULAR PLANTS OF THE WICHITA MOUNTAINS
WILDLIFE REFUGE (1977)**

Paul Buck
Department of Life Sciences
The University of Tulsa
Tulsa, Oklahoma

Introduction

This list is an effort to update a popular list of the vascular plants of the Wichita Mountains Wildlife Refuge prepared by the author approximately ten years ago. The earlier work was compiled from lists published by Eskew (1938), Osborn and Allen (1949) and from studies of several regional herbaria.

The changes over the previous list reflect new species found during field activities in the Refuge through the years, additions reported in the literature and modifications of scientific names as published in floras, keys, and manuals. Common names are always a problem, frequently changing several times within relatively small geographic areas. In an effort to avoid this difficulty the common names have been taken from *A Guide to Plant Names*, (Rechenthin, 1954) which was prepared for use by the regional Soil Conservation Service. The very few not listed in this publication were obtained from Fernald (1950) and the updated version of Britton and Brown (Gleason 1952).

The asterisks (*) indicate species that are questionable as present inhabitants of the Refuge for a couple of reasons: (1) Many were reported in the area by earlier workers but recent literature indicates their ranges do not extend into the Wichita Mountains system. It might be inferred these were misidentified, and in several cases where the specimens were located, this proved to be the case.

(2) During the 1930's thousands of seedlings of non-native woody species were introduced and planted (example: *Mahonia aquifolium*, Barberry; *Spiraea arguta*, Spirea; *Hibiscus syriacus*, Rose of Sharon; *Lagerstroemia indica*, Crape myrtle, etc.). Most of these were subsequently moved to other locations within the southwest. Probably none of those left in the Refuge survived the competition of the native flora.

The identity of the maple within the Refuge has been a subject of debate for many years. Opinions have been divided between the bigtooth maple (*Acer grandidentatum*) and sugar maple (*A. saccharum*). The writer felt, when the earlier list was prepared, the Wichita maple was the latter and deleted the bigtooth maple from the list. Dent (1969) made a study of the sugar maples of Oklahoma and concluded the Caddo Canyon and Wichita Mountains groups are both *Acer saccharum*.

References Cited

- Dent, Thomas Curtis 1969 Relationships of two isolated groups of sugar maple in central Oklahoma to eastern and western species. Unpublished PhD Dissertation, University of Oklahoma, Norman.
 Eskew, Cletis T. 1938 The flowering plants of the Wichita Mountains Wildlife Refuge, Oklahoma. Amer. Mid. Nat. 20:695-703.
 Fernald, M.L. 1950 Gray's Manual of Botany. American Book Company, New York.

Gleason, Henry A. 1952 The New Britton and Brown Illustrated Flora of the Northeastern United States and Adjacent Canada. The New York Botanical Garden, New York.

Osborn, B. and P. F. Allan 1949 Vegetation of an abandoned prairie-dog town in tall-grass prairie. Ecology 30:322-332.

Rechenthin, C.A. 1954 A Guide to Plant Names in Texas, Oklahoma, Louisiana, Arkansas. United States Department of Agriculture, Soil Conservation Service.

Species List

EQUISETACEAE

Equisetum laevigatum
Kansas horsetail

SELAGINELLACEAE

Selaginella peruviana
Sheldon selaginella
Selaginella rupestris
Rock selaginella

ISOETACEAE

Isoetes butleri
Butler quillwort
Isoetes melanopoda
Blackfoot quillwort

POLYPODIACEAE

Asplenium trichomanes
Spleenwort
Cheilanthes eatoni
Eaton lipfern
*Cheilanthes fendleri**
Fendler lipfern
Cheilanthes lanosa
Hairy lipfern
Cheilanthes lindheimeri
Lindheimer lipfern
Cheilanthes vestita
Lipfern
*Cheilanthes wootoni**
Wooton lipfern
Dryopteris marginalis
Standley's lipfern
Notholaena standleyi
Standley's lipfern
Pellaea atropurpurea
Purple cliffbrake
Pellaea ternifolia

Wright's cliffbrake
Woodsia obtuse
Woodsia

MARSILEACEAE

Pilularia americana
American pillwort
Marsilea mucronata
Pepper wort

PINACEAE

Juniperus virginiana
Eastern Red Cedar
*Pinus echinata**
Shortleaf pine
*Pinus edulis**
Nut pine
*Pinus ponderosa**
Western Yellow pine
*Pinus taeda**
Loblolly pine

CUPRESSACEAE

*Thuja orientalis**
Oriental Arbor-Vitae

TYPHACEAE

Typha angustifolia
Narrow leaf cattail
Typha domingensis
Cattail
Typha latifolia
Cattail

ZOSTERACEAE

Potamogeton amplifolius
Largeleaf pondweed
Potamogeton diversifolius
Waterthread pondweed
Potamogeton nodosus
Longleaf pondweed
Potamogeton pusillus
Baby pondweed

NAJADACEAE

Najas guadalupensis
Southern naiad

ALISMATACEAE

Echinodorus cordifolius
Erect burhead
Sagittaria calycina
Longlobe arrowhead
Sagittaria latifolia
Arrowhead

POACEAE

*Agropyron repens**
Couch grass
Agrostis ellottiana

Elliott bentgrass	Bermuda grass
<i>Agrostis hymenalis</i>	<i>Dactylis glomerata</i>
Winter bentgrass	Orchard grass
<i>Alopecurus caroliniana</i>	<i>Digitaria sanguinalis</i>
Carolina foxtail	Hairy crabgrass
<i>Andropogon barbinodis</i>	<i>Diplachne fascicularis</i>
Cane bluestem	Bearded spranglegrass
<i>Andropogon gerardi</i>	<i>Echinochloa crusgalli</i>
Big bluestem	Barnyard grass
<i>Andropogon saccharoides</i>	<i>Elusine indica</i>
Silver bluestem	Goosegrass
<i>Andropogon scoparius</i>	<i>Elymus canadensis</i>
Little bluestem	Canada wildrye
<i>Aristida dichotoma</i>	<i>Elymus virginicus</i>
var. <i>dichotoma</i>	Virginia wildrye
Churchmouse threeawn	<i>Eragrostis capillaris</i>
<i>Aristida dichotoma</i>	Lacegrass
var. <i>curtissii</i>	<i>Eragrostis curtipedicellata</i>
Curtis threeawn	Gummy lovegrass
<i>Aristida longiseta</i>	<i>Eragrostis hypnoides</i>
Red threeawn	Teal lovegrass
<i>Aristida longespica</i>	<i>Eragrostis intermedia</i>
Slimspike threeawn	Plains lovegrass
<i>Aristida oligantha</i>	<i>Eragrostis ciliaris</i>
Oldfield threeawn	Stinkgrass
<i>Aristida purpurea</i>	<i>Eragrostis oxylepsis</i>
Purple threeawn	var. <i>oxylepis</i>
<i>Aristida wrightii</i>	Red lovegrass
Wright threeawn	<i>Eragrostis oxylepsis</i>
<i>Bouteloua curtipendula</i>	var. <i>beyrichii</i>
Sideoats grama	Wichita lovegrass
<i>Bouteloua gracilis</i>	<i>Eragrostis pectinacea</i>
Blue grama	Carolina lovegrass
<i>Bouteloua hirsute</i>	<i>Eragrostis pilosa</i>
Hairy grama	India lovegrass
<i>Bouteloua rigidiseta</i>	<i>Eragrostis reptans</i>
Texas grama	Creeping lovegrass
<i>Bromus japonicus</i>	<i>Eragrostis sessilispica</i>
Japanese brome	Tumble lovegrass
<i>Bromus arvensis*</i>	<i>Eragrostis spectabilis</i>
Field brome	Purple lovegrass
<i>Bromus purgans</i>	<i>Eragrostis trichodes</i>
Canada brome	Sand lovegrass
<i>Bromus tectorum</i>	<i>Eriochloa contracta</i>
Cheatgrass	Prairie cutgrass
<i>Bromus unioloides</i>	<i>Festuca octoflora</i>
Rescuegraas	Sixweeks fescue
<i>Buchloe dactyloides</i>	<i>Festuca pratensis</i>
Buffalo grass	Suiter fescue
<i>Cenchrus pauciflorus</i>	<i>Festuca versuta</i>
Mat sandbur	Texas fescue
<i>Chloris verticillata</i>	<i>Hordeum pusillum</i>
Tumble windmillgrass	Little barley
<i>Chloris virgata</i>	<i>Leersia oryzoides</i>
Showy chloris	Rice grass
<i>Cynodon dactylon</i>	<i>Leptochloa dubia</i>

Green sprangletop	<i>Poa compressa</i>
<i>Leptoloma cognatum</i>	Canada bluegrass
Fall witchgrass	<i>Schedonardus paniculatus</i>
<i>Limnodea arkansana</i>	Tumblegrass
Ozark grass	<i>Setaria geniculata</i>
<i>Manisuris cylindrica</i>	Knotroot bristlegrass
Carolina jointtail	<i>Setaria viridis</i>
<i>Melica nitens</i>	Green bristlegrass
Threeflower melic	<i>Sorgastrum nutans</i>
<i>Muhlenbergia capillaris</i>	Indiangrass
Hairawn muhly	<i>Sorghum halapense</i>
<i>Muhlenbergia frondosa</i>	Johnson grass
Wirestem muhly	<i>Spartina pectinata</i> var. <i>suttiei</i>
<i>Muhlenbergia racemosa</i>	Prairie cordgrass
Green muhly	<i>Sphenopholis obtusata</i>
<i>Panicum agrostoides</i>	Prairie wedgescale
Redtop panicum	<i>Sporobolus airoides</i>
<i>Panicum anceps</i>	Alkali Sacaton
Beaked panicum	<i>Sporobolus asper</i>
<i>Panicum capillare</i>	Tall dropseed
Witchgrass	<i>Sporobolus cryptandrus</i>
<i>Panicum depauperatum</i>	Sand dropseed
Poor panic grass	<i>Sporobolus pyramidatus</i>
<i>Panicum dichotomiflorum</i>	Whorled dropseed
Fall panicum	<i>Sporobolus vaginiflorus</i>
<i>Panicum lanuginosum</i>	var. <i>vaginiflorus</i>
Wooly panicum	Poverty dropseed
<i>Panicum linearifolium</i>	<i>Sporobolus vaginiflorus</i>
Slimleaf panicum	var. <i>neglectus</i>
<i>Panicum malacophyllum</i>	Puffsheath dropseed
Shortleaf panicum	<i>Trichachne californica</i>
<i>Panicum obtusum</i>	Arizona cottontop
Vine-mesquite	<i>Tridens albescens</i>
<i>Panicum oligosanthes</i>	White tridens
var. <i>scribnerianum</i>	<i>Tridens flavus</i>
Scribner panicum	Purpletop
<i>Panicum perlongum</i>	<i>Tridens muticus</i> var. <i>muticus</i>
Elongate panic grass	Slim tridens
<i>Panicum philadelphicum</i>	<i>Tridens muticus</i> var. <i>elongatus</i>
Philadelphia witchgrass	Rough tridens
<i>Panicum virgatum</i>	<i>Tridens pilosus</i>
Switchgrass	Hairy tridens
<i>Paspalum pubiflorum</i>	<i>Tridens strictus</i>
var. <i>publiflorum</i>	Longspike tridens
Hairyseed paspalum	<i>Tripsacum dactyloides</i>
<i>Paspalum publiflorum</i>	Eastern gamagrass
var. <i>glabrum</i>	<i>Uniola latifolia</i>
Smoothseed paspalum	Broadleaf uniola
<i>Paspalum setaceum</i>	<u>CYPERACEAE</u>
Fringeleaf paspalum	<i>Bulbostylis capillaris</i>
<i>Phalaris caroliniana</i>	Hairsedge
Carolina canary grass	<i>Carex amphibola</i>
<i>Poa annua</i>	Narrowleaf sedge
Annual bluegrass	<i>Carex annectens</i>
<i>Poa arachnifera</i>	Yellowfruit sedge
Texas bluegrass	

Carex austrina
Southern sedge
Carex blanda
Woodland sedge
Carex festucacea
Fescue sedge
Carex frankii
Frank sedge
Carex gravida var. *lunellina*
Lunnell sedge
Carex joori
Hummock sedge
Carex microrhyncha
Littlesnout sedge
Carex praegracilis
Slender sedge
Carex stricta var. *elongata*
Emory sedge
Carex vulpinoidea
Fox sedge
Cyperus acuminatus
Taperleaf flatsedge
Cyperus aristatus
Bearded flatsedge
Cyperus erythrorhizos
Redroot flatsedge
Cyperus esculentus
Chufa
Cyperus filiculmis
Slender flatsedge
Cyperus odoratus
Fragrant flatsedge
Cyperus ovularis
Globe flatsedge
Cyperus schweinitzii
Schweinitz flatsedge
Cyperus setigerus
Bristled spike flatsedge
Cyperus strigosus
False nut sedge
Cyperus virens
Green flatsedge
Eleocharis compressa
Flatstem spikesedge
Eleocharis engelmannii
Englemann spikesedge
Eleocharis macrostachya
Longspike spikesedge
Eleocharis montevidensis
Sand spikesedge
Eleocharis obtusa
Blunt spikesedge
Eleocharis parvula
Dwarf spikesedge
Eleocharis quadrangulata
Squarestem spikesedge

Eleocharis tenuis
Slender spikesedge
Fimbristylis spadicea
Plains fimbry
Fimbristylis vahlii
Vahl fimbry
Fuirena simplex
Western umbrella sedge
Hemicarpha micrantha
Hemicarpha
Scirpus acutus
Hardstem bulrush
Scirpus americanus
American bulrush
Scirpus atrovirens
Green bulrush
Scirpus lacustris
Softstem bulrush
Scirpus lineatus
Rusty bulrush
Scirpus paludosus
Alkali bulrush
Scirpus pauciflora
Fewflower nutrush

ARACEAE
Arisaema dracontium
Dragonroot or
Jack-in-the-Pulpit

LEMNACEAE
Lemna minor
Duckweed

COMMELINACEAE
Commelina erecta
var. *angustifolia*
Narrowleaf
dayflower
Commelina virginica
Virginia dayflower
Tradescantia hirsutiflora
Hairyflower spiderwort
Tradescantia occidentalis
Prairie spiderwort
Tradescantia ohiensis
Smoothstalk spiderwort
Tradescantia tharpiae
Tharp spiderwort

PONTEDERIACEAE
Heteranthera limosa
Blue mudplantain

JUNCACEAE
Juncos acuminatus
Knotleaf rush

Juncus balticus
Baltic rush
Juncus interior
Inland rush
Juncus marginatus
Grassleaf rush
Juncus tenuis var. *tenuis*
Poverty rush
Juncus tenuis var. *dudleyi*
Dudley rush
Juncus
torreyi Torrey
rush

LILIACEAE

Allium canadense
Canada garlic
Allium drummondii
Drummond onion
Allium stellatum
Prairie onion
Androstephium coeruleum
Blue funnellily
Camassia scilloides
Atlantic camass
Erythronium americanum
Fawn lily
Nothoscordum bivalve
Yellow false garlic
Smilax bona-nox
Saw greenbrier
Smilax herbacea
Carionflower
Smilax rotundifolia
Greenbrier
Smilax tamnoides
Bristly greenbrier
Yucca glauca
Small soapweed

AMARYLLIDACEAE

Agave lata
Agave
Zephyranthes brasensis
Evening star or Rain lily

IRIDACEAE

Nemastylis geminiflora
Prairie iris
Sisyrinchium angustifolium
Blueeye grass

ORCHIDACEAE

Spiranthes cernua
Nodding ladies-tresses

SALICACEAE

Populus deltoids
Cottonwood
Salix amygdaloidea
Peachleaf willow
Salix caroliniana
Ward's willow
Salix interior
Sandbar willow
*Salix matsudana**
Willow
Salix nigra
Black willow

JUGLANDACEAE

Carya cordiformis
Bitternut hickory
Carya illinoensis
Pecan
Juglans nigra
Black walnut
Juglans rupestris
Little walnut

FAGACEAE

Quercus falcate
Southern red oak
Quercus macrocarpa
Bur oak
Quercus marilandica
Blackjack oak
Quercus mohriana
Mohrs oak
Quercus muehlenbergii
Chinquapin oak
Quercus rubus var. *borealis*
Red oak
Quercus shumardii
var. *shumardii*
Shumard's oak
Quercus shumardii
var. *schnneckii*
Schneck's oak
Quercus stellata
Post oak
Quercus velutina
Black oak
Quercus virginiana
Live oak

ULMACEAE

Celtis laevigata
Sugar hackberry
Celtis occidentalis
Hackberry
Celtis reticulata
Netleaf hackberry

Ulmus americanus
American elm
*Ulmus pumila**
Chinese elm
Ulmus rubra
Slippery elm

MORACEAE

Maclura pomifera
Osage orange
Morus microphylla
Texas mulberry
Morus rubra
Red mulberry
*Morus tatarica**
Russian mulberry

URTICACEAE

Boehmeria cylindrica
Smallspike falsenettle
Parietaria pensylvanica
Pennsylvania pellitory

SANTALACEAE

Comandra pallida
Western comandra

LORANTHACEAE

Phoradendron serotinum
Mistletoe

ARISTOLOCHIACEAE

Aristolochia tomentosa
Wooly dutchmanpipe

POLYGONACEAE

Eriogonum annuum
Annual wild buckwheat
Eriogonum longifolium
Longleaf wild buckwheat
Polygonum aviculare
Prostrate knotweed
Polygonum bincorne
Longstype smartweed
Polygonum coccinum
Bigroot smartweed
Polygonum convolvulus
Dullseed cornbind
Polygonum hydropiper
Marshpepper smartweed
Polygonum hydropiperoides
var. *hydropiperoides*
Swamp smartweed
Polygonum hydropiperoides
var. *opelousanum*
Opelousas swamp smartweed
Polygonum lapathifolium

Curlytop smartweed
Polygonum pensylvanicum
Pennsylvania smartweed
Polygonum punctatum
Dotted smartweed
Polygonum ramosissimum
Bushy knotweed
Polygonum scandens
Hedge cornbind
Polygonum tenue
Pleatleaf knotweed
Rumex altissimus
Pale dock
Rumex crispus
Curly dock

CHENOPODIACEAE

Chenopodium album
Lambsquarters
Chenopodium hybridum
var. *gigantospermum*
Bigseed goosefoot
Chenopodium leptophyllum
Slimleaf goosefoot
Chenopodium standleyanum
Standley goosefoot
Salsola Kali var. *tenuifolia*
Russian thistle
Monolepis nuttalliana
Nuttall monolepis

AMARANTHAEAE

Alternanthera repens
Mat chaff flower
Amaranthus graecizans
Tumbleweed
Amaranthus hybridus
Slim amaranth
Amaranthus palmeri
Palmer amaranth
Amaranthus retroflexus
Redroot amaranth
Amaranthus tamarascinus
Waterhemp
*Brayulinea densa**
Cottonflower
Froelichia floridana
Florida snakecotton
Froelichia gracilis
Slender snakecotton
Gossypianthus lanuginosus
Woolly cottonflower
Gossypianthus tenuiflorus
Lanceleaf cottonflower

NYCTAGINACEAE

- Mirabilis albida* Pale umbrella-wort
Mirabilis inearis Narrowleaf umbrella-wort
Mirabilis nyctaginea Heartleaf umbrella-wort

PHYTOLACCACEAE

- Phytolacca americana* Pokeberry

AIZOACEAE

- Mollugo verticillata* Green carpetweed

PORTULACACEAE

- Claytonia virginica* Virginia spring beauty
Portulaca oleracea Purslane
Portulaca parvula Shaggy purslane
Portulaca umbraticola Wingpod purslane
Talinum calycinum Rockpink
Talinum parvifolorum Prairie fameflower
*Talinum rugospermum** Roughseed fameflower

CARYOPHYLLACEAE

- Arenaria patula* Pitcher's sandwort
Arenaria stricta var. *texana* Texas sandwort
Cerastium brachypodium Shortstalk chickweed
Sagina decumbens Trailing pearlwort
Silene antirrhina Sleepy catchfly

ILLECEBRACEAE

- Paronychia jamesii* James nailwort
Paronychia virginica Virginia nailwort

CERATOPHYLLACEAE

- Ceratophyllum demersum* Coontail

RANUNCULACEAE

- Anemone caroliniana* Carolina anemone

- Anemone decapetala* Tenpetal anemone
Clematis pitcheri Pitcher clematis
Delphinium virescens Plains larkspur

BERBERIDACEAE

- Mahonia aquifolium** Barberry

MENISPERMACEAE

- Cocculus carolinus* Carolina snailseed
Menispermum canadense Moonseed

PAPAVERACEAE

- Argemone polyanthemos* Prickle poppy

FUMARIACEAE

- Corydalis aurea* var. *occidentalis* Goldon corydalis

CAPPARIDACEAE

- Cleome serrulata* Bee spider flower
Cleomella angustifolia Narrowleaf rhombopod
Polanisia dodecandra Roughseed
clammywort

CRUCIFERAE

- Arabis missouriensis* Green rockcress
Capsella bursa-pastoris Shepherdspurse
Descurainia pinnata Pinnate tansymustard
Dithyrea wislizenii Wislizen's spectacle pod
Draba brachycarpa Shortpod draba
Draba cuneifolia Wedgeleaf draba
Draba reptans Carolina draba
Erysimum capitatum Plains erysimum
Lepidium oblongum Veiny pepperwort
Lepidium virginicum Virginia pepperwort
Lesquerella auriculata Earleaf bladderpod

Lesquerella gordoni
Gordon bladderpod
Lesquerella gracilis
Lax bladderpod
Lesquerella ovalifolia
var. *alba*
Roundleaf bladderpod
Nasturtium officinale
Watercress
Rorippa islandica
Bog marshcress
Rorippa sessilifolia
Stalkless yellowcress
Sibara virginica
Virginia rockcress

CRASSULACEAE

Sedum nuttallianum
Yellow stonecrop
Sedum pulchellum
Texas stonecrop

SAXIFRAGACEAE

Ribes odoratum
Clove current

ROSACEAE

Argimonia parviflora
Mayflower grovebur
Amelanchier arborea
Service berry
Crataegus crus-galli
Cockspur hawthorn
Crataegus engelmannii
Engelmann hawthorn
Crataegus reverchonii
Reverchon hawthorn
Geum canadense
White avens
*Geum virginiana**
Bristly avens
Potentilla arguta
Cinquefoil
Prunus americana
American plum
Prunus angustifolia
Chickasaw plum
*Prunus armeniaca**
Apricot
Prunus persica
Peach
Prunus gracilis
Oklahoma plum
Prunus mexicana
Mexican plum
Prunus virginiana

Chokecherry
*Rosa foliolosa**
Leafy rose
*Rosa multiflora**
Multiflora rose
Rubus aboriginum
Northern dewberry
Rubus idaeus
Red raspberry
Rubus louisianus
Louisiana
blackberry
Rubus occidentalis
Blackcap raspberry
Rubus trivialis
Lowbush blackberry
*Spiraea arguta**
Spirea
*Spiraea cantoniensis**
Spirea
*Spiraea vanhouttei**
Spirea

LEGUMINOSAE

Acacia angustissima
Prairie acacia
Amorpha canescens
Leadplant
Amorpha fruticosa
Indigobush amorpha
*Amorpha microphylla**
Smallleaf amorpha
*Amorpha nana**
Fragrant false indigo
Apios americana
Groundnut
Astragalus crassicarpus
Groundplum milkvetch
Astragalus lindheimeri
Lindheimer milkvetch
Astragalus plattensis
Platte milkvetch
Baptisia australis var. *minor*
Blue wild indigo
Baptisia leucophaea
Plains wild indigo
Baptisia sphaerocarpa
Golden wild indigo
Cassia fasciculate
Showy partridgepea
Cassia marilandica
Wild senna
Cercis canadensis
Redbud
Clitoria mariana
Atlantic pigeonwings

<i>Colutea arborescens*</i>	White prairie clover
Bladder senna	<i>Petalostemum multiflorum</i>
<i>Crotalaria sagittalis</i>	Roundtop prairie clover
Arrow crotalaria	<i>Petalostemum purpureum</i>
<i>Dalea aurea</i>	Purple prairie clover
Silttop aurea	<i>Petalostemum tenuifolium</i>
<i>Dalea enneandra</i>	Slimleaf prairie clover
Bigtop dalea	<i>Prosopis juliflora</i>
<i>Dalea purpurea</i>	Mesquite
Purple prairie-clover	<i>Psoralea cuspidata</i>
<i>Desmanthus illinoensis</i>	Tallbread scurfpea
Illinois bundleflower	<i>Psoralea esculenta</i>
<i>Desmodium ciliare</i>	Indian breadroot
Littleleaf tickclover	<i>Psoralea linearifolia</i>
<i>Desmodium glutinosum</i>	Slimleaf scurfpea
Sticky tickclover	<i>Psoralea tenuiflora</i>
<i>Desmodium nudiflorum</i>	Wild alfalfa
Barestem tickclover	<i>Robinia pseudoacacia</i>
<i>Desmodium paniculatum</i>	Black locust
Panicled tickclover	<i>Shrankia uncinata</i>
<i>Desmodium sessilisovium</i>	Catclaw sensitive brier
Sessile tickclover	<i>Strophostyles helvola</i>
<i>Galactia volubilis</i>	Trailing wildbean
Downy milkpea	<i>Strophostyles leiosperma</i>
<i>Gleditsia triacanthos</i>	Slickseed wildbean
Honeylocust	<i>Stylosanthes riparia</i>
<i>Glycyrrhiza lepidota</i>	Endbeak pencilflower
American licorice	<i>Trifolium reflexum</i>
<i>Gymnocladus dioica</i>	Buffalo clover
Kentucky coffee tree	<i>Vicia ludoviciana</i>
<i>Hoffmannseggia densiflora</i>	Louisiana vetch
Indian rushpea	<i>Vicia sparsifolia</i>
<i>Indigofera miniata</i>	Stiffleaf vetch
var. <i>leptosepala</i>	
Coast indigo	
<i>Krameria secundiflora</i>	
Trailing ratany	<u>GERANIACEAE</u>
<i>Lespedeza capitata</i>	<i>Geranium carolinianum</i>
Roundhead lespedeza	Carolina geranium
<i>Lespedeza intermedia</i>	<i>Erodium cicutarium</i>
Intermediate lespedeza	Storksbill
<i>Lespedeza procumbens</i>	
Trailing lespedeza	<u>OXALIDACEAE</u>
<i>Lespedeza virginica</i>	<i>Oxalis stricta</i>
Slender lespedeza	<i>Oxalis</i>
<i>Lotus americanus</i>	<i>Oxalis violacea</i>
Deervetch	Violet wood sorrel
<i>Melilotus alba</i>	
White sweet clover	<u>LINACEAE</u>
<i>Melilotus officinalis</i>	<i>Linum hudsonioides</i>
Yellow sweet clover	Tufted flax
<i>Neptunaea lutea</i>	<i>Linum rigidum</i>
Yellow neptunea	Stiffstem flax
<i>Oxytropis lamberti</i>	<i>Linum sulcatum</i>
Stemless loco	Grooved flax
<i>Petalostemum candidum</i>	

Puncturevine	Carolina leafflower
	<i>Phyllanthus polygonoides</i>
<u>RUTACEAE</u>	Knotweed leafflower
<i>Ptelea trifoliata</i>	<i>Stillingia sylvatica</i>
Wafer ash	Queen's delight
	<i>Tragia ramosa</i>
<u>SIMAROUBACEAE</u>	Branching noseburn
<i>Ailanthus altissima*</i>	
Tree-of-Heaven	
	<u>CALLITRICHACEAE</u>
<u>POLYGALACEAE</u>	<i>Callitricha heterophylla</i>
<i>Polygala alba</i>	Larger waterstar
White milkwort	wort
<i>Polygala verticillata</i>	
Whorled milkwort	
	<u>ANACARDIACEAE</u>
<u>EUPHORBIACEAE</u>	<i>Rhus aromatica</i>
<i>Acalypha gracilens</i>	Skunkbush
Slender copperleaf	
<i>Acalypha ostryaefolia</i>	<i>Rhus copallina</i>
Hophornbeam copperleaf	Flameleaf sumac
<i>Croton capitatus</i>	<i>Rhus glabra</i>
Woolly croton	Smooth sumac
<i>Croton glandulosus</i>	<i>Rhus toxicodendron</i>
Tropic croton	Poison ivy
<i>Croton lindheimerianus</i>	
Threeseed croton	
<i>Croton monanthogynus</i>	<u>CELASTRACEAE</u>
Oneseed croton	<i>Celastrus scandens</i>
<i>Croton texensis</i>	American Bittersweet
Texas croton	<i>Euonymus atropurpureus</i>
<i>Euphorbia commutata</i>	Eastern wahoo
Tinted euphorbia	<i>Euonymus europaeus*</i>
<i>Euphorbia corollata</i>	European spindle-tree
Flowering spurge	
<i>Euphorbia dentata</i>	<u>ACERACEAE</u>
Toothed euphorbia	<i>Acer saccharinum*</i>
<i>Euphorbia glyptosperma</i>	Silver maple
Ridgeseed euphorbia	<i>Acer saccharum</i>
<i>Euphorbia hexagona</i>	Sugar maple
Six-angle euphorbia	
<i>Euphorbia marginata</i>	<u>HIPPOCASTANACEAE</u>
Snow-on-the-mountain	<i>Aesculus glabra</i>
<i>Euphorbia missourica</i>	Ohio buckeye
Missouri euphorbia	
<i>Euphorbia nutans</i>	<u>SAPINDACEAE</u>
Spotted euphorbia	<i>Sapindus drummondii*</i>
<i>Euphorbia obtusata</i>	Western soapberry
Roughpor euphorbia	
<i>Euphorbia prostrata</i>	<u>RHAMNACEAE</u>
Prostrate euphorbia	<i>Ceanothus herbaceus</i>
<i>Euphorbia spathulata</i>	var. <i>pubescens</i>
Warty euphorbia	Fuzzy ceanothus
<i>Euphorbia supina</i>	<i>Rhamnus frangula*</i>
Milk purslane	Alder buckthorn
<i>Phyllanthus caroliniensis</i>	
	<u>VITACEAE</u>
	<i>Ampelopsis cordata</i>
	Heartleaf ampelopsis
	<i>Cissus incisa</i>
	Ivy treebine
	<i>Parthenocissus quinquefolia</i>
	Virginia creeper

Vitis aestivalis

Summer grape

Vitis cinerea

Sweet grape

Vitis palmata

Cat grape

Vitis rotundifolia

Muscadine grape

Vitis rupestris

Sand grape

Vitis vulpine

Riverbank grape

MALVACEAE

Callirhoe involucrata

Low poppymallow

Callirhoe leiocarpa

Tall poppymallow

*Hibiscus syriacus**

Rose of Sharon

Sphaeralcea coccinea

Scarlet mallow

GUTTIFERAE

Hypericum drummondii

Nits and lice

Hypericum mutilum

Dwarf St. John's wort

TAMARICACEAE

*Tamarix hispida**

Kashgar tamarisk

*Tamarix odessana**

Tamarisk

*Tamarix pentandra**

Tamarisk

CISTACEAE

Lechea tenuifolia

Narrowleaf pinwheel

VIOLACEAE

Hybanthus verticillatus

Whorled nodviolet

Viola missouriensis

Missouri violet

Viola papilionacea

Butterfly violet

Viola rafinesquii

Johnny-jump-up

LOASACEAE

Mentzelia oligosperma

Chickthief

Mentzelia stricta

Sandlily

CACTACEAE

Echinocereus baileyi

Wichita pin cushion

Echinocereus reichenbachii

Lace echinocereus

Opuntia compressa

Prickly pear

LYTHRACEAE

Ammannia auriculata

Earleaf ammannia

Ammannia coccinea

Purple ammannia

*Lagerstroemia indica**

Crape myrtle

Lythrum alatum

Winged lythrum

ONAGRACEAE

Gaura biennis var. *pitcheri*

Pitcher gaura

Gaura coccinea

Scarlet gaura

Gaura parviflora

Smallflower gaura

Gaura sinuata

Wavyleaf gaura

Guara suffulta

Roadside gaura

Gaura tripetala

var. *triangulata*

Three petal gaura

Jussiaea decurrens

Wingleaf water primrose

Jussiaea peploides

var. *glabrescens*

Smooth water primrose

Ludwigia alternifolia

bushy boxseed

Ludwigia palustris

Marsh boxseed

Oenothera biennis

Evening primrose

Oenothera heterophylla

Varileaf evening primrose

Oenothera jamesii

Trumpet evening primrose

Oenothera laciiniata

var. *laciiniata*

Cutleaf evening primrose

Oenothera laciiniata

var. *grandiflora*

Largeflowered cutleaf evening primrose

Oenothera linifolia

Threadleaf sundrops

Oenothera macrocarpa
var. *macrocarpa*
Ozark sundrops
Oenothera macrocarpa var. *incana*
Gray sundrops
Oenothera missouriensis
Missouri evening primrose
Oenothera serrulata
Halfshrub sundrops
Oenothera speciosa
Showy sundrops
Oenothera triloba
Stemless evening primrose
Stenosiphon virgatus
False gaura

HALORAGACEAE

Myriophyllum brasiliensis
Parrot feather
Myriophyllum exalbescens
Parrot feather

UMBELLIFERAE

Ammoselinum butleri
Butler sandparsley
Ammoselinum popei
Plains sandparlsey
Chaerophyllum tainturieri
var. *dasyarpum*
Hairyfruit chervil
Cicuta maculata
Spotted water hemlock
*Daucus carota**
Wild carrot
Daucus pusillus
Southwestern carrot
Eryngium diffusum
Bushy eryngo
Eryngium leavenworthii
Leavenworth eryngo
Limnosciadium pinnatum
Arkansas dogshade
Lomatium daucifolium
Carrotleaf lomatium
Polytaenia nuttallii
Prairie parsley
Ptilimnium nuttallii
Nuttall mockbishop
Sanicula canadensis
Canada sanicle
Spermolepis divaricata
Forked scaleseed
Spermolepis echinata
Bristly scaleseed

CORNACEAE

Cornus drummondii
Roughleaf dogwood
*Cornus florida**
Flowering dogwood

PRIMULACEAE

Androsace occidentalis
Western rockjasmine
Dodecatheon meadia
Shooting star
Samolus parviflorus
Thinleaf brookweed

SAPOTACEAE

Bumelia lanuginosa
Woollybucket bumelia

EBENACEAE

Diospyros virginiana
Persimmon

OLEACEAE

Forsythia suspensa
var. *fortunei**
Golden bells
Fraxinus americana
White ash
Fraxinus pennsylvanica
var. *pennsylvanica*
Red ash
Fraxinus pennsylvanica
var. *subintegerrima*
Green ash
*Fraxinus velutina**
Arizona ash
*Jasminum nudiflorum**
Jasmine
*Ligustrum amurensis**
Privet
*Ligustrum vulgare**
Privet

GENTIANACEAE

Sabatia angularis
Squarestem rosegentium
Sabatia campestris
Prairie rosegentian

APOCYNACEAE

Amsonia ciliata var. *texana*
Texas slimpod
Amsonia tabernaemontana
Willow slimpod
Apocynum cannabinum
var. *glaberrimum*
Hemp dogbane

ASCLEPIADACEAE

- Asclepias asperula*
var. *decumbens*
Trailing milkweed
Asclepias latifolia
Broadleaf milkweed
Asclepias pumila
Plains milkweed
Asclepias stenophylla
Slimleaf milkweed
Asclepias sullivantii
Sullivant milkweed
Asclepias tuberosa
Butterfly milkweed
Asclepias verticillata
Whorled milkweed
Asclepias viridiflora
Green acerates
Asclepias viridis
Green antelope horn

CONVOLVULACEAE

- Convolvulus arvensis*
Small bindweed
Convolvulus incanus
Gray bindweed
Cuscuta coryli
Hazel dodder
Cuscuta gronovii
Gronovius dodder
Cuscuta indecora
Showy dodder
Cuscuta cuspidata
Cusp dodder
Evolvulus nuttallianus
Silver evolvulus
Ipomoea shumardiana
Narrowleaf morning glory

POLEMONIACEAE

- Gilia rubra*
Texasplume
Phlox pilosa
Downy phlox

HYDROPHYLACEAE

- Nama hispidum*
Rough nama
Phacelia congesta
Spike phacelia
Phacelia hirsuta
Hairy phacelia

BORAGINACEAE

- Lithospermum arvense*
Corn Gromwell

LITHOSPERMACEAE

- Lithospermum incisum*
Narrowleaf
Gromwell
Myosotis macrosperma
Southern
forget-me-not
Myosotis verna
Forget-me-not
Onosmodium molle
Marbleseed

VERBENACEAE

- Phyla cuneifolia*
Wedgeleaf
fogfruit
Phyla incisa
Sawtooth fogfruit
Verbena bipinnatifida
Dakota verbena
Verbena bracteata
Bigbract verbena
Verbena canadensis
Rose verbena
Verbena pumila
Pink verbena
Verbena stricta
Woolly verbena
Verbena urticifolia
White verbena
*Vitex agnus-castus**
Chaste tree

LABIATAE

- Hedeoma drummondii*
Drummond hedeoma
Hedeoma hispida
Rough hedeoma
Lamium amplexicaule
Henbit
Lycopus americanus
American bugleweed
Monarda citriodora
Lemon bee balm
Monarda clinopodioides
Basil bee balm
Monarda fistulosa
Shrubby bee balm
Monarda punctata
Spotted bee balm
Nepeta cataria
Catnip
Salvia azurea var. *grandiflora*
Azure sage
Salvia reflexa
Lanceleaf sage
Scutellaria drummondii

Drummond skullcap
Scutellaria resinosa
 Resindot skullcap
Scutellaria wrightii
 Wright skullcap
Teucrium canadense
 American germander
Teucrium laciniatum
 Cutleaf germander
Trichostema brachiatum
 Fluxweed

SOLANACEAE

Physalis lobata
 Purple groundcherry
Physalis virginiana
 var. *sonorae*
 Virginia groundcherry
Physalis viscosa
 var. *cinerascens*
 Beach groundcherry
Physalis viscosa var. *mollis*
 Field groundcherry
Solanum carolinense
 Carolina horseradish
*Solanum citrullifolium**
 Watermelon leaved solanum
Solanum elaeagnifolium
 Silverleaf nightshade
Solanum rostratum
 Buffalobur
Solanum torreyi
 Torrey horseradish

SCROPHULARIACEAE

Bacopa rotundifolia
 Disc waterhyssop
Castilleja citrina
 Citron paintbrush
Castilleja sessiliflora
 Downy paintbrush
Collinsia violacea
 Violet collinsia
Gratiola virginiana
 Virginia hedgehyssop
Leucospora multifida
 Narrowleaf conobeas
Linaria canadensis var. *texana*
 Oldfield toadflax
Lindernia anagallidea
 Clasping False-pimpernel
Lindernia dubia
 Yellowseed false-pimpernel
Penstemon albidus
 White penstemon
Penstemon cobeae

Cobaea penstemon
Penstemon oklahomensis
 Oklahoma penstemon
Penstemon tubaeformis
 Tube panstemon
Scrophularia lanceolata
 Narrowleaf figwort
Veronica arvensis
 Speedwell
Veronica peregrina
 Purslane speedwell
Verbascum thapsus
 Flannel mullein

BIGNONIACEAE

Catalpa speciosa
 Catalpa
*Chilopsis linearis**
 Desert willow

MARTYNIACEAE

Proboscidea louisianica
 Unicorn plant

LENTIBULARIACEAE

Utricularia biflora
 Bladderwort
Utricularia vulgaris
 Bladderwort

ACANTHACEAE

Justicia americana
 Justicia
Ruellia humilis
 Low ruellia
Ruellia pedunculata
 Stalked ruellia

PHRYMACEAE

Phryma leptostachya
 Lopseed

PLANTAGINACEAE

Plantago aristata
 Bottlebrush plantain
Plantago elongata
 Elongate plantain
Plantago purshii var. *purshii*
 Slender plantain
Plantago purshii var. *spinulosa*
 Bristlebract plantain
Plantago rhodosperma
 Redseed plantain
Plantago virginica
 Paleseed plantain
Plantago wrightiana
 Wright plantain

RUBIACEAE

- Cephalanthus occidentalis*
Buttonbush
Diodia teres var. *setifera*
Rough buttonweed
Galium aparine
Catchweed bedstraw
Galium pilosum
Hairy bedstraw
Galium texense
Texas bedstraw
Galium triflorum
Fragrant bedstraw
Galium virgatum
Southwest bedstraw
Hedyotis crassifolia
Tiny bluet
Hedyotis nigricans
Narrowleaf bluet
Hedyotis purpurea
var. *longifolia*
Purple bluet

CAPRIFOLIACEAE

- Lonicera japonica**
Honeysuckle
*Lonicera tatarica**
Tatarian honeysuckle
Symporicarpos orbiculatus
Coralberry
Viburnum prunifolium
var. *ferrugineum*
Rusty blackhaw

VALERIANACEAE

- Valerianella radiata*
var. *radiata*
Beaked cornsalad
Valerianella radiata
var. *parviflora*
Narrowcell
cornsalad

CUCURBITACEAE

- Cucurbita foetidissima*
Buffalo gourd
Cyclanthera dissecta
Cutleaf cyclanthera
Ibervillea lindheimeri
Lindheimer globeberry
Melothria pendula
Drooping melonette

CAMPANULACEAE

- Specularia biflora*
Small venus-looking glass

Specularia leptocarpa

- Slimpod venus-looking glass
Specularia perfoliata
Clasping venus-looking glass

LOBELIACEAE

- Lobelia appendiculata*
Earflower lobelia
Lobelia cardinalis
Cardinal flower
Lobelia spicata
Palespike lobelia

COMPOSITAE

- Achillea lanulosa*
Western yarrow
Achillea millefolium
Yarrow
Agoseris cuspidate
Wavyleaf agoseris
Ambrosia artemisiifolia
Ragweed
Ambrosia psilostachys
Western ragweed
Ambrosia trifida
Giant ragweed
Antennaria plantaginifolia
Plantain-leaf pussy toes
Aphanostephus pilosus
Hairy dozedaisy
Aphanostephus ramosissimus
Plains dozedaisy
Aphanostephus skirrhobasis
Arkansas dozedaisy
Artemisia carruthii
Carruth sagewort
Artemisia filifolia
Figleaf sagewort
Artemisia glauca
False terragon sagewort
Artemisia ludoviciana
var. *ludoviciana*
Louisiana sagewort
Artemisia ludoviciana
var. *mexicana*
American sagewort
*Artemisia serrata**
Sawtooth sagewort
*Aster commutatus**
Cluster aster
Aster ericoides
Heath aster
Aster fendleri
Fendler aster
Aster oblongifolius
Aromatic aster

<i>Aster patens</i>	<i>Erigeron strigosus</i>
Skydrop aster	Prairie fleabane
<i>Aster subulatus</i>	<i>Eupatorium serotinum</i>
Awl shaped aster	Late eupatorium
<i>Baccharis salicina</i>	<i>Evax multicaulis</i>
Willow groundsel-tree	Manystem evax
<i>Berlandiera texana</i>	<i>Evax prolifera</i>
Texas greeneyes	Bighead evax
<i>Bidens cernua</i>	<i>Gaillardia pulchella</i>
Nodding beggarticks	Rosering gaillardia
<i>Bidens frondosa</i>	<i>Gaillardia suavis</i>
Devil's beggarticks	Sweet gaillardia
<i>Centaurea americana</i>	<i>Gnaphalium chilense</i>
Basketflower	Cottonbatting cudweed
<i>Chaetopappa asteroides</i>	<i>Gnaphalium purpureum</i>
Least daisy	Purple cudweed
<i>Chrysopsis pilosa</i>	<i>Gnaphalium wrightii</i>
Soft goldaster	Wright cudweed
<i>Chrysopsis villosa</i> var. <i>villosa</i>	<i>Grindelia squarrosa</i>
Hairy goldaster	var. <i>squarrosa</i>
<i>Chrysopsis villosa</i>	Curlycup gumweed
var. <i>canescens</i>	<i>Grindelia squarrosa</i>
Hairy goldaster	var. <i>nuda</i>
<i>Chrysopsis villosa</i>	Rayless gumweed
var. <i>stenophylla</i>	<i>Gutierrezia dracunculoides</i>
Narrowleaf goldaster	Broom weed
<i>Cirsium ochrocentrum</i>	<i>Gutierrezia sarothrae*</i>
Yellowspine thistle	Broom snakeweed
<i>Cirsium undulatum</i>	<i>Haplopappus ciliatus</i>
Wavyleaf thistle	Wax goldenweed
<i>Conyza canadensis</i>	<i>Haplopappus spinulosus</i>
Horseweed fleabane	Cutleaf goldenweed
<i>Conyza ramoisiissima</i>	<i>Helenium amarum</i> var. <i>amarum</i>
Conya	Bitter sneezeweed
<i>Coreopsis grandiflora</i>	<i>Helenium amarum</i> var. <i>badium</i>
var. <i>longipes</i>	Basin sneezeweed
Bigflower coreopsis	<i>Helenium autumnale</i>
<i>Coreopsis lanceolata</i>	Sneezeweed
var. <i>villosa</i>	<i>Helenium flexuosum</i>
Lanceleaf coreopsis	Flexuous sneezeweed
<i>Coreopsis tinctoria</i>	<i>Helenium microcephalum</i>
Plains coreopsis	Smallhead sneezeweed
<i>Dyssodia tagetoides</i>	<i>Helianthus annuus</i>
Marigold dogweed	Annual sunflower
<i>Echinacea angustifolia</i>	<i>Helianthus hirsutus</i>
Black sampson	Hairy sunflower
<i>Echinacea pallida</i>	<i>Helianthus laetiflorus</i>
Pale purple coneflower	Stiff sunflower
<i>Eclipta alba</i>	<i>Helianthus maximiliani</i>
Yerba de tajo	Maximilian sunflower
<i>Engelmannia pinnatifida</i>	<i>Helianthus petiolaris</i>
Engelmann daisy	Prairie sunflower
<i>Erigeron bellidiastrium</i>	<i>Hieracium longipilum</i>
Western fleabane	Longbeard hawkseed
<i>Erigeron divergens</i>	<i>Hymenopappus scabiosaeus</i>
Spreading fleabane	Flattop woollywhite

<i>Hymenopappus tenuifolius</i>	Missouri goldenrod
Chalkhill woollywhite	
<i>Hymenoxyx linearifolia</i>	<i>Solidago mollis</i>
Fineleaf actinea	Ashy goldenrod
<i>Hymenoxyx scaposa</i> var. <i>linearis</i>	<i>Solidago petiolaris</i>
Plains actinea	Downy goldenrod
<i>Iva ciliata</i>	<i>Solidago radula</i>
Seacoast sumpweed	Rough goldenrod
<i>Krigia dandelion</i>	<i>Taraxacum officinale</i>
Tuber dwarf dandelion	Dandelion
<i>Krigia oppositifolia</i>	<i>Thelesperma ambiguum</i>
Weedy dwarf dandelion	Colorado greenthread
<i>Kuhnia eupatorioides</i>	<i>Thelesperma filifolium</i>
var. <i>corymbulosa</i>	Plains greenthread
Plains kuhnia	<i>Thelesperma megapotamicum</i>
<i>Lactuca canadensis</i>	Rayless greenthread
Canada lettuce	<i>Townsendia excapa</i>
<i>Lactuca pulchella</i> *	Stemless Townsendia
Chickory lettuce	<i>Tragopogon major</i>
<i>Lactuca scariola</i>	Yellow goat's beard
Prickly lettuce	<i>Verbascina virginica</i>
<i>Liatris aspera</i>	White crownbeard
Rough gayfeather	<i>Vernonia baldwinii</i>
<i>Liatris punctata</i>	Baldwin ironweed
Dotted gayfeather	<i>Vernonia missurica</i>
<i>Liatris scariosa</i>	Missouri ironweed
Tall gayfeathcr	<i>Xanthisma texanum</i>
<i>Palafoxia texana</i>	Texas
Texas palafoxia	sleepydaisyXanthium
<i>Pluchea camphorata</i>	<i>strumarium</i>
Camphor pluchea	Cocklebur
<i>Pyrrhopappus carolinianus</i>	
Carolina false-dandelion	
<i>Pyrrhopappus scaposus</i>	
Tuber false-dandelion	
<i>Ratida columnifera</i>	
Upright prairie coneflower	
<i>Rudbeckia hirta</i>	
Blackeyed susan	
<i>Santolina chamaecyparissus</i> *	
Lavender cotton	
<i>Senecio plattensis</i>	
Prairie groundsel	
<i>Senecio riddellii</i>	
Riddell groundsel	
<i>Silphium asteriscus</i>	
Sand rosinweed	
<i>Silphium laciniatum</i>	
Compass plant	
<i>Solidago bootii</i> *	
Boot goldenrod	
<i>Solidago gigantea</i>	
var. <i>leiophylla</i>	
November goldenrod	
<i>Solidago missouriensis</i>	
var. <i>fasciculata</i>	

Editor's note:

This paper, written in 1977, was originally distributed by the Wichita Mountains Wildlife Refuge as an informational handout but never published. Scientific names that were originally underlined have been italicized and species epithets derived from a person's name are not capitalized as they were in the original work to abide with current taxonomic practice. The author emphasizes that there is a great need to update this twenty-five year old floristic list and, together with WMWR, encourages new research on this site.

Floristic List for Comanche County, Oklahoma

Bruce Hoagland
Oklahoma Biological Survey/Department of Geography
University of Oklahoma
Norman, OK 73019

Floristic lists are vital tools for conservation planning, research, and wildflower appreciation. The diverse physical geography of Comanche County contributes to the high degree of plant diversity and habitats. The county is probably best known for the Wichita Mountains, which are composed of Cambrian gabbro and granites. To the north of the Wichita Mountains is the Slick Hill, an extensive outcropping of limestone. The surface geology of most of the county is composed of Permian sandstones. Land use in the county includes row crop agriculture and pastureland.

INTRODUCTION

The floristic list presented here was generated from the Atlas of the Flora of Oklahoma database. The database contains records for specimens deposited in Oklahoma herbaria. Voucher specimens for plants on the list can be found at one of the following herbaria: Oklahoma State University, Cameron University, University of Science and Arts of Oklahoma, Southeastern Oklahoma State University, and the Bebb Herbarium at the University of Oklahoma. Taxonomy and common names follow the United States Department of Agriculture's *Plants Database* (www.plants.gov.us).

There are 1,137 species and subspecific taxa, from the 116 families listed. There is a total of 3,560 specimens currently recorded in the database. Of those records,

2,009 list the Wichita Mountains as the place of collection and 1,661 list the Wichita Mountains Wildlife Refuge specifically. Other locations in the Wichitas include Medicine Park and Meers. There are 836 records listed for Fort Sill, which includes the Wichita Mountains and a portion of Permian sandstone. The earliest collections in the database are dated 2 July 1903 and were collected by A. Van Vleet in the Wichita Mountains. These specimens are deposited at the Bebb Herbarium. Botanists with large numbers of collections in the database include F. L. Johnson and R. Thompson (790 records for specimens collected as part of floristic inventory of Fort Sill), F. B. McMurry (498 records, all from the Wichita Mountains National Wildlife Refuge), B. Osborn (262 records), and U.T. Waterfall (121 records).

Floristic List for Comanche County, Oklahoma

Ferns and allies

Aspleniaceae

- Asplenium platyneuron* (L.) B.S.P.
ebony spleenwort
Asplenium resiliens Kunze
blackstem spleenwort
Asplenium trichomanes L.
maidenhair spleenwort

Dryopteridaceae

- Dryopteris marginalis* (L.) Gray
marginal woodfern
Woodsia obtusa (Spreng.) Torr.
bluntlobe cliff fern

Equisetaceae

- Equisetum hyemale* L.
scouringrush horsetail
Equisetum hyemale L.
var. *affine* (Engelm.) A.A. Eat.
scouringrush horsetail
Equisetum laevigatum A. Braun
smooth horsetail
Equisetum X ferrissii Clute (pro sp.)

Marsileaceae

- Marsilea vestita* Hook. & Grev.
hairy waterclover
Pilularia americana A. Braun
American pillwort

Ophioglossaceae

- Ophioglossum engelmannii* Prantl
limestone adderstongue
Ophioglossum vulgatum L.
southern adderstongue

Pteridaceae

- Cheilanthes eatonii* Baker
Eaton's lipfern
Cheilanthes lanosa (Michx.) D.C. Eat.
hairy lipfern
Cheilanthes lindheimeri Hook.
fairy-swords

Cheilanthes wootonii Maxon

beaded lipfern

Notholaena sinuata (Lag. ex Sw.)

Kaulfuss

Notholaena standleyi Maxon

star cloak fern

Pellaea atropurpurea (L.) Link

purple cliffbrake

Pellaea wrightiana Hook.

Wright's cliffbrake

Selaginellaceae

- Selaginella peruviana* (Milde) Hieron.
Peruvian spikemoss
Selaginella rupestris (L.)
Spring
northern selaginella

Gymnosperms

Cupressaceae

- Juniperus virginiana* L.
eastern redcedar
Thuja orientalis L.
oriental arborvitae

Angiosperms

Monocotyledonae

Agavaceae

- Manfreda virginica* (L.) Salisb. ex
Rose false aloe
Yucca glauca Nutt.
soapweed yucca

Alismataceae

- Echinodorus berteroii* (Spreng.) Fassett
upright burrhead
Sagittaria brevirostra
Mackenzie & Bush
Shortbeak arrowhead
Sagittaria calycina Engelm.
hooded arrowhead
Sagittaria calycina Engelm.
var. *calycina*
hooded arrowhead

Sagittaria latifolia Willd.
broadleaf arrowhead

Araceae

Arisaema dracontium (L.) Schott
green dragon

Callitrichaceae

Callitricha heterophylla Pursh
twoheaded water-starwort

Ceratophyllaceae

Ceratophyllum demersum L.
coon's tail

Commelinaceae

Commelina erecta L.
whitemouth dayflower

Commelina erecta L.
var. *angustifolia* (Michx.) Fern.
whitemouth dayflower

Commelina erecta L.
var. *deamiana* Fern.
whitemouth dayflower

Commelina virginica L.
Virginia dayflower

Tradescantia ernestiana
E.S. Anderson &
Woods.
Ernest's spiderwort

Tradescantia
occidentalis
(Britt.) Smyth
prairie spiderwort

Tradescantia
occidentalis (Britt.)
Smyth
var. *occidentalis*
prairie spiderwort

Tradescantia ohiensis
Raf. bluejacket

Tradescantia tharpii
E.S. Anderson &
Woods.
Tharp's spiderwort

Hydrocharitaceae

Egeria densa Planch.
Brazilian waterweed

Liliaceae

Allium canadense L.
meadow garlic
Allium canadense L.
var. *fraseri* Ownbey
Fraser meadow garlic

Allium canadense L.
var. *hyacinthoides*
(Bush)
Ownbey & Aase
hyacinth meadow
garlic

Allium canadense L.
var. *mobilense*
(Regel) Ownbey
meadow garlic

Allium drummondii Regel
Drummond's onion

Allium stellatum Nutt. ex
Ker-Gawl.
autumn onion

Androstephium
coeruleum (Scheele)
Greene [orthographic
variant]

Camassia angusta
(Engelm. & Gray) Blank.
prairie camas

Camassia scilloides
(Raf.) Cory
Atlantic camas

Cooperia drummondii
Herbert evening
rainlily

Erythronium albidum
Nutt.
white fawnlily

Erythronium
mesochoreum Knerr
midland fawnlily

Erythronium rostratum

W. Wolf

yellow troutlily

Nolina texana S. Wats.

Texas sacahuista

Nothoscordum bivalve

(L.) Britt.

crowpoison

Polygonatum biflorum

(Walt.) Ell.

smooth Solomon's

seal

Polygonatum biflorum

(Walt.) Ell.

var. *commutatum*

(J.A. & J.H. Schultes)

Morong smooth

Solomon's seal

Zigadenus nuttallii (Gray)

S. Wats.

Nuttall's deathcamas

Najadaceae

Najas guadalupensis (Spreng.) Magnus

southern waternymph

Orchidaceae

Spiranthes cernua (L.)

L.C. Rich.

nodding

ladies'-tresses

Spiranthes

magnicamporum

Sheviak

Great Plains

ladies'-tresses

Spiranthes vernalis Engelm. & Gray

spring ladies'-tresses

Poaceae

Aegilops cylindrica Host

jointed goatgrass

Agropyron smithii Rydb.

Agrostis hyemalis (Walt.)

B.S.P.

winter bentgrass

Alopecurus carolinianus

Walt.

Carolina foxtail

Andropogon gerardii

Vitman

big bluestem

Aristida curtissii

(Gray ex S. Wats. &

Coult.) Nash

Aristida dichotoma

Michx.

churchmouse

threeawn

Aristida dichotoma Michx.

var. *curtissii*

Gray ex S. Wats. & Coult.

Curtis' threeawn

Aristida longispica Poir.

var. *longispica*

slimspike threeawn

Aristida oligantha Michx.

prairie threeawn

Aristida purpurascens

Poir.

arrowfeather

threeawn

Aristida purpurea Nutt.

var. *fendleriana*

(Steud.) Vasey

Fendler's threeawn

Aristida purpurea Nutt.

var. *longiseta* (Steud.)

Vasey

Fendler threeawn

Bothriochloa barbinodis

(Lag.) Herter

cane bluestem

Bothriochloa ischaemum

(L.) Keng

yellow bluestem

Bothriochloa

saccharoides

(Sw.) Rydb.

silver bluestem

Bouteloua gracilis

(Willd. ex Kunth) Lag.

ex Griffiths	<i>Dichanthelium acuminatum</i> (Sw.)
blue grama	Gould & C.A. Clark
<i>Bouteloua hirsuta</i> Lag.	tapered rosette grass
hairy grama	<i>Dichanthelium acuminatum</i> (Sw.)
<i>Bouteloua pectinata</i>	Gould & C.A. Clark
Featherly	var. <i>fasciculatum</i>
<i>Bouteloua rigidiseta</i>	(Torr.) Freckmann
(Steud.)	western panicgrass
A.S. Hitchc.	<i>Dichanthelium acuminatum</i> (Sw.)
Texas grama	Gould & C.A. Clark
<i>Bromus catharticus</i> Vahl	var. <i>lindheimeri</i>
rescuegrass	(Nash) Gould & C.A. Clark
<i>Bromus commutatus</i>	Lindheimer panicgrass
Schrad.	<i>Dichanthelium linearifolium</i>
meadow brome	(Scribn. ex Nash) Gould
<i>Bromus japonicus</i> Thunb.	slimleaf panicgrass
ex Murr.	<i>Dichanthelium malacophyllum</i>
Japanese brome	(Nash) Gould
<i>Bromus pubescens</i> Muhl.	softleaf rosette grass
ex Willd.	<i>Dichanthelium oligosanthes</i>
hairy woodland brome	(J.A. Schultes) Gould Heller's
<i>Bromus tectorum</i> L.	rosette grass
cheatgrass	<i>Dichanthelium oligosanthes</i>
<i>Buchloe dactyloides</i>	(J.A. Schultes) Gould
(Nutt.) Engelm.	var. <i>scribnerianum</i> (Nash) Gould
buffalograss	Scribner's rosette grass
<i>Cenchrus incertus</i> M.A.	<i>Digitaria californica</i> (Benth.) Henr.
Curtis	Arizona cottontop
<i>Cenchrus longispinus</i>	<i>Digitaria cognata</i>
(Hack.) Fern.	(J.A. Schultes) Pilger
mat sandbur	Carolina crabgrass
<i>Chasmanthium latifolium</i>	<i>Digitaria ischaemum</i> (Schreb.)
(Michx.) Yates	Schreb. ex Muhl.
Indian woodoats	smooth crabgrass
<i>Chloris verticillata</i> Nutt.	<i>Digitaria sanguinalis</i> (L.) Scop.
tumble windmill grass	hairy crabgrass
<i>Chloris virgata</i> Sw.	<i>Echinochloa colona</i> (L.) Link
feather fingergrass	jungle rice
<i>Cinna arundinacea</i> L.	<i>Echinochloa crus-galli</i> (L.) Beauv.
sweet woodreed	barnyardgrass
<i>Cynodon dactylon</i> (L.)	<i>Echinochloa crus-galli</i> (L.) Beauv.
Pers.	barnyardgrass
Bermudagrass	<i>Eleusine indica</i> (L.) Gaertn.
<i>Dactylis glomerata</i> L.	Indian goosegrass
orchardgrass	<i>Eragrostis barrelieri</i> Daveau
	Mediterranean lovegrass

- Eragrostis capillaris* (L.) Nees
lace grass
Eragrostis ciliaris (All.) Vign.
ex Janchen
stinkgrass
Eragrostis curtipedicellata Buckl.
gummy lovegrass
Eragrostis curvula (Schrad.) Nees
weeping lovegrass
Eragrostis hypnoides (Lam.) B.S.P.
teal lovegrass
Eragrostis intermedia A.S. Hitchc.
plains lovegrass
Eragrostis pectinacea
(Michx.) Nees ex Steud.
tufted lovegrass
Eragrostis pectinacea (Michx.)
Nees ex Steud. var. *pectinacea*
tufted lovegrass
Eragrostis pilosa (L.) Beauv.
Indian lovegrass
Eragrostis reptans (Michx.) Nees
Eragrostis secundiflora J. Presl
red lovegrass
Eragrostis sessilispica Buckl.
tumble lovegrass
Eragrostis spectabilis (Pursh) Steud.
purple lovegrass
Eragrostis trichodes (Nutt.) Wood
sand lovegrass
Eriochloa contracta A.S. Hitchc.
prairie cupgrass
Eriochloa sericea (Scheele)
Munro ex Vasey
Texas cupgrass
Erioneuron pilosum (Buckl.) Nash
hairy woollygrass
Festuca octoflora Walt.
Festuca subverticillata
(Pers.) Alexeev
nodding fescue
Leersia oryzoides (L.) Sw.
rice cutgrass
Leersia virginica Willd.
whitegrass
Leptochloa fascicularis (Lam.) Gray
- Leptochloa mucronata* (Michx.)
Kunth
Melica nitens (Scribn.) Nutt. ex Piper
threeflower melicgrass
Muhlenbergia racemosa
(Michx.) B.S.P.
marsh muhly
Muhlenbergia sobolifera
(Muhl. ex Willd.) Trin.
rock muhly
Panicum anceps Michx
beaked panicgrass
Panicum capillare L.
witchgrass
Panicum dichotomiflorum Michx.
fall panicgrass
Panicum hallii Vasey
Hall's panicgrass
Panicum hillmanii Chase
Hillman's panicgrass
Panicum obtusum Kunth
vine mesquite
Panicum virgatum L.
switchgrass
Pascopyrum smithii (Rydb.) A. Löve
western wheatgrass
Paspalidium geminatum
(Forsk.) Stapf
Egyptian panicgrass
Paspalum distichum L.
knotgrass
Paspalum pubiflorum Rupr. ex
Fourn.
hairyseed paspalum
Paspalum pubiflorum Rupr. ex
Fourn.
var. *glabrum* Vasey ex Scribn.
Paspalum setaceum Michx.
thin paspalum
Paspalum setaceum Michx.
var. *stramineum* (Nash) D. Banks
Phalaris caroliniana Walt.
Carolina canarygrass
Poa annua L.
annual bluegrass

Poa arachnifera Torr.
Texas bluegrass
Poa compressa L.
Canada bluegrass
Schedonnardus paniculatus
(Nutt.) Trel.
tumblegrass
Schizachyrium scoparium
(Michx.) Nash
little bluestem
Setaria glauca (L.) Beauv.
Sphenopholis obtusata (Michx.)
Scribn.
prairie wedgescale
Sporobolus airoides (Torr.) Torr.
alkali sacaton
Sporobolus asper (Michx.) Kunth
Sporobolus asper (Michx.) Kunth
var. *drummondii* (Trin.) Vasey
Sporobolus clandestinus (Biehler)
A.S. Hitchc.
rough dropseed
Sporobolus cryptandrus (Torr.) Gray
sand dropseed
Sporobolus neglectus Nash
puffsheath dropseed
Sporobolus ozarkanus Fern.
Sporobolus pyramidatus (Lam.)
A.S. Hitchc.
Sporobolus vaginiflorus
(Torr. ex Gray) Wood
poverty dropseed
Tripsacum dactyloides (L.) L.
eastern gamagrass
Vulpia octoflora (Walt.) Rydb.
sixweeks fescue

Potamogetonaceae

Potamogeton amplifolius Tuckerman
largeleaf pondweed
Potamogeton crispus L.
curly pondweed
Potamogeton diversifolius Raf.
waterthread pondweed
Potamogeton illinoensis Morong
Illinois pondweed

Potamogeton nodosus Poir.
longleaf pondweed
Potamogeton pusillus L.
small pondweed
Potamogeton pusillus L. ssp.
pusillus
small pondweed
Potamogeton pusillus L.
var. *tenuissimus* Mert. & Koch

Typhaceae

Typha angustifolia L.
narrowleaf cattail
Typha domingensis Pers.
southern cattail
Typha latifolia L.
broadleaf cattail

Zannichelliaceae

Zannichellia palustris L.
horned pondweed

Dicotyledonae

Acanthaceae

Dicliptera brachiata (Pursh) Spreng.
branched foldwing
Justicia americana (L.) Vahl
American water-willow
Ruellia ciliosa Pursh.
Ruellia humilis Nutt.
fringeleaf wild petunia
Ruellia humilis Nutt.
var. *expansa* Fern.
Ruellia humilis Nutt. var. *longiflora*
(Gray) Fern.

Aceraceae

Acer negundo L.
boxelder
Acer negundo L.
var. *interius* (Britt.) Sarg.
boxelder
Acer negundo L. var. *texanum* Pax
boxelder
Acer saccharinum L.
silver maple

Acer saccharum Marsh.
sugar maple

Amaranthaceae

Amaranthus albus L.
prostrate pigweed
Amaranthus arenicola I.M. Johnston
sandhill amaranth
Amaranthus graecizans L.
Amaranthus hybridus L.
slim amaranth
Amaranthus retroflexus L.
redroot amaranth
Amaranthus rufus Sauer
tall amaranth
Froelichia floridana (Nutt.) Moq.
plains snakecotton
Froelichia gracilis (Hook.) Moq.
slender snakecotton
Gossypianthus lanuginosus
(Poir.) Moq.
woolly cottonflower
Gossypianthus lanuginosus (Poir.)
Moq. var. *lanuginosus*
woolly cottonflower
Iresine rhizomatosa Standl.
Juda's bush

Anacardiaceae

Rhus aromatica Ait.
fragrant sumac
Rhus aromatica Ait. var. *serotina*
(Greene) Rehd.
fragrant sumac
Rhus glabra L.
smooth sumac
Rhus trilobata Nutt. var. *trilobata*
skunkbush sumac
Toxicodendron radicans (L.) Kuntze
eastern poison ivy

Apiaceae

Ammoselinum popei Torr. & Gray
plains sandparsley
Chaerophyllum procumbens
(L.) Crantz
spreading chervil

Chaerophyllum tainturieri Hook.
hairyfruit chervil
Chaerophyllum tainturieri Hook.
var. *dasycarpum* Hook.
ex S. Wats.
Chaerophyllum tainturieri Hook.
var. *tainturieri*
Chaerophyllum texanum
Coulter. & Rose
Cicuta maculata L.
spotted water hemlock
Conium maculatum L.
poison hemlock
Daucus carota L.
Queen Anne's lace
Daucus pusillus Michx.
American wild carrot
Eryngium hookeri Walp.
Hooker's eryngo
Eryngium leavenworthii Torr. & Gray
Leavenworth's eryngo
Limnosciadium pinnatum (DC.)
Mathias & Constance
tansy dogshade
Lomatium daucifolium
(Torr. & Gray) Coulter. & Rose
Lomatium foeniculaceum (Nutt.)
Coulter. & Rose ssp. *daucifolium*
(Torr. & Gray) Theobald
desert biscuitroot
Polytaenia nuttallii DC.
Nuttall's prairie parsley
Sanicula canadensis L.
Canadian blacksnakeroot
Spermolepis divaricata
(Walt.) Raf. ex Ser.
roughfruit scaleseed
Spermolepis echinata
(Nutt. ex DC.) Heller
bristly scaleseed
Spermolepis inermis (Nutt. ex DC.)
Mathias & Constance
Red River scaleseed
Spermolepis patens
(Nutt. ex DC.) B.L. Robins.

Torilis nodosa (L.) Gaertn.
knotted hedgeparsley

Apocynaceae

Amsonia ciliata Walt.
fringed bluestar
Amsonia ciliata Walt. var. *texana*
(Gray) Coulter.
Texas bluestar
Amsonia illustris Woods.
Ozark bluestar
Apocynum cannabinum L.
Indianhemp
Apocynum cannabinum L.
var. *glaberrimum* A. DC.

Asclepiadaceae

Asclepias asperula (Dcne.) Woods.
spider milkweed
Asclepias asperula (Dcne.) Woods.
ssp. *capricornu* (Woods.) Woods.
antelopehorns
Asclepias asperula (Dcne.) Woods.
var. *decumbens* (Nutt.) Shinners
Asclepias engelmanniana Woods.
Engelmann's milkweed
Asclepias pumila (Gray) Vail
plains milkweed
Asclepias stenophylla Gray
slimleaf milkweed
Asclepias sullivantii Engelm. ex Gray
prairie milkweed
Asclepias tuberosa L.
butterfly milkweed
Asclepias tuberosa L.
ssp. *interior* Woods.
butterfly milkweed
Asclepias verticillata L.
whorled milkweed
Asclepias viridiflora Raf.
green comet milkweed
Asclepias viridis Walt.
green antelopehorn
Asclepiodora decumbens (Nutt.)
Gray

Matelea biflora (Raf.) Woods.
star milkvine

Asteraceae

Achillea millefolium L.
common yarrow
Achillea millefolium L.
var. *occidentalis* DC.
western yarrow
Ambrosia artemisiifolia L.
annual ragweed
Ambrosia artemisiifolia L. var. *elatior*
(L.) Descourtils
annual ragweed
Ambrosia psilostachya DC.
Cuman
ragweed
Ambrosia trifida L.
great ragweed
Ambrosia trifida L.
var. *texana* Scheele
Texan great ragweed
Amphiachyris dracunculoides
(DC.) Nutt.
prairie broomweed
Antennaria parlinii Fern. ssp. *fallax*
(Greene) Bayer & Stebbins
Parlin's pussytoes
Antennaria plantaginifolia (L.)
Richards.
woman's tobacco
Aphanostephus pilosus Buckl.
hairy dozedaisy
Aphanostephus skirrhobasis
(DC.) Trel.
Arkansas dozedaisy
Artemisia carruthii Wood ex Carruth.
Carruth's sagewort
Artemisia dracunculus L.
tarragon
Artemisia filifolia Torr.
sand sagebrush
Artemisia ludoviciana Nutt.
white sagebrush

- Artemisia ludoviciana* Nutt.
 ssp. *ludoviciana*
 white sagebrush
Artemisia ludoviciana Nutt.
 ssp. *mexicana*
 (Willd. ex Spreng.) Keck
 white sagebrush
Artemisia neomexicana
 Greene ex Rydb.
Aster ericoides L.
Aster oblongifolius Nutt.
Aster oblongifolius Nutt.
 var. *rigidulus* Gray
Aster ontarionis Wieg.
Aster patens Ait.
Aster patens Ait. var. *patentissimus*
 (Lindl. ex DC.) Torr. & Gray
Aster subulatus Michx.
Aster subulatus Michx.
 var. *ligulatus* Shinners
Astranthium integrifolium (Michx.)
 Nutt. ssp. *ciliatum* (Raf.) DeJong
 entireleaf western daisy
Baccharis salicina Torr. & Gray
 Great Plains false willow
Bidens bipinnata L.
 Spanish needles
Bidens frondosa L.
 devil's beggartick
Brickellia eupatorioides (L.)
 Shinners var. *chlorolepis*
 (Woot. & Standl.) B.L. Turner
 false boneset
Brickellia eupatorioides (L.)
 Shinners var. *corymbulosa*
 (Torr. & Gray) Shinners
 false boneset
Centaurea americana Nutt.
 American star-thistle
Chaetopappa asteroides Nutt. ex
 DC.
 Arkansas leastdaisy
Chrysopsis berlandieri Greene
Chrysopsis pilosa Nutt.
 soft goldenaster
- Chrysopsis stenophylla* (Gray)
 Greene
Chrysopsis villosa (Pursh) Nutt.
 ex DC.
Chrysopsis villosa (Pursh) Nutt.
 ex DC. var. *stenophylla*
 (Gray) Gray
Cirsium altissimum (L.) Hill
 tall thistle
Cirsium ochrocentrum Gray
 yellow spine thistle
Cirsium texanum Buckl.
 Texas thistle
Cirsium undulatum (Nutt.) Spreng.
 wavyleaf thistle
Cirsium undulatum (Nutt.) Spreng.
 var. *megacephalum* (Gray) Fern.
Conyza canadensis (L.) Cronq.
 Canadian horseweed
Conyza canadensis (L.) Cronq.
 var. *canadensis*
 Canadian horseweed
Conyza ramosissima Cronq.
 dwarf horseweed
Coreopsis grandiflora Hogg ex
 Sweet
 largeflower tickseed
Coreopsis grandiflora Hogg ex
 Sweet
 var. *harveyana* (Gray) Sheriff
 largeflower tickseed
Coreopsis grandiflora Hogg ex
 Sweet
 var. *longipes* (Hook.) Torr. &
 Gray
 largeflower tickseed
Coreopsis tinctoria Nutt.
 golden tickseed
Coreopsis tinctoria Nutt. var.
 tinctoria
 golden tickseed
Dracopis amplexicaulis (Vahl) Cass.
 clasping coneflower
Dysodiopsis tagetoides
 (Torr. & Gray) Rydb.
 false dogfennel

Dyssodia tagetoides Torr. & Gray
Echinacea angustifolia DC.
 blacksamson echinacea
Echinacea purpurea (L.) Moench
 eastern purple coneflower
Eclipta prostrata (L.) L.
 false daisy
Elephantopus carolinianus Raeusch.
 Carolina elephantsfoot
Engelmannia pinnatifida Gray ex
 Nutt.
Erigeron canadensis L.
Erigeron philadelphicus L.
 Philadelphia fleabane
Erigeron ramosus (Walt.) B.S.P.
Erigeron strigosus Muhl. ex Willd.
 prairie fleabane
Erigeron strigosus Muhl. ex Willd.
 var. strigosus
 prairie fleabane
Erigeron tenuis Torr. & Gray
 slenderleaf fleabane
Evax prolifera Nutt. ex DC.
 bighead pygmycudweed
Filago prolifera (Nutt. ex DC.) Britt.,
 non Pomel
Gaillardia lanceolata Michx.
Gaillardia lutea Greene
Gaillardia pulchella Foug.
 firewheel
Gaillardia suavis (Gray & Engelm.)
 Britt. & Rusby
 perfumeballs
Gnaphalium obtusifolium L.
Gnaphalium wrightii Gray
Grindelia nuda Wood var. *nuda*
 curlytop gumweed
Grindelia squarrosa (Pursh) Dunal
 curlycup gumweed
Grindelia squarrosa (Pursh) Dunal
 var. *nuda* (Wood) Gray
Gutierrezia dracunculoides
 (DC.) Blake
Gutierrezia sarothrae (Pursh)
 Britt. & Rusby
 broom snakeweed

Gutierrezia texana (DC.) Torr. &
 Gray
 var. *texana*
 Texas snakeweed
Haplopappus ciliatus (Nutt.) DC.
Haplopappus divaricatus (Nutt.)
 Gray
Haplopappus spinulosus (Pursh)
 DC.
Haplopappus spinulosus (Pursh)
 DC.
 ssp. *australis* (Greene) Hall
Haplopappus spinulosus (Pursh)
 DC.
 ssp. *cotulus* (Small) Hall
Haplopappus spinulosus (Pursh)
 DC.
 ssp. *glaberrimus* (Rydb.) Hall
Haplopappus spinulosus (Pursh)
 DC.
 var. *turbinellus* (Rydb.) Blake
Helenium amarum (Raf.) H. Rock
 yellowdicks
Helenium amarum (Raf.) H. Rock
 var. *badium*
 (Gray ex S. Wats.) Waterfall
 yellowdicks
Helenium badium (Gray ex S. Wats.)
 Greene
Helenium microcephalum DC.
 smallhead sneezeweed
Helianthus annuus L.
 common sunflower
Helianthus hirsutus Raf.
 hairy sunflower
Helianthus maximiliani Schrad.
 Maximilian sunflower
Helianthus orgyalis DC.
Helianthus petiolaris Nutt.
 prairie sunflower
Helianthus salicifolius A. Dietr.
 willowleaf sunflower
Heterotheca canescens
 (DC.) Shinners
 hoary false goldenaster
Heterotheca latifolia Buckl.

- Heterotheca latifolia* Buckl.
var. *macgregoris* Wagenkn.
Heterotheca stenophylla
(Gray) Shinners
stiffleaf false goldenaster
Heterotheca villosa (Pursh) Shinners
hairy false goldenaster
Heterotheca villosa
var. *villosa* (Pursh) Shinners
hairy goldenaster
Hieracium longipilum Torr.
hairy hawkweed
Hymenopappus corymbosus
Torr. & Gray
Hymenopappus scabiosaeus L'Hér.
Carolina woollywhite
Hymenopappus scabiosaeus L'Hér.
var. *corymbosus* (Torr. & Gray)
B.L. Turner
Carolina woollywhite
Hymenopappus tenuifolius Pursh
Chalk Hill hymenopappus
Hymenoxys linearifolia Hook.
Iva annua L.
annual marshelder
Iva annua L. var. *annua*
annual marshelder
Krigia biflora (Walt.) Blake
twoflower dwarfdandelion
Krigia caespitosa (Raf.) Chambers
weedy dwarfdandelion
Krigia cespitosa (Raf.) Chambers
[orthographic variant]
Krigia dandelion (L.) Nutt.
potato dwarfdandelion
Krigia occidentalis Nutt.
western dwarfdandelion
Kuhnia eupatorioides L.
false boneset
Kuhnia eupatorioides L.
var. *corymbulosa* Torr. & Gray
Kuhnia glutosina Ell.
false boneset
Lactuca canadensis L.
Canada lettuce
- Lactuca canadensis* L.
var. *latifolia* Kuntze
Lactuca ludoviciana (Nutt.) Riddell
biannual lettuce
Lactuca scariola L. var. *integrata*
Gren. & Godr.
Lactuca serriola L.
prickly lettuce
Liatris aspera Michx.
tall blazing star
Liatris punctata Hook.
dotted blazing star
Liatris punctata Hook.
var. *nebrascana* Gaiser
Nebraska blazing star
Liatris scabra (Greene) K. Schum.
Liatris squarrosa (L.) Michx.
scaly blazing star
Lindheimera texana Gray & Engelm.
Texas yellowstar
Machaeranthera annua
(Rydb.) Shinners
Machaeranthera spinulosa
(Greene) Cory
hoary tansyaster
Packera plattensis (Nutt.)
W.A. Weber & A. Löve
prairie groundsel
Packera tampicana (DC.) C. Jeffrey
Great Plains ragwort
Palafoxia rosea (Bush) Cory
rosy palafox
Palafoxia rosea (Bush) Cory
var. *rosea*
rosy palafox
Pluchea camphorata (L.) DC.
camphor pluchea
Pluchea odorata (L.) Cass.
var. *odorata* sweetscent
Prenanthes altissima L.
tall rattlesnakeroot
Prionopsis ciliata (Nutt.) Nutt.
Pyrrhopappus grandiflorus
(Nutt.) Nutt.
tuberous desert-chicory

- Rudbeckia hirta* L.
 blackeyed Susan
- Rudbeckia hirta* L.
 var. *pulcherrima* Farw.
 blackeyed Susan
- Rudbeckia hirta* L.
 var. *serotina* (Nutt.) Core
- Rudbeckia serotina* Nutt.
- Senecio plattensis* Nutt.
- Silphium asperriimum* Hook.
- Silphium asteriscus* L.
 starry rosinweed
- Silphium laciniatum* L.
 compassplant
- Solidago arguta* Ait.
 Atlantic goldenrod
- Solidago canadensis* L.
 var. *gilvacanescens* Rydb.
 shorthair goldenrod
- Solidago delicatula* Small
- Solidago gigantea* Ait.
 giant goldenrod
- Solidago missouriensis* Nutt.
 Missouri goldenrod
- Solidago missouriensis* Nutt.
 var. *fasciculata* Holz.
 Missouri goldenrod
- Solidago mollis* Bartl.
 velvety goldenrod
- Solidago nemoralis* Ait.
 gray goldenrod
- Solidago nemoralis* Ait.
 ssp. *longipetiolata*
 (Mackenzie & Bush)
 G.W. Douglas
- Solidago petiolaris* Ait.
 downy ragged goldenrod
- Solidago petiolaris* Ait.
 var. *petiolaris*
 downy ragged goldenrod
- Solidago rigida* L.
- Solidago speciosa* Nutt.
 var. *rigidiuscula* Torr. & Gray
 showy goldenrod
- Solidago ulmifolia* Muhl. ex Willd.
 var. *microphylla* Gray
 elmleaf goldenrod
- Sonchus asper* (L.) Hill
 spiny sowthistle
- Taraxacum officinale*
 G.H. Weber ex Wiggers
 common dandelion
- Tetraneuris acaulis* (Pursh) Greene
 stemless four-nerve daisy
- Tetraneuris linearifolia*
(Hook.) Greene
 fineleaf fournerved daisy
- Thelesperma filifolium* (Hook.) Gray
 stiff greenthread
- Thelesperma filifolium* (Hook.) Gray
 var. *filifolium*
 stiff greenthread
- Thelesperma intermedium* Rydb.
- Thelesperma trifidum* (Poir.) Britt.
- Townsendia exscapa*
(Richards.) Porter
 stemless Townsend daisy
- Tragopogon dubius* Scop.
 yellow salsify
- Verbesina alternifolia* (L.)
 Britt. ex Kearney
 wingstem
- Verbesina encelioides* (Cav.)
 Benth. & Hook. f. ex Gray
 ssp. *encelioides*
 golden crownbeard
- Verbesina virginica* L.
 white crownbeard
- Vernonia baldwinii* Torr.
 Baldwin's ironweed
- Vernonia baldwinii* Torr.
 ssp. *interior* (Small) Faust
 interior ironweed
- Vernonia interior* Small
- Vernonia missurica* Raf.
 Missouri ironweed
- Xanthisma texanum* DC.
 Texas sleepydaisy
- Xanthisma texanum* DC.
 ssp. *drummondii*

(Torr. & Gray) Semple
Drummond's sleepydaisy
Xanthium texanum DC.
var. *drummondii*
(Torr. & Gray) Gray
Xanthium strumarium L.
rough cockleburr
Xanthium strumarium L.
var. *canadense* (P. Mill.)
Torr. & Gray
Canada Cocklebur

Bignoniaceae

Campsis radicans (L.) Seem.
ex Bureau
trumpet creeper
Catalpa bignonioides Walt.
southern catalpa
Catalpa speciosa (Warder)
Warder ex Engelm.
northern catalpa

Boraginaceae

Heliotropium tenellum (Nutt.) Torr.
pasture heliotrope
Lithospermum incisum Lehm.
narrowleaf stoneseed
Myosotis verna Nutt.
spring forget-me-not
Onosmodium molle
Michx. ssp. *occidentale*
(Mackenzie) Cochrane
western marbleseed

Brassicaceae

Arabis fendleri (S. Wats.) Greene
Fendler's rockcress
Arabis laevigata
(Muhl. ex Willd.) Poir.
smooth rockcress
Arabis missouriensis Greene
green rockcress
Camelina microcarpa DC.
littlepod false flax
Capsella bursa-pastoris (L.) Medik.
shepherd's purse

Chorispora tenella (Pallas) DC.
crossflower
Descurainia pinnata (Walt.) Britt.
ssp. *brachycarpa*
(Richards.) Detling
western tansymustard
Draba brachycarpa Nutt.
ex Torr. & Gray
shortpod draba
Draba cuneifolia Nutt. ex Torr. &
Gray
wedgeleaf draba
Draba cuneifolia Nutt. ex Torr. &
Gray
var. *cuneifolia*
wedgeleaf draba
Draba cuneifolia Nutt. ex Torr. &
Gray
var. *helleri* (Small) O.E. Schulz
Draba platycarpa Torr. & Gray
broadpod draba
Draba reptans (Lam.) Fern.
Carolina draba
Erysimum asperum (Nutt.) DC.
Erysimum asperum (Nutt.) DC.
var. *arkansanum* (Nutt.) Gray
Erysimum capitatum (Dougl. ex
Hook.) Greene
sanddune wallflower
Erysimum capitatum
(Dougl. ex Hook.)
Greene var. *capitatum*
sanddune wallflower
Erysimum repandum L.
spreading wallflower
Lepidium austrinum Small
southern pepperwort
Lepidium densiflorum Schrad.
common pepperweed
Lepidium densiflorum Schrad.
var. *densiflorum*
common pepperweed
Lepidium oblongum Small
veiny pepperweed
Lepidium virginicum L.
Virginia pepperweed

- Lepidium virginicum* L.
 var. *medium* (Greene) C.L.
 Hitchc.
 medium pepperweed
- Lesquerella auriculata*
 (Engelm. & Gray) S. Wats.
 earleaf bladderpod
- Lesquerella gordoni* (Gray) S. Wats.
 Gordon's bladderpod
- Lesquerella gracilis* (Hook.) S. Wats.
 spreading bladderpod
- Lesquerella gracilis* (Hook.) S. Wats.
 ssp. *nuttallii*
 (Torr. & Gray) Rollins & Shaw
 Nuttall's bladderpod
- Lesquerella ovalifolia* Rydb.
 ex Britt.
 roundleaf bladderpod
- Lesquerella ovalifolia* Rydb. ex Britt.
 ssp. *alba* (Goodman)
 Rollins & Shaw
 roundleaf bladderpod
- Nasturtium officinale* Ait. f.
- Rorippa nasturtium-aquaticum* (L.)
 Hayek
 watercress
- Rorippa palustris* (L.) Bess.
 bog yellowcress
- Rorippa sessiliflora* (Nutt.)
 A.S.Hitchc.
 stalkless yellowcress
- Sibara virginica* (L.) Rollins
Virginia
 winged rockcress
- Cactaceae**
- Echinocereus baileyi* Rose
- Echinocereus reichenbachii*
 (Terscheck ex Walp.) Haage f.
 lace hedgehog cactus
- Echinocereus reichenbachii*
 (Terscheck ex Walp.) Haage f.
 var. *albispinus* (Lahman)
 L. Benson
- Echinocereus reichenbachii*
 (Terscheck ex Walp.) Haage f.
- var. *baileyi* (Rose) N.P. Taylor
 Bailey's hedgehog cactus
- Opuntia engelmannii* Salm-Dyck
 cactus apple
- Opuntia humifusa* (Raf.) Raf.
 devil's-tongue
- Campanulaceae**
- Lobelia appendiculata* A. DC.
 pale lobelia
- Lobelia cardinalis* L.
 cardinalflower
- Lobelia cardinalis* L.
 ssp. *graminea* (Lam.) McVaugh
- Triodanis leptocarpa* (Nutt.) Nieuwl.
 slimpod Venus' looking-glass
- Triodanis perfoliata* (L.) Nieuwl.
 var. *biflora* (Ruiz & Pavón)
 Bradley
 clasping Venus' looking-glass
- Capparaceae**
- Cleome serrulata* Pursh
 Rocky Mountain beeplant
- Cleomella angustifolia* Torr.
 narrowleaf rhombopod
- Polanisia dodecandra* (L.) DC.
 redwhisker clammyweed
- Polanisia dodecandra* (L.) DC.
 ssp. *trachysperma*
 (Torr. & Gray) Iltis
 sandyseed clammyweed
- Caprifoliaceae**
- Lonicera albiflora* Torr. & Gray
 western
 white honeysuckle
- Lonicera japonica* Thunb.
 Japanese honeysuckle
- Sambucus nigra* L. ssp. *Canadensis*
 (L.) R. Bolli
 common elderberry
- Symphoricarpos orbiculatus* Moench
 coralberry
- Viburnum rufidulum* Raf.
 rusty blackhaw

Caryophyllaceae

Cerastium brachypodium

(Engelm. ex Gray) B.L. Robins.
shortstalk chickweed

Cerastium glomeratum Thuill.

sticky chickweed

Minuartia michauxii (Fenzl) Farw.

Michaux's stitchwort

Minuartia michauxii (Fenzl) Farw.

var. *texana* (B.L. Robins.) Mattf.
Texas stitchwort

Minuartia patula (Michx.) Mattf.

pitcher's stitchwort

Minuartia patula

var. *patula* (Michx.) Mattf.

Paronychia jamesii Torr. & Gray

James' nailwort

Paronychia virginica Spreng.

yellow nailwort

Sagina decumbens (Ell.) Torr. &

Gray

trailing pearlwort

Silene antirrhina L.

sleepy silene

Celastraceae

Celastrus scandens L.

American bittersweet

Euonymus atropurpurea Jacq.

eastern wahoo

Chenopodiaceae

Chenopodium album L.

lambsquarters

Chenopodium ambrosioides L.

Mexican tea

Chenopodium leptophyllum (Moq.)

Nutt. ex S. Wats.

narrowleaf goosefoot

Chenopodium pratericola Rydb.

desert goosefoot

Chenopodium simplex (Torr.) Raf.

mapleleaf goosefoot

Chenopodium standleyanum Aellen

Standley's goosefoot

Kochia scoparia (L.) Schrad.

Mexican-fireweed

Salsola kali L.

prickly Russian thistle

Salsola kali L. ssp. *tragus* (L.) Celak.

Cistaceae

Lechea tenuifolia Michx.

narrowleaf pinweed

Clusiaceae

Hypericum drummondii (Grev. &

Hook.)

Torr. & Gray

nits and lice

Hypericum mutilum L.

dwarf St. Johnswort

Convolvulaceae

Convolvulus arvensis L.

field bindweed

Convolvulus equitans Benth.

Texas bindweed

Convolvulus incanus auct. non Vahl

Evolvulus nuttallianus J.A. Schultes

shaggy dwarf morning-glory

Evolvulus pilosus Nutt.

Ipomoea pandurata (L.) G.F.W. Mey.

man of the earth

Ipomoea shumardiana

(Torr.) Shinners

narrowleaf morning-glory

Cornaceae

Cornus drummondii C.A. Mey.

roughleaf dogwood

Crassulaceae

Sedum nuttallianum Raf.

yellow stonecrop

Cucurbitaceae

Cucurbita foetidissima Kunth

Missouri gourd

Cyclanthera dissecta

(Torr. & Gray) Arn.

cutleaf cyclanthera

Ibervillea lindheimeri (Gray) Greene
Lindheimer's globeberry
Melothria pendula L.
Guadeloupe cucumber

Cuscutaceae

Cuscuta glabrior (Engelm.) Yuncker
var. *pubescens* (Engelm.)
Yuncker
Cuscuta gronovii Willd. ex J.A.
Schultes
scaldweed
Cuscuta indecora Choisy
bigseed alfalfa dodder
Cuscuta indecora Choisy
var. *indecora*
bigseed alfalfa dodder
Cuscuta pentagona Engelm.
fiveangled dodder
Cuscuta pentagona Engelm.
var. *pentagona*
fiveangled dodder

Cyperaceae

Bolboschoenus maritimus (L.) Palla
Bulbostylis capillaris (L.)
Kunth ex C.B. Clarke
densetufts hairsedge
Bulbostylis capillaris (L.) Kunth
ex C.B. Clarke ssp. *capillaries*
densetufts hairsedge
Carex albicans Willd. ex Spreng.
var. *albicans*
whitetinge sedge
Carex austrina Mackenzie
southern sedge
Carex blanda Dewey
eastern woodland sedge
Carex brevior (Dewey) Mackenzie
shortbeak sedge
Carex emoryi Dewey
Emory's sedge
Carex fissa Mackenzie
hammock sedge
Carex frankii Kunth Frank's sedge
Carex granularis Muhl. ex Willd.
limestone meadow sedge

Carex gravida Bailey
heavy sedge
Carex gravida Bailey var. *lunelliana*
(Mackenzie) F.J. Herm.
heavy sedge
Carex grisea Wahlenb.
Carex joorii Bailey
cypress swamp sedge
Carex muehlenbergii Schkuhr
ex Willd. var. *enervis* Boott
Muhlenberg's sedge
Carex muehlenbergii Schkuhr
ex Willd. var. *muehlenbergii*
Muhlenberg's sedge
Carex tetrastachya Scheele
Britton's sedge
Carex umbellata Schkuhr ex Willd.
parasol sedge
Carex vulpinoidea Michx.
fox sedge
Cyperus acuminatus Torr. & Hook.
ex Torr.
tapertip flatsedge
Cyperus echinatus (L.) Wood
globe flatsedge
Cyperus erythrorhizos Muhl.
redroot flatsedge
Cyperus esculentus L.
chufa flatsedge
Cyperus ferax L.C. Rich.
Cyperus filiculmis auct. non Vahl
Cyperus hallii Britt.
Cyperus lupulinus (Spreng.) Marcks
ssp. *lupulinus*
Great Plains flatsedge
Cyperus odoratus L.
fragrant flatsedge
Cyperus ovularis (Michx.) Torr.
Cyperus pseudovegetus Steud.
marsh flatsedge
Cyperus schweinitzii Torr.
Schweinitz's flatsedge
Cyperus setigerus Torr. & Hook.
lean flatsedge
Cyperus squarrosus L.
bearded flatsedge

- Cyperus strigosus* L.
strawcolored flatsedge
- Eleocharis acutisquamata* Buckl.
sharscale spikerush
- Eleocharis atropurpurea*
(Retz.) J. & K. Presl.
purple spikerush
- Eleocharis compressa* Sullivant
flatstem spikerush
- Eleocharis engelmannii* Steud.
Engelmann's spikerush
- Eleocharis erythropoda* Steud.
bald spikerush
- Eleocharis montevidensis* Kunth
sand spikerush
- Eleocharis obtusa* (Willd.)
J.A. Schultes
blunt spikerush
- Eleocharis palustris* (L.)
Roemer & J.A. Schultes
common spikerush
- Eleocharis parvula*
(Roemer & J.A. Schultes)
Link ex Bluff, Nees & Schauer
dwarf spikerush
- Eleocharis quadrangulata* (Michx.)
Roemer & J.A. Schultes
squarestem spikerush
- Fimbristylis puberula* (Michx.) Vahl
hairy fimbry
- Fimbristylis puberula* (Michx.) Vahl
var. *puberula*
hairy fimbry
- Fimbristylis spadicea* auct.
non (L.) Vahl.
- Fimbristylis vahlii* (Lam.) Link
Vahl's fimbry
- Fuirena simplex* Vahl
western umbrella-sedge
- Hemicarpha aristulata* (Coville)
Smyth
- Hemicarpha drummondii* Nees
- Hemicarpha micrantha* (Vahl) Pax
- Lipocarpha aristulata* (Coville)
G. Tucker
awned halfchaff sedge
- Lipocarpha drummondii* (Nees)
G. Tucker
Drummond's halfchaff sedge
- Lipocarpha micrantha* (Vahl)
G. Tucker
smallflower halfchaff sedge
- Schoenoplectus acutus* (Muhl.)
ex Bigelow) A.& D. Löve
var. *acutus*
hardstem bulrush
- Schoenoplectus americanus* (Pers.)
Volk. ex Schinz & R. Keller
chairmaker's bulrush
- Schoenoplectus hallii* (Gray) S.G.
Sm.
Hall's bulrush
- Schoenoplectus pungens* (Vahl)
Palla
common threesquare
- Schoenoplectus tabernaemontani*
(K.C. Gmel.) Palla
softstem bulrush
- Scirpus americanus* Pers.
- Scirpus atrovirens* Willd.
green bulrush
- Scirpus lineatus* Michx.
rusty bulrush, drooping bulrush
- Scirpus pallidus* (Britt.) Fern.
cloaked bulrush
- Scirpus pendulus* Muhl.
rufous bulrush
- Scleria ciliata* Michx.
fringed nutrush
- Scleria pauciflora* Muhl. ex Willd.
fewflower nutrush
- Ebenaceae**
Diospyros virginiana L.
common persimmon
- Elatinaceae**
Bergia texana (Hook.) Seub. ex Walp.
Texas bergia

Euphorbiaceae

- Acalypha gracilens* Gray
var. *monococca* Engelm. ex Gray
Acalypha monococca
(Engelm. ex Gray) L.
Mill. & Gandhi
slender threeseed mercury
Acalypha ostryifolia Riddell
pineland threeseed mercury
Acalypha virginica L.
Virginia threeseed mercury
Argythamnia mercurialina
(Nutt.) Muell.-Arg.
tall silverbush
Argythamnia mercurialina (Nutt.)
Muell.-Arg. var. *mercurialina*
tall silverbush
Chamaesyce maculata (L.) Small
spotted sandmat
Chamaesyce missurica
(Raf.) Shinners
prairie sandmat
Chamaesyce nutans (Lag.) Small
eyebane
Chamaesyce prostrata (Ait.) Small
prostrate sandmat
Chamaesyce serpens (Kunth) Small
matted sandmat
Cnidoscolus texanus
(Muell.-Arg.) Small
Texas bullnettle
Croton capitatus Michx.
hogwort
Croton capitatus Michx. var.
capitatus
hogwort
Croton capitatus Michx.
var. *lindheimeri*
(Engelm. & Gray) Muell.-Arg.
Lindheimer's hogwort
Croton glandulosus L.
vente conmigo
Croton glandulosus L.
var. *septentrionalis* Muell.-Arg.
vente conmigo

- Croton lindheimerianus* Scheele
threeseed croton
Croton monanthogynus Michx.
prairie tea
Croton texensis (Klotzsch)
Muell.-Arg.
Texas croton
Euphorbia chamaesyce auct. non L.
Euphorbia corollata L.
flowering spurge
Euphorbia cyathophora Murr.
fire on the mountain
Euphorbia dentata Michx.
toothed spurge
Euphorbia lata Engelm.
Euphorbia longicurvis Scheele
wedgeleaf spurge
Euphorbia maculata L.
Euphorbia marginata Pursh
snow on the mountain
Euphorbia missurica Raf.
Euphorbia nutans Lag.
Euphorbia serpens Kunth
Euphorbia spathulata Lam.
warty spurge
Euphorbia supina Raf.
Phyllanthus abnormis Baill.
Drummond's leaf-flower
Phyllanthus abnormis Baill.
var. *abnormis*
Drummond's leaf-flower
Phyllanthus caroliniensis Walt.
Carolina leaf-flower
Phyllanthus polygonoides
Nutt. ex Spreng.
smartweed leaf-flower
Stillingia sylvatica Garden ex L.
queen's-delight
Tragia ramosa Torr.
branched noseburn

Fabaceae

- Acacia angustissima* (P. Mill.)
Kuntze
var. *hirta* (Nutt.) B.L. Robins.
prairie acacia

- Amorpha canescens* Pursh
leadplant
Amorpha fruticosa L.
desert false indigo
Apios americana Medik.
groundnut
Astragalus caryocarpus Ker-Gawl.
Astragalus crassicarpus
Nutt. var. *crassicarpus*
groundplum milkvetch
Astragalus crassicarpus Nutt.
var. *trichocalyx* (Nutt.) Barneby
groundplum milkvetch
Astragalus distortus Torr. & Gray
Ozark milkvetch
Astragalus lindheimeri Engelm.
ex Gray
Lindheimer's milkvetch
Astragalus nuttallianus DC.
var. *nuttallianus*
smallflowered milkvetch
Astragalus platensis Nutt. Platte
River milkvetch
Baptisia australis (L.) R. Br. ex Ait. f.
blue wild indigo
Baptisia australis (L.) R. Br. ex Ait. f.
var. *minor* (Lehm.) Fern.
blue wild indigo
Baptisia bracteata Muhl. ex Ell.
longbract wild indigo
Baptisia bracteata Muhl. ex Ell.
var. *glabrescens* (Larisey) Isely
Baptisia bracteata Muhl.
ex Ell. var. *leucophaea* (Nutt.)
Kartesz & Gandhi
longbract wild indigo
Baptisia leucophaea Nutt.
Baptisia sphaerocarpa Nutt.
yellow wild indigo
Baptisia Vent.
wild indigo
Cassia fasciculata Michx.
Cassia marilandica L.
Cercis canadensis L.
eastern redbud
- Chamaecrista fasciculata*
(Michx.) Greene
sleepingplant
Clitoria mariana L.
Atlantic pigeonwings
Crotalaria sagittalis L.
arrowhead rattlebox
Dalea aurea Nutt. ex Pursh
golden prairie clover
Dalea candida Michx. ex Willd.
white prairie clover
Dalea candida Michx. ex Willd.
var. *candida*
white prairie clover
Dalea candida Michx. ex Willd.
var. *oligophylla* (Torr.) Shinners
white prairie clover
Dalea enneandra Nutt.
nineanther prairie clover
Dalea frutescens Gray
black prairie clover
Dalea multiflora (Nutt.) Shinners
roundhead prairie clover
Dalea purpurea Vent.
violet prairie clover
Dalea purpurea Vent. var. *purpurea*
violet prairie clover
Dalea tenuifolia (Gray) Shinners
slimleaf prairie clover
Dalea villosa (Nutt.) Spreng.
var. *villosa*
silky prairie clover
Desmanthus illinoensis (Michx.)
MacM. ex B.L. Robins. & Fern.
prairie bundleflower
Desmanthus leptolobus Torr. & Gray
slenderlobe bundleflower
Desmodium canescens (L.) DC.
hoary ticktrefoil
Desmodium ciliare
(Muhl. ex Willd.) DC.
hairy small-leaf ticktrefoil
Desmodium dillenii Darl. p.p.
Desmodium glutinosum
(Muhl. ex Willd.) Wood
pointedleaf ticktrefoil

Desmodium illinoense Gray
Illinois ticktrefoil
Desmodium nudiflorum (L.) DC.
nakedflower ticktrefoil
Desmodium paniculatum (L.) DC.
panicledleaf ticktrefoil
Desmodium paniculatum (L.) DC.
var. *paniculatum*
panicledleaf ticktrefoil
Desmodium sessilifolium (Torr.)
Torr. & Gray
sessileleaf ticktrefoil
Desmodium tweedyi Britt.
Tweedy's ticktrefoil
Desmodium viridiflorum (L.) DC.
velvetleaf ticktrefoil
Galactia volubilis (L.) Britt.
downy milkpea
Gleditsia triacanthos L.
honeylocust
Gymnocladus dioicus (L.) K. Koch
Kentucky coffeetree
Hoffmannseggia glauca
(Ortega) Eifert
Indian rushpea
Hosackia americana (Nutt.) Piper
Indigofera miniata Ortega
coastal indigo
Indigofera miniata Ortega
var. *leptosepala*
(Nutt. ex Torr. & Gray) B.L.
Turner
western indigo
Lespedeza capitata Michx.
roundhead lespedeza
Lespedeza intermedia
sensu Clewell, 1966
Lespedeza procumbens Michx.
trailing lespedeza
Lespedeza repens (L.) W. Bart.
creeping lespedeza
Lespedeza virginica (L.) Britt.
slender lespedeza
Lotus purshianus
F. E. & E. S. Clements

Lotus unifoliolatus (Hook.) Benth.
var. *unifoliolatus*
American bird's-foot trefoil
Lupinus texensis Hook.
Texas lupine
Medicago minima (L.) L.
Bur medick
Medicago sativa L.
alfalfa
Melilotus albus
Melilotus officinalis (L.) Lam.
yellow sweetclover
Mimosa nuttallii (DC.) B.L. Turner
Nuttall's sensitive-briar
Neptunia lutea (Leavenworth) Benth.
yellow puff
Oxytropis lambertii Pursh
purple locoweed
Oxytropis lambertii Pursh
var. *articulata*
(Greene) Barneby
purple locoweed
Oxytropis lambertii Pursh
var. *lambertii*
purple locoweed
Pediomelum cuspidatum
(Pursh) Rydb.
largebract Indian breadroot
Pediomelum esculentum
(Pursh) Rydb.
large Indian breadroot
Pediomelum linearifolium
(Torr. & Gray) J. Grimes
narrowleaf Indian breadroot
Petalostemon occidentalis
(Heller) Fern.
Petalostemon purpureus
(Vent.) Rydb.
Prosopis glandulosa Torr.
honey mesquite
Prosopis glandulosa Torr.
var. *glandulosa*
honey mesquite
Prosopis juliflora (Sw.) DC.
var. *glandulosa* (Torr.) Cockerell
Psoralea argophylla Pursh

Psoralea cuspidata Pursh
Psoralea esculenta Pursh
Psoralea linearifolia Torr. & Gray
Psoralea tenuiflora Pursh
Psoralidium lanceolatum
(Pursh) Rydb.
lemon scurfpea
Psoralidium tenuiflorum
(Pursh) Rydb.
slimflower scurfpea
Robinia pseudoacacia L.
black locust
Schrankia uncinata Willd.
Senna marilandica (L.) Link
Maryland senna
Sophora affinis Torr. & Gray
Eve's necklacepod
Strophostyles helvula (L.) Ell.
trailing fuzzybean
Strophostyles leiosperma
(Torr. & Gray) Piper
slickseed fuzzybean
Tephrosia onobrychoides Nutt.
multibloom hoarypea
Tephrosia virginiana (L.) Pers.
Virginia tephrosia
Trifolium dubium Sibthorp
suckling clover
Trifolium reflexum L.
buffalo clover
Trifolium repens L.
white clover
Vicia americana Muhl. ex Willd.
ssp. *minor* (Hook.) C.R. Gunn
mat vetch
Vicia caroliniana Walt.
Carolina vetch
Vicia ludoviciana Nutt.
Louisiana vetch
Vicia ludoviciana Nutt.
ssp. *ludoviciana*
Louisiana vetch
Vicia ludoviciana Nutt. var. *texana*
(Torr. & Gray) Shinners
Vicia texana (Torr. & Gray) Small

Fagaceae

Quercus buckleyi Nixon & Dorr
Buckley oak
Quercus fusiformis Small
plateau oak
Quercus macrocarpa Michx.
bur oak
Quercus marilandica Muench.
blackjack oak
Quercus mohriana Buckl. ex Rydb.
Mohr oak
Quercus muehlenbergii Engelm.
chinkapin oak
Quercus shumardii Buckl.
Shumard's oak
Quercus stellata Wangenh.
post oak
Quercus velutina Lam.
black oak

Fumariaceae

Corydalis aurea Willd.
scrambled eggs
Corydalis aurea Willd.
ssp. *occidentalis*
(Engelm. ex Gray) G.B. Ownbey
Corydalis curvisiliqua Engelm.
curvepod fumewort
Corydalis curvisiliqua Engelm.
ssp. *grandibracteata*
(Fedde) G.B. Ownbey
curvepod fumewort
Corydalis micrantha
(Engelm. ex Gray) Gray
smallflower fumewort
Corydalis micrantha
(Engelm. ex Gray)
Gray ssp. *micrantha*
smallflower fumewort

Gentianaceae

Centaurium texense (Griseb.) Fern.
Lady Bird's centaury
Eustoma russellianum (Hook.) G.
Don

Sabatia campestris Nutt.

Texas star

Geraniaceae

Erodium cicutarium (L.) L'Hér. ex Ait.

redstem stork's bill

Geranium carolinianum L.

Carolina geranium

Grossulariaceae

Ribes aureum Pursh

var. *villosum* DC.

golden currant

Haloragaceae

Myriophyllum aquaticum (Vell.)

Verdc.

parrot feather watermilfoil

Myriophyllum heterophyllum Michx.

twoleaf watermilfoil

Myriophyllum pinnatum (Walt.)

B.S.P.

cutleaf watermilfoil

Myriophyllum sibiricum Komarov

shortspike watermilfoil

Myriophyllum spicatum L.

spike watermilfoil

Myriophyllum spicatum L.

var. *exalbescens* (Fern.) Jepson

Hippocastanaceae

Aesculus glabra Willd.

Ohio buckeye

Aesculus glabra Willd. var. *arguta*

(Buckl.) B.L. Robins.

Ohio buckeye

Hydrophyllaceae

Ellisia nyctelea (L.) L.

Aunt Lucy

Nama hispidum Gray

bristly nama

Nemophila phacelioides Nutt.

largeflower baby blue eyes

Phacelia congesta Hook.

caterpillars

Phacelia strictiflora

(Engelm. & Gray) Gray

prairie phacelia

Phacelia strictiflora (Engelm. &

Gray)

Gray var. *lundelliana* Constance

Lundell's phacelia

Iridaceae

Nemastylis geminiflora Nutt.

prairie pleatleaf

Sisyrinchium angustifolium P. Mill.

narrowleaf blue-eyed grass

Sisyrinchium campestre Bickn.

prairie blue-eyed grass

Isoetaceae

Isoetes melanopoda Gay & Durieu

ex Durieu

blackfoot quillwort

Juglandaceae

Carya cordiformis

(Wangenh.) K. Koch

bitternut hickory

Carya illinoinensis

(Wangenh.) K. Koch

pecan

Juglans microcarpa Berl.

little walnut

Juglans nigra L.

black walnut

Juncaceae

Juncus acuminatus Michx.

tapertip rush

Juncus aristulatus Michx.

Juncus brachycarpus Engelm.

whiteroot rush

Juncus diffusissimus Buckl.

slimpod rush

Juncus dudleyi Wieg.

Dudley's rush

Juncus interior Wieg.

inland rush

Juncus marginatus Rostk.

grassleaf rush

Juncus marginatus Rostk.

var. *setosus* Coville

Juncus nodatus Coville

stout rush

Juncus scirpoides Lam.

needlepod rush

Juncus secundus Beauv. ex Poir.

lopsided rush

Juncus tenuis Willd.

poverty rush

Juncus torreyi Coville

Torrey's rush

Krameriaceae

Krameria lanceolata Torr.

trailing krameria

Lamiaceae

Hedeoma hispida Pursh

rough false pennyroyal

Hedeoma reverchonii (Gray) Gray

Reverchon's false pennyroyal

Lamium amplexicaule L.

henbit deadnettle

Lycopus americanus Muhl.

ex W. Bart.

American water horehound

Lycopus americanus Muhl.

ex W. Bart.

var. *scabrifolius* Fern.

Mentha spicata L.

spearmint

Monarda citriodora Cerv. ex Lag.

lemon beebealm

Monarda clinopodioides Gray

basil beebealm

Monarda dispersa Small

Monarda fistulosa L.

wild bergamot

Monarda mollis L.

Monarda pectinata Nutt.

pony beebealm

Monarda punctata L.

spotted beebealm

Nepeta cataria L.

catnip

Prunella vulgaris L.

common selfheal

Salvia azurea Michx. ex Lam.

azure blue sage

Scutellaria drummondii Benth.

Drummond's skullcap

Scutellaria ovata Hill

heartleaf skullcap

Scutellaria wrightii Gray

Wright's skullcap

Teucrium canadense L.

Canada germander

Teucrium canadense L.

var. *occidentale*

(Gray) McClintock & Epling

western germander

Teucrium canadense L.

var. *virginicum* (L.) Eat.

Teucrium laciniatum Torr.

lacy germander

Lentibulariaceae

Utricularia gibba L.

humped bladderwort

Linaceae

Linum berlandieri Hook.

var. *berlandieri*

Berlandier's yellow flax

Linum hudsonioides Planch.

Texas flax

Linum imbricatum (Raf.)

Shinners tufted flax

Linum lewisii Pursh

prairie flax

Linum pratense (J.B.S. Norton)

Small

meadow flax

Linum rigidum Pursh

stiffstem flax

Linum rigidum Pursh

var. *berlandieri* (Hook.)

Torr. & Gray

Linum rigidum Pursh var. *rigidum*

stiffstem flax

Linum sulcatum Riddell

grooved flax

Linum sulcatum Riddell var.

sulcatum

grooved flax

Loasaceae

Mentzelia albescens

(Gillies & Arn.) Griseb.

wavyleaf blazingstar

Mentzelia decapetala

(Pursh ex Sims)

Urban & Gilg ex Gilg

tenpetal blazingstar

Mentzelia oligosperma Nutt. ex Sims

chickenthief

Mentzelia reverchonii (Urban & Gilg)

H.J. Thompson & Zavortink

Reverchon's blazingstar

Lythraceae

Ammannia auriculata Willd.

eared redstem

Ammannia coccinea Rottb.

valley redstem

Ammannia robusta Heer & Regel

grand redstem

Lythrum alatum Pursh

winged lythrum

Lythrum alatum Pursh

var. *lanceolatum* (Ell.)

Torr. & Gray ex Rothrock

Rotala ramosior (L.) Koehne

lowland rotala

Malvaceae

Abutilon incanum (Link) Sweet

pelotazo

Callirhoe alcaeoides (Michx.) Gray

light poppymallow

Callirhoe digitata Nutt.

winecup

Callirhoe involucrata

(Torr. & Gray) Gray

purple poppymallow

Callirhoe involucrata (Torr. & Gray)

Gray var. *involucrata*

purple poppymallow

Callirhoe leiocarpa R.F. Martin

tall poppymallow

Callirhoe pedata

(Nutt. ex Hook.) Gray

palmleaf poppymallow

Hibiscus trionum L.

flower of an hour

Sida spinosa L.

prickly fanpetals

Sphaeralcea coccinea (Nutt.) Rydb.

scarlet globemallow

Sphaeralcea coccinea (Nutt.) Rydb.

ssp. *coccinea*

scarlet globemallow

Menispermaceae

Cocculus carolinus (L.) DC.

Carolina coralbead

Menispermum canadense L.

common moonseed

Molluginaceae

Mollugo verticillata L.

green carpetweed

Moraceae

Maclura pomifera (Raf.) Schneid.

osage orange

Morus alba L.

white mulberry

Morus rubra L.

red mulberry

Nelumbonaceae

Nelumbo lutea Willd.

American lotus

Nyctaginaceae

Mirabilis albida (Walt.) Heimerl

white four o'clock

Mirabilis glabra (S. Wats.) Standl.

smooth four o'clock

Mirabilis hirsuta (Pursh) MacM.

hairy four o'clock

Mirabilis linearis (Pursh) Heimerl
narrowleaf four o'clock
Mirabilis nyctaginea (Michx.) MacM.
heartleaf four o'clock

Nymphaeaceae
Nymphaea odorata Ait.
American white waterlily

Oleaceae
Fraxinus pennsylvanica Marsh.
green ash

Onagraceae
Calylophus berlandieri Spach
Berlandier's sundrops
Calylophus berlandieri Spach
ssp. *pinifolius*
(Engelm. ex Gray) Towner
Berlandier's sundrops
Calylophus hartwegii (Benth.) Raven
ssp. *pubescens* (Gray)
Towner & Raven
Hartweg's sundrops
Calylophus serrulatus (Nutt.) Raven
yellow sundrops
Gaura coccinea Nutt. ex Pursh
scarlet beeblissom
Gaura longiflora Spach
longflower beeblissom
Gaura parviflora Dougl. ex Lehm.
Gaura sinuata Nutt. ex Ser.
wavyleaf beeblissom
Gaura suffulta Engelm. ex Gray
kisses
Gaura suffulta Engelm. ex Gray
ssp. *suffulta*
kisses
Gaura triangulata Buckl.
prairie beeblissom
Jussiaea diffusa auct. non Forsk.
Jussiaea repens L.
var. *glabrescens* Kuntze
Ludwigia alternifolia L.
seedbox
Ludwigia decurrens Walt.
wingleaf primrose-willow

Ludwigia palustris (L.) Ell.
marsh seedbox
Ludwigia peploides (Kunth) Raven
ssp. *glabrescens* (Kunze) Raven
floating primrose-willow
Ludwigia repens J.R. Forst.
creeping primrose-willow
Oenothera biennis L.
common evening-primrose
Oenothera grandis (Britt.) Smyth
showy evening-primrose
Oenothera laciniata Hill
cutleaf evening-primrose
Oenothera linifolia Nutt.
threadleaf evening-primrose
Oenothera macrocarpa Nutt.
ssp. *incana* (Gray) Wagner
bigfruit evening-primrose
Oenothera macrocarpa Nutt.
ssp. *macrocarpa*
bigfruit evening-primrose
Oenothera speciosa Nutt.
pinkladies
Oenothera triloba Nutt.
stemless evening-primrose
Stenosiphon linifolius
(Nutt. ex James) Heynh.
false gaura

Oxalidaceae
Oxalis corniculata L.
creeping wood sorrel
Oxalis dillenii Jacq.
Oxalis stricta L.
common yellow oxalis
Oxalis violacea L.
violet wood sorrel

Papaveraceae
Argemone polyanthemos
(Feddé) G.B. Ownbey
crested prickly poppy
Papaver dubium L.
blindegies

Passifloraceae

Passiflora lutea L.
yellow passionflower

Pedaliaceae

Proboscidea louisianica
(P. Mill.) Thellung
ram's horn

Phytolaccaceae

Phytolacca americana L.
American pokeweed
Rivina humilis L.
rougeplant

Plantaginaceae

Plantago aristata Michx.
largebracted plantain
Plantago elongata Pursh
prairie plantain
Plantago major L.
common plantain
Plantago patagonica Jacq.
woolly plantain
Plantago pusilla Nutt.
dwarf plantain
Plantago rhodosperma Dcne.
redseed plantain
Plantago rugelii Dcne.
blackseed plantain
Plantago virginica L.
Virginia plantain
Plantago wrightiana Dcne.
Wright's plantain

Platanaceae

Platanus occidentalis L.
American sycamore

Polemoniaceae

Gilia aggregata (Pursh) Spreng.
ssp. *formosissima*
(Greene) Wherry
Gilia rubra (L.) Heller
Ipomopsis rubra (L.) Wherry
standing-cypress

Phlox longipilosa Waterfall
longhair phlox

Polygalaceae

Polygala alba Nutt.
white milkwort
Polygala verticillata L.
whorled milkwort
Polygala verticillata L.
var. *isocycla* Fern.
whorled milkwort

Polygonaceae

Eriogonum annuum Nutt.
annual buckwheat
Eriogonum longifolium Nutt.
longleaf buckwheat
Eriogonum longifolium Nutt.
var. *longifolium*
longleaf buckwheat
Persicaria punctata (Ell.) Small
Polygonum amphibium L.
var. *emersum* Michx.
longroot smartweed
Polygonum aviculare L.
prostrate knotweed
Polygonum bincorne Raf.
Polygonum convolvulus L.
black bindweed
Polygonum hydropiper L.
marshpepper knotweed
Polygonum hydropiperoides Michx.
swamp smartweed
Polygonum lapathifolium L.
curlytop knotweed
Polygonum pensylvanicum L.
Pennsylvania smartweed
Polygonum persicaria L.
spotted ladysthumb
Polygonum punctatum Ell.
dotted smartweed
Polygonum ramosissimum Michx.
bushy knotweed
Polygonum ramosissimum Michx.
var. *prolificum* Small
bushy knotweed

Polygonaceae

Polygonum scandens L.
climbing false buckwheat

Polygonum striatum B.L. Robins.
striped knotweed

Polygonum tenue Michx.
pleatleaf knotweed

Polygonum virginianum L.
jumpseed

Rumex altissimus Wood
pale dock

Rumex crispus L.
curly dock

Pontederiaceae

Heteranthera limosa (Sw.) Willd.
blue mudplantain

Pontederia cordata L.
pickerelweed

Portulacaceae

Claytonia virginica L.
Virginia springbeauty

Portulaca pilosa L.
kiss me quick

Portulaca umbraticola Kunth
ssp. *lanceolata* (Engelm.)
Matthews & Kerton

Talinum calycinum Engelm.
largeflower fameflower

Talinum parviflorum Nutt.
sunbright

Primulaceae

Androsace occidentalis Pursh
western rockjasmine

Dodecatheon meadia L.
pride of Ohio

Dodecatheon meadia L. ssp. *meadia*
pride of Ohio

Samolus floribundus Kunth

Samolus parviflorus Raf.

Samolus valerandi L. ssp. *parviflorus*
(Raf.) Hultén
seaside brookweed

Ranunculaceae

Anemone berlandieri Pritz.
tenpetal thimbleweed

Anemone caroliniana Walt.
Carolina anemone

Anemone decapetala auct. non Ard.
Clematis pitcheri Torr. & Gray
bluebill

Clematis versicolor Small ex Rydb.
pale leather flower

Consolida ajacis (L.) Schur
doubtful knight's-spur

Delphinium carolinianum Walt.
Carolina larkspur

Delphinium carolinianum Walt.
ssp. *virescens* (Nutt.) Brooks
Carolina larkspur

Myosurus minimus L.
tiny mousetail

Ranunculus abortivus L.
littleleaf buttercup

Ranunculus longirostris Godr.
longbeak buttercup

Ranunculus sceleratus L.
cursed buttercup

Rhamnaceae

Ceanothus herbaceus Raf.
Jersey tea

Rosaceae

Agrimonia parviflora Ait.
harvestlice

Crataegus crus-galli L.
cockspur hawthorn

Crataegus engelmannii Sarg.
Engelmann's hawthorn

Crataegus mollis Scheele Arnold
hawthorn

Crataegus reverchonii Sarg.
Reverchon's hawthorn

Crataegus viridis L.
green hawthorn

Crataegus viridis L. var. *viridis*
green hawthorn

Fragaria virginiana Duchesne
Virginia strawberry
Geum canadense Jacq.
white avens
Geum canadense Jacq.
var. *camporum*
(Rydb.) Fern. & Weatherby
white avens
Potentilla arguta Pursh
tall cinquefoil
Potentilla arguta Pursh ssp. *arguta*
tall cinquefoil
Prunus angustifolia Marsh.
Chickasaw plum
Prunus gracilis Engelm. & Gray
Oklahoma plum
Prunus hortulana Bailey
hortulan plum
Prunus mexicana S. Wats.
Mexican plum
Prunus persica (L.) Batsch
peach
Prunus rivularis Scheele
creek plum
Prunus virginiana L.
chokecherry
Rosa foliolosa Nutt. ex Torr. & Gray
white prairie rose
Rosa multiflora Thunb. ex Murr.
multiflora rose
Rubus aboriginum Rydb.
garden dewberry
Rubus allegheniensis Porter
Allegheny blackberry
Rubus frondosus Bigelow
yankee blackberry
Rubus idaeus L.
ssp. *strigosus* (Michx.) Focke
grayleaf red raspberry
Rubus osryafolius Rydb.
highbush blackberry
Rubus trivialis Michx.
southern dewberry
Sanguisorba annua (Nutt. ex Hook.)
Torr. & Gray
prairie burnet

Rubiaceae
Cephalanthus occidentalis L.
common buttonbush
Diodia teres Walt.
poorjoe
Galium aparine L.
stickywilly
Galium circaeans Michx.
var. *hypomalacum* Fern.
licorice bedstraw
Galium obtusum Bigelow
bluntleaf bedstraw
Galium pilosum Ait.
hairy bedstraw
Galium pilosum Ait.
var. *pilosum*
hairy bedstraw
Galium texense Gray
Texas bedstraw
Galium virgatum Nutt.
southwestern bedstraw
Hedyotis nigricans (Lam.) Fosberg
diamondflowers
Hedyotis nigricans (Lam.) Fosberg
var. *nigricans*
diamondflowers
Houstonia longifolia
var. *longifolia* Gaertn.
Houstonia purpurea L. var. *purpurea*
Venus' pride
Houstonia pusilla Schoepf
tiny bluet
Sherardia arvensis L.
blue fieldmadder

Rutaceae
Ptelea trifoliata L.
common hoptree
Ptelea trifoliata L. ssp. *polyadenia*
(Greene) V. Bailey
pallid hoptree
Ptelea trifoliata L. ssp. *trifoliata*
var. *trifoliata*
common hoptree

Ptelea trifoliata ssp. *trifoliata* L.
var. *mollis* Torr. & Gray
common hoptree

Salicaceae

Populus deltoides Bartr. ex Marsh.
eastern cottonwood
Salix caroliniana Michx.
coastal plain willow
Salix nigra Marsh.
black willow

Santalaceae

Comandra umbellata (L.) Nutt.
ssp. *pallida* (A. DC.) Piehl
pale bastard toadflax

Sapindaceae

Cardiospermum halicacabum L.
love in a puff
Sapindus drummondii Hook. & Arn.
Sapindus saponaria L.
var. *drummondii*
(Hook. & Arn.) L.Benson
western soapberry

Sapotaceae

Sideroxylon lanuginosum Michx.
gum bully
Sideroxylon lanuginosum Michx.
ssp. *rigidum* (Gray)
T.D. Pennington

Scrophulariaceae

Agalinis heterophylla (Nutt.)
Small ex Britt.
prairie false foxglove
Bacopa rotundifolia (Michx.) Wettst.
disk waterhyssop
Castilleja coccinea (L.) Spreng.
scarlet Indian paintbrush
Castilleja purpurea (Nutt.) G. Don
downy Indian paintbrush
Castilleja purpurea (Nutt.) G. Don
var. *citrina* (Pennell) Shinners
prairie Indian paintbrush

Collinsia verna Nutt.
spring blue eyed Mary
Collinsia violacea Nutt.
violet blue eyed Mary
Gratiola sphaerocarpa Ell.
Gratiola virginiana L.
roundfruit hedgehyssop
Leucospora multifida (Michx.) Nutt.
narrowleaf paleseed
Lindernia anagallidea
(Michx.) Pennell
Lindernia dubia (L.) Pennell
yellowseed false pimpernel
Macuillamia rotundifolia (Michx.)
Raf.
Mimulus glabratus Kunth
roundleaf monkeyflower
Mimulus glabratus Kunth var. *jamesii*
(Torr. & Gray ex Benth.) Gray
James' monkeyflower
Nuttallanthus canadensis (L.)
D.A. Sutton
Canada toadflax
Nuttallanthus texanus (Scheele)
D.A. Sutton
Texas toadflax
Penstemon albidus Nutt.
white penstemon
Penstemon australis Small
ssp. *laxiflorus* (Pennell) Bennett
Penstemon cobaea Nutt.
cobaea beardtongue
Penstemon fendleri Torr. & Gray
Fendler's penstemon
Penstemon oklahomensis Pennell
Oklahoma beardtongue
Scrophularia lanceolata Pursh
lanceleaf figwort
Veronica arvensis L.
corn speedwell
Veronica peregrina L.
neckweed
Veronica peregrina L. ssp.
xalapensis
(Kunth) Pennell
hairy purslane speedwell

Simaroubaceae

Ailanthus altissima (P. Mill.) Swingle
tree of heaven

Smilacaceae

Smilax bona-nox L.
saw greenbrier
Smilax rotundifolia L.
roundleaf greenbrier
Smilax tamnoides L.
bristly greenbrier

Solanaceae

Datura meteloides
auct. p.p. non Dunal
Physalis angulata L.
cutleaf groundcherry
Physalis cinerascens
(Dunal) A.S. Hitchc.
var. *cinerascens*
smallflower groundcherry
Physalis heterophylla Nees
clammy groundcherry
Physalis lobata Torr.
Physalis longifolia Nutt.
longleaf groundcherry
Physalis mollis Nutt.
field groundcherry
Physalis mollis Nutt.
var. *mollis*
field groundcherry
Physalis pubescens L.
var. *integrifolia* (Dunal) Waterfall
husk tomato
Physalis pumila Nutt.
dwarf groundcherry
Physalis viscosa L.
ssp. *mollis* (Nutt.) Waterfall
Quinqua lobata (Torr.) Raf.
Chinese lantern
Solanum citrullifolium A. Braun
watermelon nightshade
Solanum dimidiatum Raf.
western horse nettle
Solanum elaeagnifolium Cav.
silverleaf nightshade

Solanum nigrum auct. non L.

Solanum ptychanthum Dunal
West Indian nightshade
Solanum rostratum Dunal
buffalobur nightshade

Tamaricaceae

Tamarix gallica L.
salt cedar

Ulmaceae

Celtis laevigata Willd.
sugarberry
Celtis laevigata Willd. var. *reticulata*
(Torr.) L. Benson
netleaf hackberry
Celtis laevigata Willd.
var. *texana* Sarg.
Texan sugarberry
Ulmus americana L.
American elm
Ulmus rubra Muhl.
slippery elm

Urticaceae

Boehmeria cylindrica (L.) Sw.
smallspike false nettle
Boehmeria cylindrica (L.) Sw.
var. *drummondiana*
(Weddell) Weddell
Parietaria pensylvanica Muhl.
ex Willd.
Pennsylvania pellitory
Parietaria pensylvanica Muhl.
ex Willd. var. *obtusa*
(Rydb. ex Small) Shinners

Valerianaceae

Valerianella radiata (L.) Dufr.
beaked cornsalad

Verbenaceae

Glandularia bipinnatifida (Nutt.) Nutt.
var. *bipinnatifida*
Dakota mock vervain
Glandularia canadensis (L.) Nutt.
rose mock vervain

Glandularia pumila (Rydb.) Umber
pink mock vervain

Lippia lanceolata Michx.

Phryma leptostachya L.
American lopseed

Phyla incisa Small

Phyla lanceolata (Michx.) Greene
lanceleaf fogfruit

Verbena bipinnatifida Nutt.

Verbena bracteata Lag. & Rodr.
bigbract verbena

Verbena canadensis (L.) Britt.

Verbena pumila Rydb.

Verbena stricta Vent.
hoary verbena

Verbena urticifolia L.
white vervain

Violaceae

Hybanthus verticillatus (Ortega)
Baill.

babyslippers

Viola bicolor Pursh
field pansy

Viola missouriensis Greene

Viola retusa Greene

Viola sororia Willd.
common blue violet

Viscaceae

Phoradendron flavescens Nutt.
ex Engelm.

Phoradendron leucarpum (Raf.)
Reveal & M.C. Johnston
oak mistletoe

Vitaceae

Ampelopsis cordata Michx.

heartleaf peppervine

Cissus incisa auct. non Des Moulins

Cissus trifoliata (L.) L.

sorrelvine

Parthenocissus quinquefolia
(L.) Planch.

Virginia creeper

Parthenocissus vitacea (Knerr)
A.S. Hitchc.

woodbine

Vitis cinerea (Engelm.) Millard
graybark grape

Vitis cinerea (Engelm.) Millard
var. *cineraria*

graybark grape

Vitis riparia Michx.
riverbank grape

Vitis rupestris Scheele
sand grape

Vitis vulpina L.
frost grape

Zygophyllaceae

Tribulus terrestris L.
Puncturevine

Schoenoplectus hallii and S. saximontanus 2000 Wichita Mountain Wildlife Refuge Survey

Dr. Lawrence K. Magrath
Curator-USAO (OCLA) Herbarium
Chickasha, OK 73018-5358

A survey to determine locations of populations of *Schoenoplectus hallii* and *S. saximontanus* was conducted at Wichita Mountains Wildlife Refuge in August and September 2000. One or both species were found at 20 of the 134 locations surveyed. A distinctive terminal achene character was found specifically that the transverse ridges of *S. hallii* appeared to be rounded and *S. saximontanus* appeared to be rounded with a projecting narrow wing. Basal macroachenes have not yet been properly described but are borne singly at the base of each culm and are about 3-4 times larger than the terminal achenes. It is speculated that amphicarpy may be related to grazing pressure, the basal macroachene being produced even if the upper portion is consumed, as a response to grazing. Both species are grazed/disturbed by bison, elk, and longhorns on the Refuge.

Introduction

A survey to determine locations of populations of *Schoenoplectus hallii* (A. Gray) S.G. Smith (Hall's bulrush) and *S. saximontanus* (Fernald) J. Raynal (Rocky Mountain bulrush) was conducted on the Wichita Mountains Wildlife Refuge during late August through September 2000. The survey team members were myself, Sam Waldstein, Refuge Manager; Chip Kimball, Range Biologist; and Bob Timberman, Biology Technician. Sites selected for observation were areas similar to the Jed Johnson Dam habitat, which is the site of the original collection of *S. hallii* made in 1987. Selection of sites to be surveyed was done by WMWR team members. The three Sundays spent in the field were some of the hottest of the season with temperatures ranging from 100° to 110°F.

General Observations

The presence of *Schoenoplectus hallii* and *S. saximontanus* at the various sites sampled represent, for the most part, a response to the drawdown of water levels in the various lakes and ponds. The plants seem to occur mainly on

the drawdown mud, sand, or gravel flats. However in some places they occur in shallow water up to a depth of about a foot [30.5cm]. They seem to compete with perennial emergent plants and with most emergent annuals.

In addition to the 36 sites that I personally examined, WMWR staff examined an additional 98 sites with similar habitat and found no *Schoenoplectus* present. *Schoenoplectus* occurred in only 20 of the 134 sites (14.93%). Of those 134 sites, 4 had both species present (3%), 14 had *S. hallii* present (10.45%) and 10 had *S. saximontanus* present (7.46%) (see Table).

Based on the WMWR observations, it is strongly advised that the adjacent area of Fort Sill should be inventoried since these two species are, most likely, present there. However, Rahmona Thompson who has conducted plant surveys at Fort Sill has not found either species at this time (pers. comm. 2002).

At several of the sites plants had been uprooted as a result of trampling by bison and other animals in the mud flat areas. The number of uprooted plants ranged between 0.0% and 1.0% at those

locations, but in general was less than .05%. While this obviously does cause some damage to populations in localized areas the damage appears to be negligible and it is even possible that it may be an important transport method of matured achenes to previously uncolonized areas. This could readily be accomplished by mud containing seeds or inflorescences with seeds adhering to the hooves, hair, or skin of the lower part of the animals' legs.

There appear to be three useful characters associated with the achenes that can be used to separate the two species: style branching, achene cross section, and transverse ridges.

	<i>S. hallii</i>	<i>S. saximontanus</i>
Style Branches	mostly bifid	trifid
Achene cross section	unequally biconvex (1 of 2 sides may be flat)	Trigonous (3-sided)
Transverse ridges	rounded	mostly rounded with narrow wing

To my knowledge, "Transverse ridges" has not been mentioned in the literature on these two taxa. McKenzie (1988) does not mention this character in his status assessment report on *S. hallii*, nor does Yatskievych (1999) in Steyermark's *Flora of Missouri*. Dr. Marian Smith at Southern Illinois University is working on both terminal achenes and basal macroachenes using Scanning Electron Microscopy and more precise measuring techniques (pers. comm. 2001). So this may be a new useful character to separate these two taxa. (see Figures).

McKenzie (1998) reports that "heavy grazing has been noted at sites in Kansas, Missouri, and Wisconsin but it is not known whether this disturbance negatively impacts the species..."

It is my hypothesis that amphicarpy may well be a response to heavy grazing pressure disturbance by native grazing animals such as bison, elk, and deer prior to the introduction of exotic grazers such as cattle, horses and sheep by European settlers. It would be a way that the plant could insure seed production even if it is heavily grazed and the terminal achenes damaged or destroyed. The observation that the plant produces only a very limited number of basal macroachenes (one per culm) with significantly more food reserves per achene would seem to support this interpretation. The smaller, more numerous terminal achenes would offer a relatively easy method for seeds to be transported farther distances and to new sites while the macroachenes would provide an excellent way to persist in presently occupied sites.

The number and identification of the two species at sites where both occur could be somewhat problematic. S.G. Smith and A. E. Schuyler independently identified a hybrid from WMWR that was collected by M. Smith and McKenzie July 28, 2002 as the first documented, putative hybrid of the two species ever recorded. [USA Oklahoma: Comanche Co., WMWR, 28 July 02, P. McKenzie 2028 pers., WIS, MO] (pers. comm. McKenzie 2002; Smith 2002).

There obviously needs to be further research done to confirm or deny this hypothesis as well as possible hybridization between the two species at the Refuge.

Voucher Specimens of *Schoenoplectus hallii* and *S. saximontanus* resulting from this study are kept in the USAO Herbarium (OCLA) at the University of Science and Arts of Oklahoma in Chickasha, Oklahoma.




FIG. (a) and (b) Fruit and inflorescence of *Schoenoplectus saximontanus* (Steyermark's Flora of Missouri, 1999. Used by permission).




FIG. (e), (f), and (g) Fruit, inflorescence, and habit of *Schoenoplectus hallii* (Steyermark's Flora of Missouri, 1999. Used by permission).

TABLE
Schoenoplectus occurrence in thirty-six survey sites
 August and September 2000
 (based on achene characteristics of the two species)

Site # Description & Date	abundance/# collected/voucher#	
	<i>S. hallii</i>	<i>S. saximontanu</i>
1-Pond		
27-Aug Draw-down mudflat around pond Some plants grazed, some uprooted Some dried out on shore Few floating in water still alive	0	scat/8/21254
2-Pond		
27-Aug Draw-down mudflat	0	0
3-Pond		
27 Aug Draw-down mudflat	0	0
4-Corral area		
27 Aug Stream with draw-down mudflat Utricularia observered	0	0
5-Kiowa Lake		
27 Aug Draw-down mud flat around pond Some plants grazed, some uprooted Some dried out on shore Few floating in water still alive	0	scattered/4/21259
6-Wing Pasture west of creek		
27 Aug Draw-down mud flat around pond Some plants grazed	0	rare/12/21261
7-Buford Lake		
27 Aug Draw-down mud flats <i>Utricularia</i> and <i>Nelumbo</i> abundant	0	0

8-Quanah Parker Lake		
27 Aug Near Nature Center Draw-down mud flat around pond	scat/6/21263	0
9-New Pond by Crater Lake		
27 Aug South of Visitor Center Draw-down mud flat	0	0
10-Pond at Sulphur Trap Corrals		
27 Aug East of Visitor Center Draw-down mud flat	0	0
11-Pond in Sulphur Trap		
27 Aug North of Visitor Center Draw-down mud flat around pond	0	0
12-Jed Johnson Lake		
18 Aug 8 identifiable plants. Not collected Plants just coming into bloom Original site for the original Collections for WMWR	rare/0/-	0
27 Aug 8 identifiable plants No collections made	rare/0/-	0
13-Crater Lake		
27 Aug Draw-down mud flat Apparently too much perennial vegetation present	0	0
14-West Gate Pond		
3 Sep Draw-down mud flat Apparently too much perennial vegetation present	0	0
15-Comanche Lake		
18 Aug Draw-down mud flat	scat/2/21237	0

3 Sep Draw-down mud flat Mixed populations	scat-loc com/24/21272	scat-locom/83/27271
16-Grama Lake near dam & Gram Flat		
18 Aug Draw-down mud flat Several hundred plants Numerous basal rosettes in shallow water (20-30 cm)	0	scat/3/21236
3 Sep Mixed populations on draw-down Several hundred plants Numerous submerged basal rosettes in shallow water (20-30 cm)	scat-loc com/48/21274	scat-loc com/15/21273
10 Sep Revisit & complete walk-around Both present on draw-down mud flat Several thousand plants Dominant plant in a few places Numerous basal rosettes present in shallows in several areas	scat-loc abd/211/21216	scat/99/21322
17-Hollis Lake		
3 Sep Apparently too much perennial vegetation in draw-down zone	0	0
18-Pond 0.5 mile west of Hollis		
3 Sep	com-loc abd/300+/21278	0
19-Pond		
3 Sep Draw-down mudflat	0	0
20-Pond		
3 Sep Draw-down mudflat	0	0
21-Boggy Flats		
18 August 2000 Draw-down mudflat around pond Some plants grazed or uprooted Some dried out on shore Few floating in water still alive First located by Sam Waldenstein on Aug 17, 2000.	0	loc abd/x/21231

Sun 3 September 2000 Draw-down mud flats on ponds	0	loc abd/5/21280
22-Pond southwest of Grace Mountain		
3 Sep Draw-down mud flat Water-clover fern present	0	0
23-Cut Throat Lake		
3 Sep Draw-down mud flat Water-clover fern present Beautiful clear water and bass	0	0
24-Northwest Corner of Pinchot Loop		
3 Sep Draw-down mud flat around pond	0	0
25-Barow Pit east side of Pinchot Loop		
3 Sep Draw-down mud flat around pond	0	0
26-Straight east of site 25		
3 Sep Draw-down mud flat around pond <i>Bacopa</i> present	scat/8/21287	0
27-Medicine Tank		
3 Sep Draw-down mud flat around pond Colonial Bryozoan <i>Pectinatella magnifica</i> Leidy in shallow water by dam Identification by Dr. Mike Mather, USAO	common/12/21290	scat/3/21289
28-West Gate Road, Buffalo Gap		
10 sep Draw-down mud flat around pond <i>Bacopa</i> present	0	scat/11/21303
29-Winter Valley at end of Wing Fence at Hot Trap		
10 Sep Draw-down mud flat around pond Mixed collection not discovered until laboratory observations were made.	rare/3/21304 in part*	rare/6/21304 in part*

30-Winter Valley southeast fo Road		
10 Sep Draw-down mudflat around pond <i>Bacopa</i> present	scat/2/21305	0
31-North end of Research		
10 Sep Draw-down mud flat around pond <i>Bacopa</i> present	0	scat/14/21306
32-Pond in Exhibition Pasture		
10 Sep Pond in Exhibition Pasture Draw-down mud flat	one plant/0/0	0
33 Ingram House Pond		
10 Sep Draw-down mud flat Several hundred plants <i>Bacopa</i> present	scat-loc com/19/21309	0
34-Quanah Parker		
10 Sep Near dam Draw-down mud flat Several thousand? plants	scat-loc com/54/21210	0
35-Quanah Parker		
10 Sep SE of Environmental Center Draw-down mud flat Several hundred plants	scat-loc com/7/21313	scat-loc com/25/21311
36-Elmer Thomas Lake		
10 Sep Draw-down mud flat along north shore	scat-loc abd/46/21314	0

Key to abundance descriptors

rare = fewer than 10 plants at site

scat = scattered, a few plants occurring over several square meters

common = many plants occurring over several square meters

abundant = large numbers of plants (often the local dominant plant)

loc com = many plants in a small area, but may be scattered over a large area

loc abd = large numbers of plants in small area, but may be scattered over a large area

References

- McKenzie, Paul M. 1998. Hall's Bulrush (*Schoenoplectus hallii*) Status Assessment. U.S. Fish and Wildlife Service. Columbia, MO.
- Yatskievych, George. 1999. Steyermark's Flora of Missouri, Vol 1, rev. ed. Missouri Dept. of Conservation in cooperation with the Missouri Botanical Garden Press. St. Louis, MO.

Editor's Note: Exact locations of individual sites were determined by GPS and are recorded in the WMWR database. However, that information and access to the sites is strictly limited and permission must be requested from the refuge manager.



Wichita Mountains
Wildlife Refuge,
Comanche County

Echinocerus baileyi on
Elk Mountain Trail
(photos by Sheila Strawn)

Magrath, L.K.

The Nature Conservancy's Pontatoc Ridge Preserve, Johnston County



Entrance to Pontotoc Ridge Preserve (photo by Patricia Folley)



Wildflower community on exposed limestone formation at Pontotoc Ridge Preserve
(photo by Patricia Folley)

Pontotoc Ridge Floristic Survey: 1999

transcribed with later additions

Forrest L. Johnson
Oklahoma Biological Survey

Patricia Folley (ed.)
President, Oklahoma Native Plant Society

In 1997, the Oklahoma Biological Survey and the Oklahoma Native Plant Society undertook an unusual joint project: the surveying of the plant resources of a preserve recently acquired by The Nature Conservancy. In part this was because of the deep attachment of some of the participants for this nearby and very interesting place. During the early exploration of the "Smith Ranch Site", as it was called, amateurs and interns were brought in to call out the names of plants as they walked, or in some cases, rode past in trucks. As a rapid assessment, that was probably a good thing, but it certainly wasn't scientific, and none of those names called could be verified for publication. The Biological Survey allotted the necessary manpower and equipment to conduct a survey structured after the ones being done for several military bases in the area. Frequent, disciplined visits were made to view the diverse habitats as the plants thereon developed over the course of the growing year. One or two specimens of each species was taken, processed, identified and preserved in a public herbarium for the use of future researchers. The herbarium chosen was the Robert Bebb Herbarium (OKL) at the University of Oklahoma, host institution for the Biological Survey.

2002 INTRODUCTION

Forrest Johnson of the Biological Survey, Patricia Folley of the Oklahoma Native Plant Society and a co-editor of the Flora of Oklahoma Project, and two fieldassistants, Newell McCarty and Deborah Benesh from the University of Oklahoma's Bebb Herbarium carried out the fieldwork for the Survey. Almost all processing of specimens, including identification, was done by the late Dr. Johnson. Folley made the identifications of the specimens of sedges, and Benesh and Johnson maintained the databaseand prepared labels. Eventually, over 500 specimens were mounted and placed in the herbarium.

Also included in the survey is *Plantago rugelii*, which was collected by Patricia Folley in 1993 when the site was still known as

"Smith Ranch". Since the survey Folley and others have added a few species, similarlydocumented, to those surveyed in 1997. They are identified by a later collection date in the inventory. No natural living place can ever be fully documented and there are still species known to exist in that preserve that have not yet been found in flowering or fruiting condition. It will no doubt provide interesting work for our successors.

After the original introduction was written, an infestation of *Lespedeza cuneata* (serecia lespedeza) proliferated in the old pastures and a program of removal was begun.

The research team is indebted to the kindness and assistance so generously contributed by TNC's on-site managers, Jim and Hollie Erwin.

INTRODUCTION

In the growing season (March–October) of 1997, The Nature Conservancy's Pontotoc Ridge Preserve was visited approximately every two weeks by a team of botanists from the Oklahoma Native Plant Society and the Oklahoma Biological Survey for the purpose of preparing an inventory of the plant species on the Preserve. Two to four persons on each visit examined several sites on the Preserve. The number and location of sites varied with the condition of the primitive roads on the property. When roads were muddy, we collected plants at three or four sites along the west side of the Preserve. When the roads were dry enough, we visited several widely separated sites spread over the whole property. At each collecting site members of the team walked separate paths through the area. Any plant in flower or fruit that was not on a list of the plants previously collected or which could not be positively identified was collected. Some trees and shrubs that are usually identified by their leaves, buds, etc., were collected without flowers or fruits.

Each specimen was pressed, dried, and fumigated to eliminate insects. Then they were stored in the Robert Bebb Herbarium at the University of Oklahoma. The specimens were identified with the keys and descriptions in *Flora of the Great Plains* (Great Plains Flora Association, 1986, University Press of Kansas, Lawrence) and *Keys to the Flora of Oklahoma*, (U.T. Waterfall, 1973, published by the author, Stillwater, OK), then confirmed by comparison with known specimens in the Bebb Herbarium. The specimens from Pontotoc Ridge will remain in the Bebb Herbarium and become part of its permanent collection.

Several plant names have been changed since the publication of *Keys to the Flora of Oklahoma* and *Flora of the Great Plains*. Names in our list names comply with the PLANTS online database: plants.usda.gov/plants/qurymenu.html, maintained by the U.S. Department of Agriculture, Natural Resources Conservation Service. We included

both the old and new names for a few plants that have had recent name changes. The older name is listed in brackets below the new name.

Two status and 17 habit categories are defined by the *National List of Scientific Plant Names* (1982, U.S.D.A. Soil Conservation Service Publication SCS-TP-159, Washington, D.C.) They are applied as appropriate for each species. The categories and representative symbols used to define status categories are: (N) native and (I) introduced. Habit is represented by one or more of the following: (A) annual; (B) biennial; (P) perennial; (F) herbaceous; (S) shrub; (T) tree; (G) grasslike; (H) partly woody; (W) woody; (\$) succulent; (V) vine; (Z) submersed; (E) emergent; (L) floating; (@) tree epiphyte; (+) parasitic; and (—) saprophytic. This information is determined by examining the specimens and consulting the designated floras. These symbols are combined into a convenient status/habit code for each species. For example, NPG = native perennial grasslike; NT = native tree, etc.

In the 1997 growing season, we collected 399 species in 261 genera and 79 families. About a third of the species found were in the three common Great Plains families: Asteraceae (composites); Poaceae (grasses) and Fabaceae (legumes). Only about 6 percent of the species are exotic and none of the exotic species is conspicuous or seems to present a threat to the native vegetation. No truly rare plants were found, although *Penstemon oklahomensis* (S3) and *Echinocereus riechenbachii* (S2) are present.

Based on previous experience, we are likely to have found about 80% of the total plant species present at Pontotoc Ridge. There are probably about 500 plant species in the area. Some perennial plant species do not flower every year, and some annuals vary greatly in abundance from year to year. Continued investigation will result in more species being found. Several field trips to Pontotoc Ridge are planned in 1998.

Pontotoc Ridge Floristic Survey

Acanthaceae (acanthus)			
<i>Ruellia humilis</i> Nutt.			var. <i>synchaetum</i> Gray ex C & Rose
NPF	29 May, 10 Sep 1997		31 July 1997
Low ruellia		Button snakeroot	
infrequent, prairie		common, prairie	
<i>Ruellia strepsis</i> L.		<i>Lomatium foeniculaceum</i> (Nutt.) C.&R.	var. <i>foeniculaceum</i>
NPF	29 May 1997	NPF	28 March 1997
Limestone ruellia		Wild parsley	
		common, rocky upland	
Aceraceae (maple)		<i>Osmorhiza longistylis</i> (Torr.) DC.	
<i>Acer negundo</i> L.		NPF	30 April 1997
NT	18 Jul 1997	Anise root	
Box elder		common, floodplain forest	
infrequent, floodplain forest		<i>Polytaenia nuttallii</i> (Nutt.) DC.	
Agavaceae (yucca, agave family)		NPF	14 May 1997
<i>Yucca glauca</i> Nuttall		Prairie parsley	
NS	(not yet collected)	common, prairie	
Common yucca		<i>Sanicula canadensis</i> L	
infrequent, uplands		NPF	30 April, 29 May 1997
Anacardiaceae (sumac, poison ivy)		Snakeroot	
<i>Rhus aromatica</i> Ait.		common, floodplain forest	
NS	28 Mar, 18 Jul 1997	<i>Torilis arvensis</i> (Huds.) Link	
Aromatic sumac		IAF	18 June 1997
common, rocky upland		Hedge parsley	
<i>Rhus copallina</i> L.		common, disturbed area	
NS	18 Jul 1997	<i>Trepocarpus aethusae</i> Nuttall	
Winged sumac		NAF	18 June 1997
infrequent, rocky upland		White nymph	
<i>Rhus glabra</i> L.		infrequent, rocky upland	
NS	18 Jun 1997	<i>Zizia aurea</i> (L.) Koch	
Smooth sumac		NPF	14 May 1997
common, rocky upland		Golden alexanders	
		infrequent, floodplain forest	
Apiaceae (carrot, celery, etc.)		Apocynaceae (dogbane)	
* <i>Ammoselinum popei</i> , see <i>Chaerophyllum</i>		<i>Amsonia ciliata</i> Walt.	
<i>Bifora americana</i> (DC.) Watson		NPF	10 April 1996
NAF	14 May 1997	Fringed bluestars	
Prairie bishop's weed		infrequent, rocky upland	
infrequent, rocky upland		<i>Apocynum cannabinum</i> L.	
<i>Chaerophyllum procumbens</i> (L.) Crantz		var. <i>cannabinum</i>	
NAF	15 Apr 1997	NPF	29 May 1997
Wild chervil		Indian hemp	
common, disturbed area		infrequent, prairie	
<i>Chaerophyllum taintureiri</i> Hook.		Araceae (arum)	
NAF	15 Apr, 14 May 1997	<i>Arisaema dracontium</i> (L.) Schott	
Wild chervil		NPF	(not yet collected)
common, disturbed area, mowed meadow		Green dragon	
<i>Cryptotaenia canadensis</i> (L.) DC.		infrequent, floodplain forest	
NPF	29 May 1997	Asclepiadaceae (milkweed)	
Honewort		<i>Asclepias asperula</i> (Dcne.) Woodson	
common, floodplain forest		var. <i>decumbens</i> (Nutt.) Shinners	
<i>Daucus pusillus</i> Michaux		NPF	30 Apr, 14 May 1997
NAF	18 Jun 1997	Spider antelopehorn	
Rattlesnake weed		common, rocky upland	
common, disturbed area		<i>Asclepias stenophylla</i> (Gray)	
<i>Eryngium leavenworthii</i> T. & G.		NPF	18 June 1997
NAF	10 Sep 1997	Narrowleaf milkweed	
Rattlesnake master		infrequent, prairie	
common, rocky upland			
<i>Eryngium yuccifolium</i> Michaux			

<i>Asclepias tuberosa</i> L.			<i>Aster oolentangensis</i> Riddell
NPF	18 June 1997		NPF 8 October 1997
Butterfly milkweed			Blue aster
common, prairie			infrequent, disturbed area
<i>Asclepias viridis</i> Walt.			<i>Aster patens</i> Ait.
NPF	29 May 1997		NPF 8 October 1997
Green milkweed			Spreading aster
common, prairie			infrequent, disturbed area, rocky upland
<i>Matelia biflora</i> (Raf.) Woodson			<i>Aster prealtus</i> Poir.
NPV	14 May 1997		NPF 8 October 1997
Twoflower milkvine			Willowleaf aster
infrequent, rocky upland			infrequent, disturbed area
<i>Matelia gonocarpa</i> (Walt.) Shinners			<i>Astranthium integrifolium</i> (Michx.) Nutt.
NPV	18 July 1997		NAF 15 April, 30 April 1997
Climbing milkweed			Western daisy
infrequent, disturbed area			common, disturbed area
Aspleniaceae (cliff ferns)			<i>Brickellia eupatorioides</i> (L.) Raf.
<i>Woodisia obtusa</i> (Spreng.) Torr.			NPF
NPF	29 May 1997		False snakeweed
Blunt-lobed cliff fern			uncommon, disturbed area
infrequent, Cross Timbers			<i>Centaurea americana</i> Nuttall
Asteraceae (asters, daisies, sunflowers)			NAF 18 June 1997
<i>Achillea millefolium</i> L.			Basketflower
NPF	14 May 1997		common, rocky upland
Yarrow			<i>Chaetopappa asteroides</i> Nutt. Ex DC.
common, prairie			NAF 30 April 1997
<i>Ambrosia artemisiifolia</i> L.			Least daisy
NAF	10 Sept 1997		infrequent, disturbed area
Common ragweed			<i>Chrysopsis pilosa</i> Nuttall
common, disturbed areas			NAF 31 July, 8 Oct. 1997
<i>Ambrosia bidentata</i> Michaux			Golden aster
NAF	10 Sept 1997		infrequent, disturbed area, prairie
Southern ragweed			<i>Cirsium altissimum</i> (L.) Spreng.
common disturbed area			NPF 31 July, 10 Sept 1997
<i>Ambrosia psilostachya</i> DC.			Tall thistle
NPF	8 October 1997		infrequent, prairie
Western ragweed			<i>Cirsium undulatum</i> (Nutt.) Spreng.
infrequent, disturbed areas			NAF 18 June 1997
<i>Ambrosia trifida</i> L.			Wavy-leaf thistle
NAF	20 August 1997		common, disturbed area
Giant ragweed			<i>Conyza canadensis</i> (L.) Cronq.
common, disturbed areas			NAF 20 August 1997
<i>Amphiachyris dracunculoides</i> (DC.) Shinners			Horseweed
NAF	10 Sept. 1997		common, disturbed area
Broomweed			<i>Echinacea atrorubens</i> Nuttall
infrequent, disturbed area			NPF
<i>Artemisia ludoviciana</i> Nuttall			Rose coneflower
var. <i>mexicana</i> (Willd.) Fernald			common, rocky upland
NPF	10 Sept, 8 October 1997		<i>Eclipta prostrata</i> (L.) L.
White sage, watersage			NAF 10 Sept 1997
infrequent, disturbed area, prairie			Yerba de tajo
<i>Aster drummondii</i> Lindl			infrequent, pond margin
var. <i>parviceps</i> (Shinners) A.G. Jones			<i>Elephantopus carolinianus</i> Willd.
NPF	8 October 1997		NPF 10 Sept 1997
Blue wood aster			Elephant's foot
infrequent, disturbed areas			common, floodplain forest
<i>Aster ericoides</i> L.			<i>Engelmannia pinnatifida</i> Gray ex Nutt.
NPF	8 October 1997		NAF 14 May 1997
Heath aster			Engelmann's daisy
common, disturbed area			common, rocky upland, prairie

Daisy fleabane		<i>Iva annua</i> L.
common, prairie		NAF 10 Sept 1997
<i>Erigeron philadelphicus</i> L.		Annual false ragweed, sumpweed
NAF 15 April 1997		common, disturbed area
Philadelphia fleabane		<i>Krigia caespitosa</i> (Raf.) Chambers
common, riparian		NAF 14 May 1997
<i>Eupatorium serotinum</i> Michaux		Common dwarf dandelion
NPF 20 August 1997		infrequent, prairie
Late boneset		<i>Krigia dandelion</i> (L.) Nuttall
infrequent, disturbed areas		NPF 14 May 1997
<i>Gaillardia aestivalis</i> (Walt.) Rock		Potato dandelion
NAF 10 Sept 1997		common, prairie
Summer gaillardia		<i>Lactuca ludoviciana</i> (Nutt.) DC.
infrequent, prairie		NAF 18 Jun 1997
<i>Gaillardia pulchella</i> Fouq.		Western wild lettuce
NAF 9 May, 18 June 1997		infrequent, disturbed area
Indian blankets, firewheels		<i>Liatris punctata</i> Hook.,
common, prairie, rocky upland		var. <i>nebrascana</i> Geiser
<i>Gamochaeta purpurea</i> (L.) Cabrera		NAF 10 Sept 1997
NPF 30 April 1997		Dotted gayfeather
Purple cudweed		abundant, prairie
infrequent, disturbed area		<i>Liatris pycnostachya</i> Michaux
<i>Gnaphalium obtusifolium</i> L.		NAF 31 July 1997
NPF 10 Sept 1997		Button snakeroot
Sweet everlasting		common, prairie
infrequent, prairie		<i>Liatris squarrosa</i> (L.) Michaux
<i>Helenium amarum</i> (Raf.) H. Rock		NAF 31 July 1997
NAF 18 Jun 1997		Gayfeather
Bitterweed		common, prairie
common, disturbed area		<i>Lindheimera texana</i> Gray & Engelm.
<i>Helianthus annuus</i> L.		NAF 30 April, 11 June 1997
NAF 18 July 1997		Texas yellow star
Common sunflower		infrequent, rocky upland, prairie
infrequent, disturbed area		<i>Marshallia caespitosa</i> Nutt. Ex DC.
<i>Helianthus hirsutus</i> Raf.		NAF 14 May, 18 June 1997
NPF 18 July 1997		Barbara's buttons
Hairy or rough sunflower		infrequent, prairie, rocky upland
infrequent, disturbed area		<i>Pluchea odorata</i> (L.) Cass.
<i>Helianthus mollis</i> Lam.		NAF 8 October 1997
NPF 31 July 1997		Purple camphorweed
Ashy or soft sunflower		common, pond margin
common, prairie		<i>Prionopsis ciliata</i> Nuttall
<i>Heliopsis helianthoides</i> (L.) Sweet		NAF 10 Sep 1997
NPF 31 July 1997		Wax goldenweed
False sunflower		infrequent, disturbed area
common, floodplain forest		<i>Pyrrhopappus grandiflorus</i> Nuttall
<i>Heterotheca latifolia</i> Buckl.		NAF 30 April 1997
NPF 10 Sept 1997		False dandelion
Golden aster		common, disturbed area
common, prairie		<i>Pyrrhopappus pauciflorus</i> DC.
<i>Hieracium longipilum</i> Torrey		NAF 14 May 1997
NPF 19 Sept 1997		Geiser's false dandelion
Longbeard hawkweed		common, prairie
infrequent, prairie		<i>Ratibida columnifera</i> Woot. & Standl.
<i>Hymenopappus scabieoseus</i> L'Her.		NAF 18 June 1997
NPF 14 May 1997		Yellow coneflower
Old plainsmen		common, disturbed area
common, rocky upland		<i>Rudbeckia hirta</i> L.
<i>Hymenoxys linearifolia</i> Hook.		NABPF 18 June 1997
NAF 15 April – 15 May 1997		Blackeyed Susan
Narrowleaf hymenoxys		common, disturbed area

Rudbeckia missouriensis Engelm.			
NPF	31 July 1997		28 March, 18 June 1997
Missouri coneflower		Narrowleaf puccoon	
common, prairie		infrequent, rocky upland	
Rudbeckia triloba L.		Myosotis macrosperma Engelmann	
NPF	31 July 1997	NPF	30 April 1997
Brown-eyed Susan		Spring forget-me-not	
infrequent, floodplain forest		common, disturbed area	
Senecio plattensis Nuttall		Myosotis verna Nuttall	
NPF	28 March 1997	NAF	15 April 1997
Prairie groundsel		Early scorpiongrass	
common, Cross timbers, floodplain		common, disturbed area	
Silphium laciniatum L.			
NPF	31 July 1997		
Compass plant		Brassicaceae (mustard family)	
common, prairie		Capsella bursa-pastoris (L.) Medik	
Solidago arguta Ait.		IAF	30 April 1997
NPF	31 July 1997	Shepherd's purse	
Boott's woodland goldenrod		infrequent, disturbed area	
infrequent, floodplain forest		Draba brachycarpa Nutt. Ex T.&G.	
Solidago canadensis L.		NAF	28 Feb. 1997
var. <i>Glycanescens</i> Rydb.		Whitlow	
NPF	8 October 1997	infrequent, mowed meadow	
Prairie goldenrod		Draba cuneifolia Nutt. Ex T. & G. Whitlow	
common, rocky upland		NAF	28 March 1997
Solidago nemoralis Ait.		infrequent, disturbed area	
NPF	10 Sept. 1997	Lepidium densiflorum Schrad.	
Oldfield goldenrod		IAF	30 April 1997
infrequent, prairie		Peppergrass	
Solidago rigida L.		common, disturbed area	
NPF	19 Sept. 1997	Lepidium virginicum L.	
Stiff prairie goldenrod		NAF	30 April 1997
infrequent, prairie		Virginia peppergrass	
Thelesperma filifolia (Hook.) Gray		infrequent, disturbed area	
NPF	29 May 1997	Lesquerella gracilis (Hook.) Wats.	
Greenthread		var. <i>repandum</i> (Nutt.) Payson	
common, prairie		NAF	15 April 1997
Verbesina virginica L.		Spreading bladderpod	
NPF	28 Sept 1999	common, disturbed area	
Virginia crownbeard		Lesquerella ovalifolia Rydb.	
uncommon, floodplain forest		var. <i>alba</i> Goodman	
Vernonia baldwinii Torrey		NPF	15 April 1997
NPF	31 July 1997	Oval-leaf or white bladderpod	
Western ironweed		abundant, rocky upland	
common, prairie		Rorippa nasturtium-aquaticum (L.) Hayek	
Xanthium strumarium L.		IAE	15 April 1997
NAF	10 Sept. 1997	Water cress	
Cocklebur		common, aquatic	
common, pond margin			
Berberidaceae (barberry family)			
Podophyllum peltatum L.		Cactaceae (Cactus family)	
NPF	10 Apr 1996, 15 April 1997	Echinocereus riechenbachii	
Mayapple		(Tersch.) Hogue	
abundant, Cross timbers		NP\$	12 May 2001
Boraginaceae (borage, heliotrope family)		Lace or pincushion cactus	
Heliotropium tenellum (Nutt.) Torrey		infrequent, rocky upland	
NAF	18 June, 31 July 1997	Opuntia engelmannii Salm-Dyck	
Pasture heliotrope		var. <i>lindheimeri</i> (Engl.) Parfit. & Pink.	
infrequent, prairie, rocky upland		NP\$	11 June 1997
Lithospermum incisum Lehm.		Texas or limestone prickly-pear	
		infrequent, rocky upland	
Callitrichaceae (waterweed family)			
Callitriche heterophylla Pursh			
NZF	14 May 1997		

Water starwort common, aquatic	Nits-and-lice infrequent, rocky upland
Campanulaceae (bellflower family)	Hypericum sphaerocarpon Michx.
<i>Lobelia appendiculata</i> DC. NPF 29 May 1997	NPF 18 June 1997 Roundfruit St. John's Wort
Earflower lobelia common, prairie	infrequent, rocky upland
<i>Lobelia siphilitica</i> L. var. <i>ludoviciana</i> DC. NPF 10 Sept. 1997	
Blue cardinal flower uncommon, seeps	
<i>Triodanis leptocarpa</i> (Nutt.) Niew. NAF 29 May 1997	
Western Venus' looking-glass common, prairie	
<i>Triodanis perfoliata</i> (L.) Niew. NAF 14 May 1997	
Venus' looking glass infrequent, prairie	
Caprifoliaceae (honeysuckle family)	
<i>Symporicarpus orbiculatus</i> Moensch NS (in fruit) 10 Sept. 1997	
Coralberry, buckbrush common, cross timbers	
<i>Viburnum rufidulum</i> Raf. NST 15 April 1997	
Rusty blackhaw infrequent, cross timbers	
Caryophyllaceae (Pink, carnation family)	
<i>Arenaria patula</i> Michaux NAF 28 March, 30 April 1997	
Sandwort infrequent, rocky upland	
<i>Arenaria stricta</i> Michx., var. <i>texana</i> Rydberg NAF 30 April, 29 May 1997	
rock sandwort common, rocky upland	
<i>Paronychia jamesii</i> T. & G. NPF 20 August 1997	
James' nailwort common, rocky upland	
Celastraceae (bittersweet family)	
<i>Celastrus scandens</i> L. NWV (in fruit) 8 October 1997	
Climbing bittersweet infrequent, disturbed area	
Cistaceae (pinweed family)	
<i>Lechea villosa</i> Raf. NPF 20 August 1997	
Pinweed infrequent, disturbed area	
Clusiaceae (St. John's Wort family)	
<i>Hypericum drummondii</i> T. & G. NAF 20 August 1997	
Nits-and-lice infrequent, rocky upland	
Commelinaceae (spiderwort & dayflower family)	
<i>Tradescantia ohiensis</i> Raf. NPF 14 May 1997	
Ohio spiderwort infrequent, prairie	
<i>Tradescantia tharpii</i> Anders & Woods NPF 30 April 1997	
Tharp's spiderwort common, rocky upland	
Convolvulaceae (morning glory family)	
<i>Convolvulus equitans</i> Benth. NAVF 29 May, 18 June 1997	
Texas bindweed common, disturbed area	
<i>Evolvulus nuttallianus</i> R. & S. NPF 30 April 1997	
Hairy evolvulus infrequent, rocky upland	
Cornaceae (dogwood family)	
<i>Cornus drummondii</i> Meyer NS 14 May 1997	
Rough-leaf dogwood common, rocky upland	
<i>Cornus florida</i> L. NT 15 April 1997	
Flowering dogwood infrequent, cross-timbers	
Crassulaceae (stonecrop family)	
<i>Sedum nuttallianum</i> Rf. NAF 29 May 1997	
Yellow stonecrop infrequent, seep	
<i>Sedum pulchellum</i> Michaux NAF 14 May 1997	
Pink stonecrop, widow's cross infrequent, wet meadow	
Cyperaceae (sedge family)	
<i>Carex festucacea</i> Schkuhr NPG 30 April 1997	
None infrequent, disturbed area	
<i>Carex flaccosperma</i> Dewey NPG None infrequent, floodplain forest	
<i>Carex frankii</i> Kunth NPG 29 May to 31 July 1997	
None common, floodplain forest	
<i>Carex gravida</i> Bailey NPG 15 April 1997	

<i>Heavy sedge</i>		<i>Scleria pauciflora</i> Michx. Ex Willd.
common, rocky upland		31 July 1997
<i>Carex hirsutella</i> Mackenzie		
NPG		
Hairy sedge		
common, disturbed area		
<i>Carex leavenworthii</i> Dewey		Ebenaceae (Ebony family)
NPG	30 April 1997	<i>Diospyros virginiana</i> L.
None		NT
infrequent, disturbed area		29 May 1997
<i>Carex retroflexa</i> Muhlenberg		Persimmon
NPG		infrequent, crosstimmers
None		
common, rocky ground		
<i>Carex vulpinoidea</i> Michaux		Euphorbiaceae (spurge family)
NPG	30 April 1997	<i>Acalypha gracilens</i> Gray
None		NAF
infrequent, aquatic		18 July 1997
<i>Cyperus filiculmis</i> Vahl		Three-seeded mercury
NPG	18 June 1997	infrequent, rocky upland
Slender flatsedge		<i>Argythamnia mercurialina</i> Muell.
common, prairie		NPF
<i>Cyperus odoratus</i> L.		11 June 1997
NAG	10 Sept. 1997	Wild mercury
Fragrant flatsedge		infrequent, forest margin
infrequent, pond margin		<i>Chamaesyce missurica</i> (Raf.) Shinners
<i>Cyperus ovularis</i> (Michaux) Torrey		NAF
NPG	18 June 1997	20 August 1997
Globe flatsedge		[<i>Euphorbia missurica</i> Lag.]
common, disturbed area		Missouri spurge
<i>Eleocharis compressa</i> Sulliv.		common, disturbed areas
NPG	14 May 1997	<i>Chamaesyce nutans</i> Lag.) Small
Weakstem spikerush		NAF
common, riparian		20 Aug. – 10 Sept. 1997
<i>Eleocharis engelmannii</i> Steudel		[<i>Euphorbia nutans</i> Lag.]
NPG	10 Sept 1997	Eyebane
Engelmann's spikerush		common, disturbed areas
common, pond margin		<i>Croton capitatus</i> Michaux
<i>Eleocharis parvula</i> (R.&S.) Link		NAF
NAG	10 Sept. 1997	10 Sept. 1997
Dwarf spikesedge		Wooly croton
common, pond margin		common, disturbed area
<i>Fimbristylis puberula</i> (Michx) Vahl		<i>Croton monanthogynus</i> Michaux
NPG	30 April 1997	NAF
None		18 July – 20 Aug. 1997
infrequent, rocky upland		One-seed croton
<i>Fuirena simplex</i> Vahl		common, disturbed area
NPG	31 July 1997	<i>Euphorbia corollata</i> L.
Umbrella sedge		NAF
common, seep		10 Sept. 1997
<i>Rhynchospora nivea</i> Boeckl.		Flowering spurge
NPG	8 Oct 1998	infrequent, prairie
White-top sedge		<i>Euphorbia dentata</i> Michaux
infrequent, seep		NAF
<i>Scirpus koilolepis</i> (Steud.) Gleason		18 July 1997
NAG		Toothed spurge
None		infrequent, rocky upland
common, pond margin		<i>Euphorbia hexagona</i> Nuttall
<i>Scirpus pendulus</i> Muhelenberg		NAF
NPG	31 July 1997	8 October 1996
None		6-angle spurge
common, floodplain forest		infrequent, rocky upland

<i>Tragia ramosa</i> Torrey		NPF	10 Sept. 1997
NPF	29 May 1997	Panicled tickclover	
Nettle-leaf, noseburn		common, floodplain forest	
common, prairie		<i>Gleditsia triacanthos</i> L.	
Fabaceae (legume, bean and pea family)		NT	31 July 1997
[includes Caesalpinaeae and Mimosaceae]		Honey locust	
<i>Albizia julibrissin</i> Durazz.		common, mowed meadow	
IT	18 July 1997	<i>Lespedeza cuneata</i> G. Don	
Mimosa		IPF	20 August 1997
infrequent, disturbed area		Sericea lespedeza	
<i>Amorpha canescens</i> Pursh		common, disturbed area	
NS	31 July 1997	<i>Lespedeza stipulacea</i> Maxim.	
Leadplant		IAF	20 August, 1997
infrequent, prairie		Korean clover	
<i>Amorpha fruticosa</i> L.		common, disturbed area	
NS	10 Sept. 1997	<i>Lespedeza stuevei</i> Nuttall	
False indigo		NPF	10 Sept 1997
common, pond margin		Stueve's lespedeza	
<i>Astragalus nuttallianus</i> DC.		common, prairie	
NAF	30 April 1997	<i>Mimosa nuttallii</i> (DC.) B.L. Turner	
Nuttall's milkvetch		NWV	14 May 1997
infrequent, rocky upland		[<i>Schrankia nuttalii</i> DC.]	
<i>Baptisia australis</i> (L.) R. Br.		Sensitive brier	
NPF	30 April 1997	common, rocky upland	
Blue wild indigo		<i>Pediomelum cuspidatum</i> (Pursh)	
common, rocky upland		NPF	14 May 1997
<i>Cercis canadensis</i> L.		Rydb.	
NT	13-28 March, 1997	[<i>Psoralea cuspidata</i> Pursh]	
Redbud		Tallbread scurfpea	
common, Crosstimbers, rocky upland		infrequent, rocky upland	
<i>Chamaecrista fasciculata</i> (Michx.)		<i>Pediomelum esculentum</i> (Pursh)	
NAF	18 July 1997	NPF	14 May 1997
Greene Partridge pea		Rydb.	
frequent, disturbed area, prairie		[<i>Psoralea esculenta</i> Pursh]	
<i>Dalea aurea</i> Nuttall ex Pursh		Prairie turnip	
NPF	18 July 1997	common, rocky upland	
Golden prairie clover		<i>Psoralidium tenuifolium</i> (Pursh) Rydb.	
infrequent, rocky upland		NPF	14 – 29 May 1997
<i>Dalea candida</i> Willdenow		[<i>Psoralea tenuifolia</i> Pursh]	
NPF	18 June 1997	Wild alfalfa	
White prairie clover		common, prairie, rocky upland	
common, rocky upland		<i>Stylosanthes biflora</i> (L.) B.S.P.	
<i>Dalea enneandra</i> Nuttall		NPF	31 July 1997
NPF	31 July 1997	Pencil flower	
Nine-anther prairieclover		infrequent, prairie	
infrequent, prairie		<i>Tephrosia virginica</i> (L.) Pers.	
<i>Dalea purpurea</i> Vent.		NPF	31 July 1997
NPF	18 June 1997	Goat's rue	
Purple prairieclover		infrequent, prairie	
common, rocky upland		<i>Trifolium dubium</i> Sibth.	
<i>Desmanthus illinoensis</i> (Michx.)		IAF	15 – 30 April 1997
NPF	18 July 1997	Small hop-clover	
MacM.		common, mowed meadow	
Bundleflower		<i>Trifolim repens</i> L.	
common, disturbed area		IPF	30 April 1997
<i>Desmodium glutinosum</i> (Muhl.) Wood		White clover	
NPF	18 June 1997	common, disturbed area	
Large-flowered tickclover		<i>Vicia sativa</i> L.	
common, floodplain forest		IAF	15 April 1997
<i>Desmodium paniculatum</i> (L.) DC.		Common vetch	
		common, disturbed area	

Fagaceae (oak, beech, chestnut family)

<i>Quercus macrocarpa</i> Michaux	
NT	18 July 1997
Burr oak	
infrequent, floodplain forest	
<i>Quercus marilandica</i> Muench.	
NT	18 July 1997
Blackjack	
common, crosstimbers	
<i>Quercus muehlenbergii</i> Engelm.	
NT	14 May 1997
Chinquapin oak	
common, floodplain forest	
<i>Quercus stellata</i> Wang.	
NT	18 July 1997
Post oak	
dominant, crosstimbers	
<i>Quercus velutina</i> Lam.	
NT	8 October 1997
Black oak	
infrequent, crosstimbers	

Gentianaceae (gentian family)

<i>Sabatia campestris</i> Nuttall	
NAF	11 June 1997
Prairie rose, pink gentian	
infrequent, prairie	

Geraniaceae (geranium family)

<i>Geranium carolinianum</i> L.	
NAF	30 April 1997
Carolina crane'sbill	
infrequent, disturbed area	

Grossulariaceae (gooseberry family)

<i>Ribes aureum</i> Pursh	
NS	30 April 1997
Golden or buffalo current	
infrequent, rocky upland	

Iridaceae (iris family)

<i>Nemastylis geminiflora</i> Nuttall	
NPF	30 April 1997
Prairie iris	
<i>Sisyrinchium angustifolium</i> Miller	
NPF	30 April 1997
Blue-eyed grass	
infrequent, mowed meadow	
<i>Sisyrinchium campestre</i> Bicknell	
NPF	15 April 1997
Prairie blue-eyed grass	
infrequent, rocky upland	

Juglandaceae (walnuts, hickory family)

<i>Carya cordiformis</i> (Wang.) Koch	
NT	18 July 1997
Bitternut hickory	
infrequent, floodplain forest	
<i>Carya illinoensis</i> (Wang.) Koch	
NT	31 July 1997
Pecan	

common, ravine

<i>Carya texana</i> Buckley	
NT	18 July 1997
Black hickory	
infrequent, crosstimbers	
<i>Juglans nigra</i> L.	
NT	31 July 1997
Black walnut	
common, floodplain forest	

Juncaceae (rush family)

<i>Juncus brachycarpus</i> Engelmann	
NPG	18 June 1997
Whiteroot rush	
common, disturbed area	
<i>Juncus marginatus</i> Rostk.	
NPG	18 June 1997
Grassleaf rush	
infrequent, prairie	
<i>Juncus tenuis</i> Willdenow	
NPG	18 June 1997
Slender rush	
common, disturbed area	
<i>Juncus validus</i> Coville	
NPG	31 July 1997
Bulrush	
common, seep	

Krameriaceae (ratany family)

<i>Krameria lanceolata</i> Torrey	
NPF	29 May 1997
Trailing ratany	
infrequent, prairie	

Lamiaceae (mint family)

<i>Hedeoma drummondii</i> Benth.	
NPF	20 August 1997
False pennyroyal	
common, disturbed area, rocky upland	
<i>Mondarda citriodora</i> Cerv. Ex Lagasca	
NAF	29 May 1997
Lemon bee balm	
infrequent, prairie	
<i>Monarda fistulosa</i> L.	
NPF	22 June 1997
Wild bergamot	
infrequent, mowed meadow	
<i>Prunella vulgaris</i> L.	
NPF	29 May – 31 July 1997
Heal-all	
common, floodplain forest	
<i>Pycnanthemum tenuifolium</i> Schrad.	
NPF	10 Sept. 1997
Narrowleaf mountain mint	
common, prairie	
<i>Salvia azurea</i> Lam.	
NPF	10 Sept. 1997
Blue sage	
common, prairie	
<i>Satureja calamintha</i> (L.) Scheele	
NPF	14-29 May 1997
Ozark savory	
abundant, prairie, rocky upland	

Scutellaria parvula Michaux		Callirhoe alcaeoides (Michx.) Gray
NPF	30 April – 29 May 1997	NPF 30 April 1997
Small skullcap		Pink poppy mallow
infrequent, prairie, rocky upland		infrequent, disturbed area
Teucrium canadense L.		Callirhoe digitata Nuttall
NPF	31 July 1997	var. <i>stipulata</i> Waterfall
American germander		ssp <i>glabrescens</i> (Kuntze) Raven
common, seep		NPF 29 May 1997
Trichostema brachiatum L.		Fringed poppy mallow
NAF	20 August 1997	infrequent, prairie
Blue curls		Callirhoe involucrata (Nutt.) Gray
infrequent, rocky upland		NPF 29 May 1997
Lemnaceae (duckweed family)		Winecup, cowboy rose
Wolffia columbiana Karst		common, prairie
NPL	8 October 1997	Sida procumbens Sw.
Watermeal		NPF 31 July – 10 Sept. 1997
common, aquatic		Spreading sida
Liliaceae (lily family)		common, rocky upland
Allium canadense L.		Menispermaceae (moonseed family)
NPF	30 April 1997	Cocculus carolinus (L.) DC.
Wild onion/garlic		NWV 29 May 1997
common, rocky upland		Carolina snailseed
Allium drummondii Regel		infrequent, floodplain forest
NPF	15 April 1997	Moraceae (mulberry, fig family)
Drummond's wild onion		Maclura pomifera (Raf.) Schneider
common, rocky upland		NT 14 May 1997
Allium stellatum Nuttal		Bois d'arc, osage orange
NPF	8 October 1997	common, rocky upland
Autumn wild onion		Morus rubra L.
common, rocky upland		NT 31 July 1997
Androstephium coeruleum (Scheele) Torr.		Red mulberry
NPF	28 March 1997	common, floodplain forest
Blue funnel lily		Oleaceae (olive, privet, ash family)
common, rocky upland		Forestiera pubescens Nuttall
Camassia scilloides (Raf.) Cory		NS 28 Feb – 13 Mar 1997
NPF	14 May 1997	Elbowbush
Eastern camass		abundant, rocky upland
infrequent, rocky upland		Fraxinus americana L., var. Americana
Cooperia drummondii Herb.		NT 30 April 1997
NPF	10 Sept 1997	White ash
Rain lily		infrequent, rocky upland
infrequent, disturbed area		Fraxinus pennsylvanica Marsh.
Erythronium albidum Nuttall		NT 31 July 1997
NPF	13 March 1997	Green ash
White dogtooth violet, fawn lily		common, floodplain forest
common, rocky upland		Ligustrum sinense Lour.
Lythraceae (loosestrife family)		IS 29 May 1997
Lythrum alatum Pursh		Privet
var. <i>lanceolatum</i> (Ell.) T. & G		infrequent, disturbed area
NPF	31 July – 10 Sept. 1997	Onagraceae (evening primrose family)
Tall loosestrife		Calylophus serrulatus (Nutt.) Raven
infrequent, wet prairie		NPF 14, 29 May 1997
Rotala ramosior (L.) Koehne		Sundrops, plains yellow primrose
var. <i>interior</i> Fern. & Griseb.		common, prairie, rocky upland
NAF	10 Sept. 1997	Gaura longiflora Spach.
Toothcup		NAF 20 Aug, 10 Sept. 1997
common, pond margin		Common, prairie
Malvaceae (mallow, hibiscus, cotton family)		Gaura parviflora Dougl. Ex Lehm

NAF	31 July 1997	Oxalidaceae (oxalis family)
Velvety gaura		<i>Oxalis corniculata</i> L.
common, disturbed area		NPF 30 April 1997
<i>Gaura suffulta</i> Engelm. Ex Gray		Yellow wood-sorrel
NAF	14 May – 18 Jun 1997	common, disturbed area
Beeblossom		<i>Oxalis volacea</i> L.
common, rocky upland, prairie		NPF 15 April 1997
<i>Ludwigia peploides</i> (H.B.K.) Raven		Violet wood-sorrel
NAE	31 July – 10 Sept. 1997	common, floodplain forest
Water primrose, water pennies		
common pond margin		
<i>Oenothera linifolia</i> Nuttall		
NAF	14 May 1997	Passifloraceae (passionflower family)
Flax-leaf evening primrose		<i>Passiflora incarnata</i> L.
common, rocky upland, prairie		NPF 2 August 2001
<i>Oenothera macrocarpa</i> Nuttall		Blue passionflower
NPF	14 May 1997	infrequent, prairie
Large-fruited evening primrose		<i>Passiflora lutea</i> L.
infrequent, rocky upland		NPF (not yet found, but predicted)
<i>Oenothera speciosa</i> Nuttall		Yellow passionvine
NPF	29 May 1997	infrequent, floodplain forest
Showy evening primrose		
common, prairie		
<i>Stenosiphon linifolius</i> (Nutt.) Heynh.		Phytolaccaceae (pokeweed family)
NPF	10 Sept. 1997	<i>Phytolacca americana</i> L.
Stenosiphon		NPF 18 June 1997
common, prairie		Pokeweed
		infrequent, disturbed area
Ophioglossaceae (grape fern, adder's-tongue family)		Plantaginaceae (plantain family)
<i>Botrychium virginicum</i> (L.) Sw.		<i>Plantago aristata</i> Michaux
NPF	15 April – 29 May 1997	NAF 29 May 1997
Virginia grape-fern		Bottlebrush plantain
common, crosstimers		infrequent, prairie
<i>Ophioglossum engelmannii</i> Prandtl		<i>Plantago lanceolata</i> L.
NPF	30 April 1997	IPF 29 May 1997
Limestone adder's tongue		English plantain
common, rocky upland		infrequent, prairie
Orchidaceae (orchid family)		<i>Plantago patagonica</i> Jacq.
<i>Spiranthes cernua</i> (L.) L.C. Rich.		NAF 29 May 1997
NPF	8 October 1997	Wooly plantain
Nodding ladies'-tresses		infrequent, prairie
infrequent, rocky upland		<i>Plantago pusilla</i> Nuttall
<i>Spiranthes lacera</i> Raffinesque		NAF April 1999
NPF	10 Sept. 1997	Dwarf plantain
Slender ladies'-tresses		infrequent, disturbed area
infrequent, prairie		<i>Plantago rugelii</i> Dcne.
<i>Spiranthes magnicamporum</i> Sheviak		NPF 16 July 1993
NPF		Blackseed plantain
Great plains ladies'-tresses		infrequent, prairie
infrequent, seep		<i>Plantago virginica</i> L.
<i>Spiranthes ovalis</i> Lindl.		NAF 29 May 1997
NPF		Paleseed plantain
October ladies'-tresses		common, prairie
infrequent, prairie		
Orobanchaceae (broomrape family)		Platanaceae (sycamore family)
<i>Orobanche uniflora</i> L.		<i>Platanus occidentalis</i> L.
NPF(<i>one, no voucher</i>)	29 April 2000	NT 31 July 1997
One-flowered broomrape		Sycamore
infrequent, floodplain forest		common, floodplain forest
		Poaceae (grass family)
		<i>Agrostis hyemalis</i> (Walt.) B.S.P.
		NPG 29 May 1997
		Ticklegrass

common, prairie		
<i>Aira elegansissima</i> Schur.		
IAG	14 May 1997	
Hairgrass		
infrequent, rocky upland		
<i>Andropogon gerardii</i> Vitman		
NPG	20 August 1997	
Big bluestem		
infrequent, rocky upland		
<i>Aristida dichotoma</i> Michaux		
NAG	8 October 1997	
Churchmouse threeawn		
infrequent, disturbed area		
<i>Aristida oligantha</i> Michaux		
NAG	10 Sept. 1997	
Oldfield threeawn		
common, disturbed area		
<i>Aristida purpurea</i> Nuttall		
NPG	14 May 1997	
Purple threeawn		
common, rocky upland		
<i>Bothriochloa saccharoides</i> (Sw) Rydb		
NPG	18 June 1997	
Silvertop bluestem		
common, disturbed area		
<i>Buteloua curtipendula</i> (Michx.) Torrey		
NPG	18 July 1997	
Sideoats grama		
infrequent, rocky upland		
<i>Bouteloua hirsuta</i> Lag.		
NPG	20 August 1997	
Hairy grama		
common, rocky upland		
<i>Bouteloua pectinata</i> Featherly		
NPG	20 August 1997	
Tall grama		
common, rocky upland, prairie		
<i>Bromus catharticus</i> Vahl		
IAG	30 April 1997	
Rescue grass		
infrequent, rocky upland, disturbed area		
<i>Bromus pubescens</i> Muhl. Ex Willd.		
NPG	14 May 1997	
Canada brome		
common, floodplain forest		
<i>Buchloe dactyloides</i> (Nutt.) Engelm		
NPG	14 May 1997	
Buffalo grass		
infrequent, prairie		
<i>Chasmanthium latifolium</i> (Michx) Yates		
NAG	18 July – 10 Sept. 1997	
Inland sea oats		
common, floodplain forest, Crosstimbers		
<i>Coelorachis cylindrica</i> (Michx.) Nash		
NPG	29 May, 18 June 1997	
Mousetail		
common, disturbed area, prairie		
<i>Cynodon dactylon</i> (L.) Pers.		
IPG	29 May 1997	
Bermuda grass		
common, disturbed area		
<i>Dactylis glomerata</i> L.		
IPG	30 April - 29 May 1997	
Orchard grass		
common, disturbed area		
<i>Dicanthelium acuminatum</i> (Sw.) Gould & Clark		
NPG	29 May & 10 Sept. 1997	
Early panicum		
common, disturbed area, prairie		
<i>Dicanthelium boscii</i> (Poir.) Gould & Clark		
NPG	14 May 1997	
Bosc's panic		
common, floodplain forest		
<i>Dicanthelium oligosanthes</i> Schult.) Gould var. <i>oligosanthes</i>		
NPG	14 – 29 May 1997	
Small panicgrass		
infrequent, disturbed area, rocky upland, prairie		
<i>Dicanthelium sphaerocarpum</i> (Ell.) Gould		
NPG	14 May 1997	
Leafy panicum		
common, prairie		
<i>Digitata cognata</i> (Schult.) Pilger		
NPG	10 Sept. 1997	
[<i>Leptoloma cognatum</i> (Schult.) Chase]		
Fall witchgrass		
common, floodplain forest		
<i>Echinochloa crusgalli</i> (L.) Beauv.		
IAG	20 Aug – 10 Sept. 1997	
Barnyard grass		
infrequent, pond margin		
<i>Eleusine indica</i> (L.) Gaertn.		
IAG	18 July 1997	
Goosegrass		
infrequent, disturbed area		
<i>Elymus virginicus</i> L.		
NPG	18 June 1997	
Virginia wild rye		
common, disturbed area		
<i>Erioneuron pilosum</i> (Buckl.) Nash		
NPG	30 April 1997	
Hairy tridens		
infrequent, disturbed area		
<i>Festuca arundinacea</i> Schreb.		
IPG	30 April – 14 May 1997	
Meadow fescue		
infrequent, disturbed area, floodplain forest		
<i>Hordeum pusillum</i> Nuttall		
NAG	29 May 1997	
Little barley		
infrequent, disturbed area		
<i>Koeleria macrantha</i> (Ledeb.) J.A. Schultes		
NPG	14 May 1997	
Junegrass		
infrequent, rocky upland		
<i>Leptochloa fusca</i> (L.) Kunth		
NPG	10 Sept. 1997	
Bearded sprangletop		
infrequent, pond margin		
<i>Lolium perenne</i> L.		
IPG	29 May 1997	
Perennial ryegrass		

common, prairie		infrequent, disturbed area	
<i>Muhelbergia reverchonii</i> Vasey & Scrib.		<i>Sporobolus vaginiflorus</i> (T.ex G.) Wood	
NPG	20 Aug 1999	NAG	10 Sept. 1997
Seep muhly		Poverty dropseed	
infrequent, rocky upland		common, disturbed area	
<i>Muhlenbergia schreberei</i> J.F. Gmel.		<i>Tridens flavus</i> (L.) Hitchcock	
NPG		NPG	31 July 1997
Nimblewill		Purpletop	
infrequent, floodplain forest		common, floodplain forest	
<i>Nassella leucotricha</i> (T.& R.) Barkw.		<i>Tridens strictus</i> (Nutt.) Nash	
NPG	14 May 1997	NPG	10 Sept. 1997
[<i>Stipa leucotricha</i>] Trin & Rupr.]		Longspike tridens	
Texas wintergrass		infrequent, pond margin	
common, prairie		<i>Tripsacum dactyloides</i> L.	
<i>Panicum anceps</i> Michaux		NPG	18 June 1997
NPG	31 July 1997	Gama grass	
Beaked panic		infrequent, prairie	
common, floodplain forest		<i>Vulpia octoflora</i> (Walt.) Rydb.	
<i>Panicum capillare</i> L.		IAG	8 October 1997
NAG	18 July 1997	Poverty grass	
Witchgrass		common, disturbed area	
infrequent, rocky upland			
<i>Panicum virgatum</i> L.		Polygalaceae (milkwort family)	
NPG	10 Sept. 1997	<i>Polygala incarnata</i> L.	
Switchgrass		NAF	31 July 1997
common, prairie		Pink milkwort	
<i>Paspalum dilatatum</i> Poir.		infrequent, prairie	
IPG	18 June 1997		
Dallis grass		Polygonaceae (buckwheat, knotweed family)	
common, disturbed area		<i>Eriogonum longifolium</i> Nuttall	
<i>Phalaris caroliniana</i> Walt.		NPF	20 August – 8 Oct. 1997
NAG	14 May 1997	Longleaf buckwheat	
Maygrass		common, rocky upland, prairie	
infrequent, prairie		<i>Polygonum hydropiperoides</i> Michx.	
<i>Poa annua</i> L.		NPF	8 October 1997
IAG	15 April 1997	Mild water-pepper	
Annual bluegrass		infrequent, pond margin	
common, disturbed area		<i>Polygonum lapathifolium</i> L.	
<i>Poa pratensis</i> L.		NAF	10 Sept. 1997
IPG	30 April 1997	Pale smartweed	
Kentucky bluegrass		infrequent, pond margin	
common, disturbed area		<i>Polygonum persicaria</i> L.	
<i>Schizachyrium scoparium</i> (Michx.) Nash		NAF	20 August 1997
NPG	20 August 1997	Lady's thumb	
Little bluestem		common, disturbed area	
common, rocky upland		<i>Polygonum punctatum</i> L.	
<i>Setaria geniculata</i> (Lam.) Beauv.		NAF	20 August 1997
NPG	18 June – 30 July 1997	Water smartweed	
Knotroot foxtail		infrequent, pond margin	
common, disturbed area		<i>Rumex crispus</i> L.	
<i>Sorghastrum nutans</i> (L.) Nash		IPF	29 May 1997
NPG	10 Sept. 1999	Curly dock	
Indiangrass		common, riparian	
infrequent, prairie		<i>Rumex hastatus</i> Baldw.	
<i>Sorghum halapense</i> (L.) Pers.		NAF	18 June 1997
IPG	18 June 1997	Heartwing sorrel	
Johnson grass		common, disturbed area	
common, disturbed area			
<i>Sporobolus compositus</i> (Poir) Merr.		Portulacaceae (portulaca family)	
[<i>Sporobolus asper</i> (Michx.) Kunth		<i>Claytonia virginica</i> L.	
NAG	28 Sept. 1999	NPF	28 March 1997
Dropseed		Spring beauty	
		common, rocky upland	

Primulaceae (primrose family)

Dodecatheon meadia L.

var. <i>brachycarpa</i> (Small) Fassett	
NPF	30 April 1997, 16 July 1993
Shooting star	
common, rocky upland	
<i>Samolus parviflorus</i> Raf	
NAEF	14 May 1997
Smallflower brookweed	
common, aquatic	

Pteridaceae (bracken fern)

<i>Pellaea atropurpurea</i> (L.) Link.	
NPF	29 May 1997
Purple cliff brake	

Ranunculaceae (buttercup, larkspur family)

<i>Anemone berlandieri</i> Pritz	
NPF	28 March, 14 May 1997
Ten-petal windflower	
infrequent, rocky upland, prairie	
<i>Delphinium carolinianum</i> Walt	
NPF	14 - 29 May 1997
Ssp. <i>Virescens</i> (Nutt.) Brooks	
Plains larkspur	
common, prairie	
<i>Ranunculus hispidus</i> Michaux	
NPF	30 April 1997
Bristly buttercup	
infrequent, disturbed area	

Rhamnaceae (buckthorn family)

<i>Berchemia scandens</i> (Hill) K. Koch	
NWV	14 May 1997
Rattan vine	
common, disturbed area, forest edges	
<i>Ceanothus herbaceus</i> Raffinesque	
NS	30 April 1997
New Jersey tea	
infrequent, rocky upland	
<i>Frangula caroliniana</i> (Walt.) Gray	
NT	29 May 1997
[<i>Rhamnus caroliniana</i> Walt.]	
Indian cherry	
common, rocky upland, Crosstimbers, forest	

Rosaceae (rose family)

<i>Agrimonia pubescens</i> Wallr.	
NPF	20 August 1997
Downy agrimony	
infrequent, floodplain forest	
<i>Agrimonia rostellata</i> Wallr.	
NPF	28 Sept. 1999
Beaked agrimony	
infrequent, floodplain forest	
<i>Crataegus crus-galli</i> L.	
NST	30 April 1999
Cockspur hawthorn	
infrequent, rocky upland	
<i>Crataetus mollis</i> (T. & G.) Scheele	
NT	10 Sept. 1997

Downy haw

infrequent, rocky upland

Fragaria virginica P. Mill.

var. <i>illinoensis</i> (Prince) Gray	
NPF	15 April 1997

Wild strawberry

infrequent, crosstimbers

Geum canadense Jacq.

NPF	29 May 1997
-----	-------------

White avens

infrequent, crosstimbers

Prunus angustifolia Marsh.

NS	13 March 1997
----	---------------

Chickasaw plum

infrequent, rocky upland

Prunus mexicana Wats.

NT	13 March 1997
----	---------------

Mexican plum

common, crosstimbers

Prunus serotina Ehrh.

NT	18 July 1997
----	--------------

Wild cherry

infrequent, crosstimbers

Pyrus communis L.

IT	28 March 1997
----	---------------

Common pear

infrequent, rocky upland

Rosa foliolosa Nuttall

NPF	18 June 1997
-----	--------------

Prairie rose

infrequent, rocky upland

Rosa carolina L.

NS	14 May 1997
----	-------------

Swamp rose

common, pond margins

Rosa setigera Michaux

NS	18 June 1997
----	--------------

Climbing prairie rose

common, rocky upland

Rubus flagellaris Willdenow

NS	15 April 1997
----	---------------

Northern dewberry

common, disturbed area

Rubiaceae (madder, coffee family)

Cephalanthus occidentalis L.

NS	31 July 1997
----	--------------

Buttonbush

infrequent, seep

Diodia teres Walt.

NAF	20 August 1997
-----	----------------

Poor-Joe

infrequent, rocky upland

Galium circaeans Michaux

NPF	14 - 29 May 1997
-----	------------------

Weedy bedstraw

infrequent, floodplain forest

Galium virgatum Nuttall

NAF	14 May 1997
-----	-------------

Southwest bedstraw

infrequent, rocky upland

Hedysarum <i>crassifolium</i> Raffinesque	NAF	15 April 1997
	13 March 1997	
Prairie bluets, Quaker ladies		
common, rocky upland		
Rutaceae (citrus family)		
<i>Ptelea trifoliata</i> L.		
NST(fruit)	10 Sept. 1997	
Hop tree, wafer ash		
infrequent, rocky upland		
<i>Zanthoxylum americanum</i> Miller		
NS	30 April 1997	
Prickly ash		
common, crosstimbers		
<i>Zanthoxylum clava-herculis</i> L.		
NT (no flrs)	10 Sept. 1997	
Hercules' club		
infrequent, old homesite		
Salicaceae (willow, cottonwood family)		
<i>Populus nigra</i> L.		
NT	Not collected: need specimen	
Cottonwood		
infrequent, floodplain forest		
<i>Salix nigra</i> Marsh		
NT	30 April 1997	
Black willow		
infrequent, riparian, pond margin		
Sapotaceae (sapodilla family)		
<i>Sideroxylon lanuginosum</i> Michaux		
NT	18 July 1997	
[<i>Bumelia lanuginosa</i> (L.) Pers]		
Chittamwood		
common, rocky upland		
Scrophulariaceae (penstemon family)		
<i>Agalinis fasciculata</i> (Ell.) Raf.		
NAF	10 Sept. 1997	
Beach gerardia		
abundant, disturbed area		
<i>Castilleja indivisa</i> Engelm.		
NAF	15 April 1997	
Indian paintbrush		
common, rocky upland		
<i>Nuttallanthus texanus</i> (Scheele) D.A.Sutton		
NAF	15 April 1997	
[<i>Linaria texana</i> Scheele]		
Texas toadflax		
common, rocky upland		
<i>Penstemon cobaea</i> Nuttall		
NPF	14 May 1997	
Large beardtongue		
common, rocky upland		
<i>Penstemon oklahomensis</i> Pennell		
NPF	14 May 1997	
Oklahoma penstemon		
infrequent, prairie		
<i>Veronica arvensis</i> L.		
IAF	15 April 1997	
Common speedwell		
infrequent, mowed meadow		
<i>Veronica peregrina</i> L.		
NAF	15 April 1997	
Purslane speedwell		
common, mowed meadow		
Smilacaceae (greenbrier family)		
<i>Smilax bona-nox</i> L.		
NWV	14 May 1997	
Greenbrier, cat's claw		
common, rocky upland		
<i>Smilax rotundifolia</i> L.		
NWV	30 April 1997	
Greenbrier		
infrequent, floodplain forest		
Solanaceae (nightshade, potato family)		
<i>Physalis angulata</i> L.		
NAF	18 June 1997	
Cutleaf ground cherry		
common, disturbed area		
<i>Solanum carolinense</i> L.		
NPF	18 June 1997	
Carolina horsenettle		
infrequent, disturbed area		
<i>Solanum dimidiatum</i> Raffinesque		
NAF	18 June 1997	
Horsenettle		
common, disturbed area		
<i>Solanum rostratum</i> Dunal		
NAF	18 June 1997	
Buffalo bur		
infrequent, disturbed area		
Typhaceae (cattail family)		
<i>Typha angustifolia</i> L.		
NPEF	18 June 1997	
Narrowleaf cattail		
infrequent, aquatic		
Ulmaceae (elm, hackberry family)		
<i>Celtis laevigata</i> Willdenow		
NT	31 July 1997	
Sugarberry		
common, floodplain forest		
<i>Celtis reticulata</i> Torrey		
NT	18 July 1997	
Roughleaf hackberry		
common, rocky upland		
<i>Ulmus alata</i> Michaux		
NT	28 Feb 1997	
Winged elm		
common, rocky upland, crosstimbers		
<i>Ulmus americana</i> L.		
NT	13 March 1997	
American elm		
infrequent, floodplain forest, rocky upland		
<i>Ulmus rubra</i> Muhlenberg		
NT	28 Feb 1997	
Slippery elm		
common, crosstimbers		

Urticaceae (nettle family)

Parietaria pensylvanica Muhl.
NAF 29 May 1997
Pennsylvania pellitory
common, floodplain forest

Valerianaceae (valerian family)

Valerianella radiata Dufr.
NAF 30 April 1997
Beaked cornsalad
infrequent, rocky upland

Verbenaceae (vervain family)\

Glandularia bipinnatifida Nuttall
NAF 15 April 1997
[*Verbena bipinnatifida* Nuttall]
Sweet William
common, rocky upland
Verbena stricta Ventenat
NPF 18 June – 31 July 1997
Wooly vervain
common, disturbed area
Verbena urticifolia L.
NAF 18 June 1997
White vervain
infrequent, floodplain forest

Violaceae (violet family)

Viola bicolor Pursh
NAF 13 March 1997
Johnny-jump-up
common, mowed meadow

Violaceae (violet family)

Viola sororia Willdenow
NPF 28 March 1997
Butterfly violet
common, floodplain forest

Viscaceae (mistletoe family)

Phoradendron leucarpum (Raf.)
Reveal & Johnston
NP% @S 13 March 1997
Mistletoe
infrequent, crosstimmers

Vitaceae (grape family)

Ampelopsis cordata Michaux
NWW 18 July 1997
Raccoon grape
infrequent, crosstimmers pond margin,
disturbed area
Cissus incisa (Nutt.) Des Moulins
NWW 29 May 1997
Possum grape
infrequent, rocky upland
Parthenocissus quinquefolia (L.) Planch
NWW 31 July 1997
Virginia creeper
common, ravine, floodplain forest,
crosstimmers
Vitis aestivalis Michaux
NWW 18 July 1997
Pigeon grape
infrequent, disturbed

Editorial

Water, Soil, and Plant Diversity in Oklahoma

Sheila Strawn

In 1963 John Shed and William Penfound did a study on legume distribution. They found a general relationship between soils and vegetation types. Sand deposits generally became forests while limestone and clay deposits generally became prairie (*Proc. Okla. Acad. Sci.* 44:2-6). But soil-to-plant relationships are not always that simple. Topographic effects such as slope and solar and wind exposure as well as precipitation rates can override the characteristics of the various soils making it difficult to determine specific soil types based on vegetation.

In 1964 Dr. Paul Buck wrote "Relationships of the Woody Vegetation of the Wichita Mountains Wildlife Refuge to Geological Formations and Soil Types" (*Ecology* 45:2). He had found that when it rains, soil type and topographic features, together, control the movement of water. Granite formations at the Refuge erode to make a cobbly soil at the foot of the mountains that drains quickly, making it difficult for some plants to become established. Different amounts and patterns of precipitation can also interact with soil type producing gradients of moisture availability for plants with different moisture requirements. Some species can live only at certain positions across the moisture gradient. Others are more tolerant of variable moisture availability. Sugar Maple is able to dominate some of the more mesic, cobbly patches near streams, while Black-jack Oak dominates the less mesic, cobbly upland patches in this newly formed soil.

In places like the Carolinas bountiful precipitation on limestone soils can actually make soil very poor in nutrients. Organic acids from the abundant vegetation react with calcium, sodium, and magnesium ions in the soil. The abundant rainfall then leaches them from the soil and washes them into the groundwater below the reach of roots. However, this is not usually the case in Oklahoma. Oklahoma actually loses more water to evaporation than it gets in precipitation. Rivers and groundwater from the Rocky Mountains make up the difference. Here,

precipitation is not sufficient to leach all the minerals from our limestone soils. Dense stands of forbs and grasses grow in the Tallgrass Prairie Preserve where these mineral-rich formations are not leached by excess precipitation.

Southwest of the Refuge the precipitation rate is so low that much of the water evaporates before it gets very deep into the soil. In those soils, the calcium ions accumulate at the lowest level of water penetration, sometimes, just inches from the surface and form a calcium carbonate. Known as "caliche", this layer restricts root growth, so fewer species grow on caliche. Gypsum, mostly calcium sulfate, was formed long ago in a similar manner when the seawater evaporated from the plains. In Oklahoma Mesquite and mixed grass are associated with "gyp soil".

Soil and water relations alone do not explain why plants grow where they do in Oklahoma. Other variables like humus, micro-organisms, nematodes, grazing animals, fire, ice, windstorms, and human influence all work on a smaller scale and are responsible for much of the physical heterogeneity and resultant biodiversity. This small-scale heterogeneity is what actually accounts for our having more species than other continental United States, except California, Florida, and Texas.

Ironically, plant diversity in Oklahoma has been woefully understudied. With the promise of improved medical treatments based on genetic engineering, we need to know where species are in Oklahoma that might be beneficial. We are, therefore, obliged to preserve as much of our diversity as we can. But we will need to save it on the landscape level, because it is our diverse landscape that supports our diverse biota. Indeed, researching and preserving Oklahoma's landscape-to-species relationships is worth researching and preserving twice as much elsewhere.

Editorial Policies and Practices

***Oklahoma Native Plant Record* is published annually by Oklahoma Native Plant Society. Submission for publication in the journal is open to all. Manuscripts will be accepted on topics related to Oklahoma's regional botany, including historical research reports, current research articles, site record species lists, and descriptions of new or important species sightings in Oklahoma. Oklahoma's environmental gradients of human impact, climate, and elevation make us a prime target for research on habitat edges, species ranges, and edge species, but articles of other themes may be included as well. Important works overlooked by journals of broader geographic regions will also be considered for publication here.**

Papers must not have been published previously or accepted for submission elsewhere and should represent research conducted in accordance with accepted procedures and scientific ethics. Submission of the article implies the granting of copyright permission to Oklahoma Native Plant Society.

Manuscripts will be reviewed for content and appropriateness by at least two reviewers. The title page should state the affiliation and complete addresses of all authors and telephone numbers for the corresponding author. Research and technical papers should include a one-paragraph abstract of not more than 250 words. It should concisely state the goals, principal results, and major conclusions of the paper. All references, figures, and tables should be cited in the text. Common names should be referenced to a scientific name. Abbreviations of authorities for scientific names should follow *Authors of Plant Names* (Brummitt and Powell, 1992). Titles of periodicals should be abbreviated following *Botanico-Periodicum-Huntianum* and its supplement - except in historic publications when original format will be used.

Authors with access to IBM-compatible microcomputers are encouraged to send a copy of the manuscript on diskette in rtf (rich text format). If the manuscript is typed, manuscripts should be double-spaced on 8 1/2 X 11 inch paper with minimum one-inch margins and should be submitted in duplicate. Diskette or hardcopy manuscripts should be sent to the managing editor at the ONPS address on the back cover by June 1.

Oklahoma Native Plant Society
c/o Tulsa Garden Center
2435 South Peoria
Tulsa, Oklahoma 74114

Non-Profit
Organization
U.S. Postage Paid
Tulsa, OK
Permit No. 357

In this issue of *Oklahoma Native Plant Record* Volume 2, Number 1, December 2002:

- 4 Vascular Plants of the Wichita Mountains. *Dr. Paul Buck*
- 22 Floristic List for Comanche County, Oklahoma. *Dr. Bruce W. Hoagland*
- 54 *Schoenoplectus hallii* and *S. saximontanus*
Wichita Mountains Wildlife Refuge Survey 2000. *Dr. Lawrence K. Magrath*
- 65 Pontotoc Ridge Floristic Survey: 1999. *Dr. Forest Johnson, Ms. Patricia Folley (ed.)*
- 82 ONPS Editorial: Water, Soil, and Plant Diversity in Oklahoma