

Vascular Flora of a Red Sandstone Hills Site Canadian County, Oklahoma

Bruce W. Hoagland
Oklahoma Biological Survey
and Department of Geography
University of Oklahoma
Norman, OK 73019
e-mail: bhoagland@ou.edu

Amy Buthod
Oklahoma Biological Survey
and Department of Botany and Microbiology
University of Oklahoma
Norman, OK 73019

This article reports the results of an inventory of the vascular plants from a site in central Oklahoma. Three hundred thirty-four species of vascular plants in 237 genera and 76 families were collected. The most species were collected from the families Poaceae (56) and Asteraceae (54). The genera with the most species were *Euphorbia* and *Eragrostis*, both with six species. One hundred six species were annuals, 227 perennials, and 1 biennial. Forty-nine species of woody plants were present. Forty-one species, or 12.3% of the flora, were exotic to Oklahoma. No species listed as threatened or endangered by the U.S. Fish and Wildlife Service were encountered, but two species (*Escobaria vivipara* and *Muhlenbergia bushii*) are tracked by the Oklahoma Natural Heritage Inventory.

INTRODUCTION

Canadian County has been the focus of botanical research for several decades. The first plant collections from the county were made by Shultz and Sawyer on January 10, 1917, when they collected *Helianthus maximiliani*, *Oenothera rhombipetala*, *Salsola iberica*, and *Senecio riddellii*. There was no further collecting until 1926, but in the 1930s botanical studies began in earnest. Botanical collections in Canadian County have focused on the “Caddo Canyons” in the western third of the county. Of the 1,121 species recorded in the Oklahoma Vascular Plants database (Hoagland et al. 2006) for Canadian County, 964 are from canyons such as Devil’s / Methodist, Grocket, Waters, and Widow-maker. On 29 May 1933, J. C. Shirley collected 38 specimens from Devil’s Canyon. Elbert Little collected 87 species from Devil’s Canyon in September, 1936. Several collectors visited Devils Canyon in 1937, but the most prolific was Milton Hopkins, who collected 145 in April and September of 1937 (Hoagland et al. 2006). Although collecting

continued in Devil’s Canyon, emphasis shifted to nearby Water Canyon when Connie Taylor gathered 321 specimens (see Taylor [1961] for a complete species list). Botanical collections outside the canyons have not focused on a particular locale in the county. Although 1,121 taxa of vascular plants have been reported from Canadian County, it is fewer than the taxa reported from adjacent Oklahoma (1,399) and Cleveland (1,426) counties. The current project was initiated on the assumption that focused collection effort at a given site would yield additional county records. It will also provide land managers with a working species list to help guide their activities.

STUDY AREA

The study area encompasses 64.7 ha in Canadian County (Figure) along the Canadian River. Latitudinal extent ranges from 35.34°N to 35.36°N and longitudinal extent from 97.67°W to 97.68°W. The study area is located within the subtropical humid (Cf) climate zone (Trewartha 1968). Summers are

warm (mean July temperature = 27.8°C) and humid, whereas winters are relatively short and mild (mean January temperature = 1.78°C). Mean annual precipitation is 87.6 cm, with periodic severe droughts (Oklahoma Climatological Survey 2006).

Physiographically, the study area is located within the Osage Plains section of the Central Lowlands province (Hunt 1974) and the Central Redbed Plains province of Oklahoma (Curtis and Ham 1979). The surface geology is primarily Permian red sandstone and shale with Quaternary silt, sand, and clay along the Canadian River floodplain (Branson and Johnson 1979). Elevation ranges from 411.5 m to 358.7 m. The predominant potential vegetation types are Tallgrass Prairie and Bottomland vegetation (Duck and Fletcher 1943).

METHODS

Collections were made monthly from March to June during the 2005 and 2006 growing seasons. The predominant vegetation association at the site were ascribed according to Hoagland (2000) and attributed to each collection. Vouchers for species exotic to North America were made from naturalized populations only, thus excluding cultivated and ornamental plants. Specimens were processed at the Robert Bebb Herbarium of the University of Oklahoma (OKL) following standard procedures. Manuals used for specimen identification included Waterfall (1969), Barkley (1986), and Diggs et al. (1999). Origin, either native or introduced, was determined by using Taylor and Taylor (1991) and US Department of Agriculture-Natural Resources Conservation Service (USDA-NRCS 2006). Nomenclature follows the USDA-NRCS (2006). Voucher specimens were deposited at OKL.

RESULTS AND DISCUSSION

Three hundred thirty-four species of vascular plants in 237 genera and 76 families were collected (appendix 1). The greatest numbers of species were from the Asteraceae (56) and Poaceae (54). The largest genera were *Euphorbia* and *Eragrostis* each with 6 species. There were three species of ferns, two gymnosperm, 78 monocots, and 252 dicots (Table). One hundred and six species were annuals, 227 perennials, and one biennial. Forty-nine species of woody plants were present. The absence of *Q. stellata* at the site is noteworthy. This study contributed an additional 84 species to the flora of Canadian County for a total of 1,205 species.

Forty-one species or 12.3% of the flora was non-native to North America. The Poaceae and Fabaceae had the greatest number of exotic species, 12 and 7 respectively. There were three exotic species in the genus *Bromus* and two in *Ulmus*. These values are consistent with other floristic studies from Oklahoma, in which exotic species constitute 9% - 15% of the flora (Hoagland and Buthod 2003, Hoagland and Buthod 2004, Hoagland and Johnson 2001, Hoagland and Johnson 2004a, Hoagland and Johnson 2004b, Hoagland et al. 2004a, Hoagland et al. 2004b, Hoagland and Wallick 2003.). An exception is Red Slough and Grassy Slough, where exotic species constituted 6.6% (Hoagland and Johnson, 2004b).

No species listed as threatened or endangered by the U.S. Fish and Wildlife Service were encountered. However, *Escobaria vivipara* (G5S2S3) and *Muhlenbergia bushii* (G5S1S2), which are tracked by the Oklahoma Natural Heritage Inventory (2006), were present. Species are ranked by the ONHI according to level of imperilment at the global [G] and state [S] level on a scale of

pecies that is imperiled and 5 a species that is secure [Groves et al. 1995]).

Four vegetation associations/land cover types occurred at the study area. Each is described below with a brief list of associated species.

1. *Schizachyrium scoparium* - *Bouteloua curtipendula* herbaceous association occurred on shallow sandstone derived soils and was the predominant grassland vegetation at the site. Associated species included *Argythamnia mercurialiana*, *Baptisia australis*, *Bouteloua hirsuta*, *Dalea aurea*, *D. enneandra*, *D. multiflora*, *D. purpurea*, *Euphorbia corollata*, *Hedeoma drummondii*, *Ipomoea leptophylla*, *Krameria lanceolata*, *Lesquerella ovalifolia*, *Linum rigidum*, *Paronychia jamesii*, *Penstemon cobaea*, *Polygala alba*, *Stillingia sylvatica*, and *Tradescantia occidentalis*.

2. *Quercus muehlenbergii* - *Juniperus virginiana* forest association is a vegetation type not described in Hoagland (2000), but was the predominant forest vegetation at Camp Kickapoo. Two subtypes most likely exist, although further analysis is necessary. The first occupies drier habitats and is characterized by associated species such as *Carex albicans*, *Cornus drummondii*, *Opuntia macrorhiza*, *Q. marilandica*, *Rhus aromatica*, *Ruellia humilis*, *Sideroxylon lanuginosum*, *Symporicarpus orbiculatus*, *Tridens flavus*, and *Viburnum rufidulum*. The moist or mesic subtypes occurred along streams and deep gullies. Associated species include *Arisaema dracontium*, *Bromus pubescens*, *Chasmanthium latifolium*, *Desmodium glutinosum*, *Elephantopus tomentosus*, *Juglans nigra*, *Phryma leptostachya*, *Polygonatum biflorum*, *Q. macrocarpa*, *Sanicula canadensis*, *Sapindus drummondii*, and *Verbesina alternifolia*.

3. Wetland and aquatic vegetation was of restricted to a small human-made pond and swales on the Canadian River floodplain. Associated species included *Amorpha fruticosa*, *Cephalanthus occidentalis*, *Echinochloa crus-galli*, *Polygonum lapathifolium*, *Sympyotrichum subulatum*, and *Typha domingensis*

4. Disturbed areas and old-field vegetation included roadsides and areas exhibiting signs of physical disruption. Associated species included *Capsella bursa-pastoris*, *Chamaesyce maculata*, *C. missurica*, *Erodium cicutarium*, *Geranium carolinianum*, *Lamium amplexicaule*, *Mollugo verticillata*, *Oenothera biennis*, *O. laciniata*, *Oxalis stricta*, *Phytolacca americana*, *Portulaca pilosa*, *Sherardia arvensis*, *Solanum dimidiatum*, *S. elaeagnifolium*, *Sorghum halepense* and *Viola bicolor*.

REFERENCES

- Barkley, T. M., (ed.) 1986. Flora of the Great Plains. Lawrence (KS): University Press of Kansas. 1,392 p.
- Branson, C. C. and K. S. Johnson. 1979. Generalized geologic map of Oklahoma. In: Johnson K. S., C. C. Branson, N. M. Curtis, W. E. Ham, W. E. Harrison, M. V. Marcher, and J. F. Roberts, editors. Geology and earth resources of Oklahoma. Oklahoma Geological Survey, Norman. p 4.
- Curtis, N. M. and W. E. Ham. 1979. Geomorphic provinces of Oklahoma. In: Johnson K. S., C. C. Branson, N. M. Curtis, W. E. Ham, W. E. Harrison, M. V. Marcher, and J. F. Roberts, editors. Geology and earth resources of Oklahoma. Oklahoma Geological Survey, Norman. p 5.
- Diggs G. M., B. L. Lipscomb, and R. J. O'Kennon. 1999. Shinners and Mahler's illustrated flora of North

- Central Texas. Botanical Research Institute of Texas and Austin College, Fort Worth. 1626 p.
- Duck, L. G. and J. B. Fletcher. 1943. A game type map of Oklahoma. A survey of the game and furbearing animals of Oklahoma. Oklahoma Department of Wildlife Conservation, Oklahoma City.
- Groves C. R., M. L. Klein, and T. F. Breden. 1995. Natural Heritage Programs: public-private partnerships for biodiversity conservation. *Wildlife Society Bulletin* 23:784-790.
- Hoagland, B. W. 2000. The vegetation of Oklahoma: a classification of landscape mapping and conservation planning. *Southwest Naturalist* 45:385-420.
- Hoagland, B. W. and A. K. Buthod. 2003. Vascular flora of the Keystone Wildlife Management Area, Creek, Pawnee, and Osage Counties, Oklahoma. *Oklahoma Native Plant Record* 3:23-37.
- Hoagland, B. W. and A. K. Buthod. 2004. Vascular flora of Hugo Lake Wildlife Management Area, Choctaw County, Oklahoma. *Southeastern Naturalist* 30: 701-714.
- Hoagland, B. W. and F. L. Johnson. 2001. Vascular flora of the Chickasaw National Recreation Area, Murray County, Oklahoma. *Castanea* 66:383-400.
- Hoagland B. W. and F. L. Johnson. 2004a. Vascular Flora of Chouteau Wildlife Management Area, Wagoner County, Oklahoma. *Oklahoma Native Plant Record* 4:30-39.
- Hoagland, B. W. and F. L. Johnson. 2004b. Vascular flora of Red Slough and Grassy Slough Wildlife Management Areas, Gulf Coastal Plain, McCurtain County, Oklahoma. *Castanea* 69:284-296.
- Hoagland, B. W and K. Wallick. 2003. Vascular flora of Oologah Wildlife Management Area, Nowata County, Oklahoma. *Proceedings of the Oklahoma Academy of Science* 83:47-62.
- Hoagland, B. W., A. K. Buthod and W. Elisens. 2004a. Vascular flora of Washita Battlefield National Historic Site, Roger Mills County, Oklahoma. *Sida* 21:1187-1197.
- Hoagland, B. W., P. Crawford-Callahan, P. Crawford, and F. L. Johnson. 2004b. Vascular flora of Hackberry Flat, Fredrick Lake, and Suttle Creek, Tillman County, Oklahoma. *Sida* 21 429-445.
- Hoagland, B., A. K. Buthod, I. Butler, P. Callahan-Crawford, W. Elisens, A. Udasi, and R. Tyrl. 2006. Oklahoma Vascular Plants Database. [online]. Available: <http://www.biosurvey.ou.edu>. (Accessed on 1 March 2005).
- Hunt, C. B. 1974. Natural Regions of the United States and Canada. W. H. Freeman, San Francisco. 725 p.
- Oklahoma Climatological Survey. 2005. Oklahoma Climatological Data [online]. (accessed on 1 March 2005). Available from <http://www.ocs.ou.edu/>.
- Oklahoma Natural Heritage Inventory. 2006. ONHI working list of rare Oklahoma plants [online]. (accessed on 1 March 2005). Available from <http://www.biosurvey.ou.edu/publicat.html>.
- Palmer, M. W., G. L. Wade, and P. Neal. 1995. Standards for the writing of floras. *Bioscience* 45:339-345.

- Taylor, C. S. 1961. Ecology and taxonomy of Water Canyon, Canadian County, Oklahoma. M.S. Thesis, University of Oklahoma, Norman.
- Taylor, R. J. and C. S. Taylor. 1991. An annotated list of the ferns, fern allies, gymnosperms, and flowering plants of Oklahoma. Southeastern Oklahoma State University, Durant. 133 p.
- Trewartha, G. T. 1968. An introduction to climate. McGraw-Hill, New York. 399 p.
- USDA-NRCS. 2005. The PLANTS database [online]. (Accessed on 1 March 2005). Available from <http://plants.usda.gov/plants>. National Plant Data Center, Baton Rouge, LA.
- Waterfall, U. T. 1969. Keys to the flora of Oklahoma, 4th ed. Published by the author, Stillwater. 246 p.

Table Summary of floristic collections from a study site in Canadian County, Oklahoma.*

Taxonomic group	Species	Native spp.	Introduced spp.
Pteridophyta	3	3	0
Coniferophyta	2	1	1
Magnoliophyta	329	289	40
Magnoliopsida	250	222	28
Liliopsida	79	67	12
Total	334	293	41

* Table format follows Palmer et al. (1995).




Figure Location of the Canadian County study area.

APPENDIX

Annotated species list. The first entry is habitat (QMJV-M = *Quercus muehlenbergii* - *Juniperus virginiana* forest association, mesic subtype; QMJV-X = *Q. muehlenbergii* - *J. virginiana* forest association, xeric subtype; SSBC = *Schizachyrium scoparium* - *Bouteloua curtipendula* herbaceous association, WETL = wetland and aquatic vegetation, DAOF = disturbed areas and old-field vegetation), followed by life history (A=annual, B=biennial, P=perennial), and collection number. Exotic species are denoted with an asterisk. Voucher specimens were deposited at the Robert Bebb Herbarium at the University of Oklahoma (OKL).

PTERIDOPHYTA

Dryopteridaceae

Woodsia obtusa (Spreng.) Torr. (bluntlobe cliff fern) - QMSJV-M; P; H; AB-6788

Ophioglossaceae

Botrychium virginianum (L.) Sw. (Rattlesnake fern) - QMJV-M; P; H; AB-6766

Pteridaceae

Pellaea atropurpurea (L.) Link (purple cliffbreak) - QMJV-X; P; H; AB-6261

CONIFERO PHYTA

Cupressaceae

Juniperus virginiana L. (Eastern redcedar) - QMJV-X; P; T; AB-6206

Thuya occidentalis L.* (arborvitae) - DAOF; P; T; AB-6630

MAGNOLIOPHYTA

Magnoliopsida

Acanthaceae

Ruellia humilis Nutt. (wild petunia) - QMJV-X, SSBC; P; H; Ab-6559

Aceraceae

Acer negundo L. (boxelder) - QMJV-M, WETL; P; T; AB-6209

Amaranthaceae

Amaranthus palmeri S. Wats. (Carlessweed) - DAOF; A; H; AB-6608

Iresine rhizomatosa Standl. (Juda's bush) - QSJV-M; P; H; AB-6584

Anacardiaceae

Rhus aromatica Ait. (fragrant sumac) - QMJV-X; P; S; AB-6887

R. glabra L. (smooth sumac) - DAOF, QMJV-X; P; S; AB-6204

Toxicodendron radicans (L.) Kuntze (poison ivy) - QMJV-M; P; S; AB-6252

Apiaceae

Chaerophyllum tainturieri Hook. (hairyfruit chervil) - DAOF; A; H; AB-6922

Sanicula canadensis L. (blacksnakeroot) - QMJV-M; P; H; AB-6198

Spermolepis echinata (Nutt. ex DC.) Heller (bristly scaleseed) - SSBC; A; H; AB-6861

Torilis arvensis (Huds.) Link* (spreading hedgeparsley) - DAOF; A; H; AB-7148

Apocynaceae

Apocynum cannabinum L. (Indianhemp) - SSBC; P; H; AB-6791

Asclepiadaceae

Asclepias amplexicaulis Sm. (clasping milkweed) - WETL; P; H; AB-6806

A. stenophylla Gray (slimleaf milkweed) - SSBC; P; H; AB-6555

A. viridisflora Raf. (green comet milkweed) - SSBC; P; H; AB-7149

A. viridis Walt. (green antelopehorn) - DAOF, SSBC; P; H; AB-6821

Asteraceae

Achillea millefolium L. (common yarrow) - DAOF, SSBC; P; H; AB-6775

Ambrosia psilostachya DC. (Plains ragweed) - DAOF, SSBC; P; H; AB-6551
A. trifida L. (giant ragweed) - DAOF; A; H; AB-6233
Amphiachyris dracunculoides (DC.) Nutt. (prairie broomweed) - DAOF; A; H; AB-6254
Aphanostephus skirrhobasis (DC.) Trel. (Arkansas dozedaisy) - SSBC; A; H; AB-6800
Artemisia ludoviciana Nutt. (white sagebrush) - SSBC; P; H; AB-6631
Baccharis salicina Torr. & Gray (false willow) - WETL; P; S; AB-6548
Bidens bipinniata L. (Spanish needles) - DAOF, QMJV-m; A; H; AB-6585
Carduus nutans L.* (nodding thistle) - DAOF; B; H; AB-6801
Chrysopsis pilosa Nutt. (goldenaster) - SSBC; A; H; AB-6889
Cirsium altissimum (L.) Hill (tall thistle) - QMJV-M; P; H; AB-6599
C. undulatum (Nutt.) Spreng. (wavyleaf thistle) - SSBC; P; H; AB-7166
Conyza canadensis (L.) Cronq. (Canadian horseweed) - DAOF; A; H; AB-6894
C. ramosissima Cronq. (dwarf horseweed) - DAOF; A; H; AB-6244
Echinacea angustifolia DC. (Blacksamson) - SSBC; P; H; AB-6811
Elephantopus carolinianus Raeusch. (Carolina elephantsfoot) - QMJV-M; P; H; AB-6629
Engelmannia peristenia (Raf.) Goodman & Lawson (Engelmann's daisy) - SSBC; P; H; AB-6787
Erigeron strigosus Muhl. ex Willd. (prairie fleabane) - QMJV-M; A; H; AB-6552
Eupatorium serotinum Michx. (thoughtwort) - QMJV-M, WETL; P; H; AB-6632
Evaex prolifera Nutt. ex DC. (bighead pygmycudweed) - DAOF; A; H; AB-6860
E. verna Raf. (spring pygmycudweed) - DAOF; A; H; AB-6938

Gaillardia aestivalis (Walt.) H. Rock (lanceleaf blanketflower) - SSBC; P; H; AB-6633
G. suavis (Gray & Engelm.) Britt. & Rusby (perfumeballs) - DAOF, SSBC; P; H; AB-6218
Gamochaeta purpurea (L.) Cabrera (purple everlasting) - DAOF; P; H; AB-6769
Grindelia papposa Nesom & Sun (Spanish gold) - SSBC; A; H; AB-6553
Gutierrezia sarothrae (Pursh) Britt. & Rusby (broom snakeweed) - DAOF, SSBC; P; H; AB-6588
Helianthus annuus L. (common sunflower) - DAOF; A; H; AB-6219
H. petiolaris Nutt. (prairie sunflower) - SSBC; A; H; AB-6590
Heterotheca subaxillaris (Lam.) Britt. & Rusby (camphorweed) - SSBC; A; H; AB-6616
Hieracium longipilum Torr. (hairy hawkweed) - QMJV-X; P; H; AB-6872
Hymenopappus tenuifolius Pursh (Chalk Hill hymenopappus) - SSBC; P; H; AB-6592
Iva annua L. (annual marshelder) - WETL; A; H; AB-6202
Lactuca canadensis L. (Canada lettuce) - DAOF; A; H; AB-6900
Liatris mucronata DC. (cusp blazing star) - SSBC; P; H; AB-6596
L. squarrosa (L.) Michx. (scaly blazing star) - SSBC; P; H; AB-6595
Machaeranthera pinnatifida (Hook.) Shinners (Lacy tansyaster) - SSBC; P; H; AB-6278
Oligoneuron rigidum (L.) Small var. *rigidum* (stiff goldenrod) - QMJV-M; P; H; AB-6598
Palafoxia rosea (Bush) Cory (rosy palafox) - SSBC; A; H; AB-6549
Pyrrhopappus grandiflorus (Nutt.) Nutt. (tuberous desert-chicory) - DAOF; P H; AB-6919
Ratibida columnifera (Nutt.) Woot. & Standl. (upright prairie coneflower) - SSBC; P; H; AB-6269
Rudbeckia hirta L. (blackeyed susan) - SSBC; P; H; AB-6257

Silphium laciniatum L. (compassplant) - SSBC; P; H; AB-6223
Solidago missouriensis Nutt. (Missouri goldenrod) - SSBC; P; H; AB-6550
Sonchus asper (L.) Hill* (spiny sowthistle) - DAOF; A; H; AB-6852
Symphyotrichum drummondii (Lindl.) Nesom var. *drummondii* (Drummond's aster) - QMJV-M; P; H; AB-6597
S. subulatum (Michx.) Nesom (annual saltmarsh aster) - WETL; A; H; AB-6273
Taraxacum officinale G. H. Weber ex Wiggers* (common dandelion) - DAOF; P; H; AB-7155
Thelesperma filifolium (Hook.) Gray var. *filifolium* (stiff greenthread) - SSBC; P; H; AB-6617
Tragopogon dubius Scop.* (yellow salsify) - DAOF; A; H; AB-6907
Verbesina alternifolia (L.) Britt. ex Kearney (wingstem) - QMJV-M; P; H; AB-6601
V. encelioides (Cav.) Benth. & Hook. f. ex Gray (golden crownbeard) - DAOF, SSBC; P; H; AB-6222
V. virginica L. (white crownbeard) - QMJV-M; P; H; AB-6255
Vernonia baldwinii Torr. (Baldwin's ironweed) - SSBC; P; H; AB-6600
Xanthium strumarium L. (rough cocklebur) - DAOF, WETL; A; H; AB-6225

Bignoniaceae

Campsis radicans (L.) Seem. ex Bureau (trumpet creeper) - DAOF; P; V; AB-7152
Catalpa bignonioides Walt. (southern catalpa) - DAOF; P; T; AB-6790
C. speciosa (Warder) Warder ex Engelm. (northern catalpa) - DAOF; P; T; AB-6611

Boraginaceae

Hackelia virginiana (L.) I. M. Johnston (beggarslice) - QMJV-M; P; H; AB-6201

Lithospermum carolinense (Walt. Ex J. F. Gmel.) MacM. (Carolina puccoon) - SSBC; P; H; AB-6916
L. incisum Lehm. (narrowleaf stoneseed) - DAOF, SSBC; P; H; AB-7168
Myosotis macrosperma Engelm. (largeseed forget-me-not) - QMJV-M; A; H; AB-6842

Brassicaceae

Brassica rapa L.* (field mustard) - DAOF; A; H; AB-6816a
Camelina microcarpa DC.* (littlepod false flax) - DAOF; A; H; AB-6823
Capsella bursa-pastoris (L.) Medik.* (shepherd's purse) - DAOF; A; H; AB-6924
Descurainia pinnata (Walt.) Britt. (western tansymustard) - DAOF; A; H; AB-6942
Draba brachycarpa Nutt. ex Torr. & Gray (shortpod draba) - DAOF; A; H; AB-6943
Lepidium virginicum L. (Virginia pepperweed) - DAOF; A; H; AB-6935
Lesquerella oralifolia Rydb. ex Britt. subsp. *alba* (Goodman) Rollins & Shaw (roundleaf bladderpod) - SSBC; P; H; AB-6840

Cactaceae

Escobaria missouriense (Sweet) D. R. Hunt (spinystar) - SSBC; P; H; AB-6960
Opuntia macrorhiza Engelm. (twistspine pricklypear) - QMJV-X, SSBC; P; S; AB-6954

Campanulaceae

Triodanis biflora (Ruiz & Pavón) Greene (clasping Venus' looking-glass) - DAOF, SSBC; A; H; AB-6940

Caprifoliaceae

Syphoricarpos orbiculatus Moench (coralberry) - QMJV-X; P; S; AB-6236
Viburnum rufidulum Raf. (rusty blackhaw) - QMJV-X; P; S; AB-6226

Caryophyllaceae

Arenaria serpyllifolia L.* (thymeleaf sandwort) - DAOF; A; H; AB-6911

Cerastium pumilum W. Curtis* (European chickweed) - DAOF; A; H; AB-6948
Paronychia jamesii Torr. & Gray (James' nailwort) - SSBC; P; H; AB-6567
Stellaria media (L.) Vill.* (Common chickweed) - DAOF, QMJV-M; A; H; AB-6918

Celastraceae

Celastrus scandens L. (American bittersweet) - QMJV-M; P; S; AB-6634

Chenopodiaceae

Chenopodium murale L.* (nettleleaf goosefoot) - DAOF; A; H; AB-6565
C. pratericola Rydb. (desert goosefoot) - DAOF; A; H; AB-6606
C. simplex (Torr.) Raf. (mapleleaf goosefoot) - DAOF; A; H; AB-6566

Convolvulaceae

Ipomoea leptophylla Torr. (bush morning-glory) - SSBC; P; H; AB-6893

Cornaceae

Cornus drummondii C. A. Mey. (roughleaf dogwood) - DAOF, QMJV-X; P; T; AB-6871

Cucurbitaceae

Cucurbita foetidissima Kunth (Missouri gourd) - DAOF; P; H; AB-6883
Melothria pendula L. (Guadeloupe cucumber) - DAOF; P; H; AB-6253

Elaeagnaceae

Elaeagnus angustifolia L.* (Russian olive) - DAOF; P; T; AB-6558

Euphorbiaceae

Acalypha virginica L. (Virginia threeseed mercury) - DAOF; A; H; AB-6876
Argythamnia mercurialiana (Nutt.) Muell.-Arg. var. *mercurialiana* (tall silverbush) - SSBC; P; H; AB-6815
Chamaesyce glyptosperma (Engelm.) Small (ribseed sandmat) - SSBC; A; H; AB-6618
C. maculata (L.) Small (spotted sandmat) - DAOF; A; H; AB-6576

C. missurica (Raf.) Shinners (prairie sandmat) - DAOF; A; H; AB-6897
C. nutans (Lag.) Small (eyebane) - DAOF; A; H; AB-6247
Croton glandulosus L. (Vente commigo) - SSBC; A; H; AB-6258
C. lindheimerianus Scheele (threeseed croton) - SSBC; A; H; AB-6615
C. monanthogynus Michx. (prairie tea) - DAOF, SSBC; A; H; AB-6614
C. texensis (Klotzsch) Muell.-Arg. (Texas croton) - SSBC; A; H; AB-6593
Euphorbia corollata L. (flowering spurge) - SSBC; P; H; AB-6260
E. cyathophora Murr. (fire-on-the-mountain) - DAOF; A; H; AB-6604
E. dentata Michx. (toothed spurge) - DAOF; A; H; AB-6241
E. hexagona Nutt. ex Spreng. (sixangle spurge) - DAOF; A; H; AB-6249
E. marginata Pursh (snow-on-the-mountain) - DAOF; A; H; AB-6216
E. spathulata Lam. (warty spurge) - DAOF; A; H; AB-6844
Stillingia sylvatica Garden ex L. (Queen's delight) - SSBC; P; H; AB-6767

Fabaceae

Amorpha canescens Pursh (leadplant) - WETL; P; S; AB-6772
A. fruticosa L. (desert false indigo) - SSBC; P; S; AB-6272
Amphicarpaea bracteata (L.) Fern. (American hogpeanut) - QMJV-X; A; H; AB-7158
Astragalus lotiflorus Hook. (lotus milkvetch) - QMJV-X; P; H; AB-6945
Baptisia australis (L.) R. Br. ex Ait. f. (blue wild indigo) - SSBC; P; H; AB-6773
Cercis canadensis L. (eastern redbud) - QMJV-M, QMJV-X; P; T; AB-6279
Dalea aurea Nutt. ex Pursh (golden prairie clover) - SSBC; P; H; AB-6268
D. enneandra Nutt. (nineanther prairie clover) - SSBC; P; H; AB-6229

D. multiflora (Nutt.) Shinners (roundhead prairie clover) - SSBC; P; H; AB-6577
D. purpurea Vent. (purple prairie clover) - SSBC; P; H; AB-6881
Desmanthus illinoensis (Michx.) MacM. ex B. L. Robins. & Fern. (prairie bundleflower) - DAOF, WETL; P; H; AB-6230
Desmodium canescens (L.) DC. (hoary ticktrefoil) - QMJV-M; P; H; AB-6568
D. glutinosum (Muhl.) ex Willd. Wood (pointedleaf ticktrefoil) - QMJV-M; P; H; AB-7164
D. nudiflorum (L.) DC. (nakedflower ticktrefoil) - QMJV-M; P; H; AB-6896
D. sessilifolium (Torr.) Torr. & Gray (sessileleaf ticktrefoil) - SSBC; P; H; AB-6571
Gleditsia triacanthos L. (honeylocust) - DAOF; P; T; AB-7159
Gymnocladus dioicus (L.) K. Koch (kentucky coffeetree) - QMJV-M; P; T; AB-7159
Indigofera miniata Ortega (coastal indigo) - SSBC; P; H; AB-6853
Kummerowia stipulacea (Maxim.) Makino* (Korean clover) - DAOF; A; H; AB-3232
Lespedeza cuneata (Dum.-Cours.) G. Don* (Chinese lespedeza) - DAOF; P; H; AB-6265
L. stuevei Nutt. (tall lespedeza) - QMJV-X; P; H; AB-6562
Medicago minima (L.) L.* (burr medick) - DAOF; A; H; AB-6846
Melilotus officinalis (L.) Lam.* (yellow sweetclover) - DAOF; A; H; AB-6792
Mimosa nuttallii (DC.) B. L. Turner (Nuttall's sensitive-briar) - SSBC; P; H; AB-6774
Neptunia lutea (Leavenw.) Benth. (yellow puff) - SSBC; P; H; AB-6959
Oxytropis lambertii Pursh (purple locoweed) - SSBC; P; H; AB-6822
Pisum sativum L.* (garden pea) - DAOF; A; H; AB-6816

Psoralidium tenuiflorum (Pursh) Rydb. (Slimflower scurfpea) - SSBC; P; H; AB-6828
Robinia pseudoacacia L.* (black locust) - DAOF, QMJV-X; P; T; AB-6899
Strophostyles helvula (L.) Ell. (trailing fuzzybean) - DAOF; P; H; AB-6573
Vicia villosa Roth* (winter vetch) - DAOF; A; H; AB-6817

Fagaceae

Quercus macrocarpa Michx. (bur oak) - QMJV-M; P; T; AB-6275
Q. marilandica Muenchh. (blackjack oak) - QMJV-X; P; T; AB-6771
Q. muehlenbergii Engelm. (chinkapin oak) - QMJV-M, QMJV-X; P; T; AB-6207

Geraniaceae

Erodium cicutarium (L.) L'Hér. Ex Ait.* (redstem stork's beak) - DAOF; A; H; AB-6913
Geranium carolinianum L. (Carolina geranium) - DAOF; A; H; AB-6786
G. pusillum L.* (small geranium) - DAOF; A; H; AB-6850

Juglandaceae

Juglans nigra L. (black walnut) - QMJV-M; P; T; AB-7147

Krameriaceae

Krameria lanceolata Torr. (trailing krameria) - SSBC; P; H; AB-6803

Lamiaceae

Hedeoma drummondii Benth. (Drummond's false pennyroyal) - SSBC; P; H; AB-6610
H. hispida Pursh (rough false pennyroyal) - SSBC; A; H; AB-6858
Lamium amplexicaule L.* (henbit) - DAOF; A; H; AB-6926
Salvia azurea Michx. ex Lam. (azure blue sage) - SSBC; P; H; AB-6271
S. lyrata L. (lyreleaf sage) - QMJV-M; P; H; AB-6886

Teucrium canadense L. (Canada germander) -
QMJV-M; P; H; AB-6215

Linaceae

Linum rigidum Pursh (stiffstem flax) - SSBC; A;
H; AB-6845

Loasaceae

Mentzelia oligosperma Nutt. ex Sims
(chickenthief) - SSBC; P; H; AB-6221

Malvaceae

Callirhoe involucrata (Torr. & Gray) Gray
(purple poppymallow) - DAOF; P; H;
AB-6799

Menispermaceae

Cocculus carolinus (L.) DC. (Carolina coralbead)
- QMJV-M; P; H; AB-6199

Menispermum canadense L. (common moonseed)
- QMJV-M; P; H; AB-6797

Molluginaceae

Mollugo verticillata L. (carpetweed) - DAOF; A;
H; AB-6888

Moraceae

Maclura pomifera (Raf.) Schneid. (Osage orange)
- DAOF, QMJV-X; P; T; AB-6195

Morus rubra L. (red mulberry) - QMJV-M; P;
T; AB-6620

Nyctaginaceae

Mirabilis albida (Walt.) Heimerl (white four
o'clock) - SSBC; P; H; AB-6578

M. nyctaginea (Michx.) MacM. (heartleaf four
o'clock) - DAOF; P; H; AB-6833

Oleaceae

Fraxinus pennsylvanica Marsh. (green ash) -
QMJV-M; P; T; AB-6560

Onagraceae

Calylophus berlandieri Spach (Berlandier's
sundrops) - SSBC; P; H; AB-6825

Gaura sinuata Nutt. ex Ser. (wavyleaf
beeblossom) - SSBC; P; H; AB-6827

Oenothera biennis L. (common evening-
primrose) - DAOF; P; H; AB-6213

O. laciniata Hill (cutleaf evening-primrose) -
DAOF; P; H; AB-6785

O. macrocarpa Nutt. (bigfruit evening-primrose)
- SSBC; P; H; AB-6781

O. speciosa Nutt. (pinkladies) - SSBC; P; H;
AB-6851

Stenosiphon linifolius (Nutt. ex James) Heynh.
(false gaura) - SSBC; P; H; AB-6234

Oxalidaceae

Oxalis stricta L. (common yellow oxalis) -
DAOF, SSBC; P; H; AB-6923

Papaveraceae

Argemone polyanthemos (Fedde) G. B. Ownbey
(crested pricklypoppy) - SSBC; A; H; AB-
6793

Passifloraceae

Passiflora lutea L. (yellow passionflower) -
QMJV-M; P; H; AB-6264

Phytolaccaceae

Phytolacca americana L. (American pokeweed) -
DAOF; P; H; AB

Plantaginaceae

Plantago heterophylla Nutt. (slender plantain) -
SSBC; A; H; AB-6937

P. patagonica Jacq. (woolly plantain) - SSBC; A;
H; AB-6859

P. rhodosperma Dcne. (redseed plantain) -
SSBC; A; H; AB-6837

Polygalaceae

Polygala alba Nutt. (white milkwort) - SSBC; P;
H; AB-6224

Polygonaceae

Eriogonum annuum Nutt. (annual buckwheat) -
SSBC; A; H; AB-6256

E. longifolium Nutt. (longleaf buckwheat) -
SSBC; P; H; AB-6262

Polygonum aviculare L. (prostrate knotweed) -
DAOF; A; H; AB-6609

P. lapathifolium L. (curlytop knotweed) -
WETL; A; H; AB-6895

P. punctatum Ell. (dotted smartweed) - WETL;
A; H; AB-6563

P. scandens L. (climbing false buckwheat) -
QMJV-M; P; H; AB-6605

P. virginianum L. (jumpseed) - QMJV-M; P; H;
AB-6214

Rumex crispus L.* (curly dock) - DAOF,
WETL; P; H; AB-6780

Portulacaceae

Portulaca pilosa L. (kiss me quick) - DAOF; A;
H; AB-6304

Ranunculaceae

Clematis pitcheri Torr. & Gray (bluebill) -
QMJV-M; P; H; AB-6819

Delphinium carolinianum Walt. subsp. *virescens*
(Nutt.) Brooks (Carolina larkspur) - SSBC;
P; H; AB-6802

Rosaceae

Geum canadense Jacq. (white avens) - QMJV-
M; P; H; AB-6809

Prunus angustifolia Marsh. (Chickasaw plum) -
DAOF, SSBC; P; S; AB-6277

P. mexicana S. Wats. (Mexican plum) - QMJV-
X; P; T; AB-6557

Rubiaceae

Cephaelanthus occidentalis L. (buttonbush) -
WETL; P; S; AB-6228

Galium aparine L. (stickywilly) - QMJV-M; A;
H; AB-6765

G. circaeans Michx. (licorice bedstraw) -
QMJV-M; P; H; AB-6810

G. virgatum Nutt. (southwestern bedstraw) -
DAOF; A; H; AB-6856

Hedysotis nigricans (Lam.) Fosberg
(diamondflowers) - SSBC; P; H; AB-6240

Houstonia pusilla Schoepf (tiny bluet) - DAOF;
A; H; AB-6912

Sherardia arvensis L.* (blue fieldmadder) -
DAOF; A; H; AB-6843

Rutaceae

Ptelea trifoliata L. (common hoptree) - SSBC; P;
T; AB-6770

Zanthoxylum hirsutum Buckl. (Texas Hercules'
club) - QMJV-M; P; T; AB-6820

Salicaceae

Populus deltoides Bartr. ex Marsh. (eastern
cottonwood) - WETL; P; T; AB-6200

Salix exigua Nutt. (sandbar willow) - WETL;
P; T; AB-6561

S. nigra Marsh. (black willow) - WETL; P; T;
AB-6267

Santalaceae

Comandra umbellata (L.) Nutt. subsp. *pallida* (A.
DC.) Piehl (pale bastard toadflax) - SSBC;
P; H; AB-6866

Sapindaceae

Sapindus drummondii Hook. & Arn. (soapberry)
- QMJV-M; P; T; AB-6280

Sapotaceae

Sideroxylon lanuginosum Michx. (gum bully) -
QMJV-X; P; T; AB-6890

Scrophulariaceae

Agalinis densiflora (Benth.) Blake (Osage false
foxglove) - SSBC; A; H; AB-6570

A. heterophylla (Nutt.) Small ex Britt. (prairie
false foxglove) - SSBC; A; H; AB-6569

Castilleja indivisa Engelm. (Indian paintbrush) -
SSBC; A; H; AB-6259

Nuttallanthus texanus (Scheele) D. A. Sutton
(Texas toadflax) - DAOF, SSBC; A; H;
AB-684

Penstemon cobaea Nutt. (cobaea beardtongue) -
SSBC; P; H; AB-6783

Veronica arvensis L.* (corn speedwell) - DAOF;
A; H; AB-6941

V. peregrina L. (neckweed) - DAOF; A; H; AB-
6857

Solanaceae

- Physalis cinerascens* (Dunal) A. S. Hitchs.
(smallflower groundcherry) - DAOF; P;
H; AB-6814
- P. heterophylla* Nees (clammy groundcherry) -
DAOF; P; H; AB-6835
- P. longifolia* Nutt. (longleaf groundcherry) -
DAOF; P; H; AB-6589
- Solanum dimidiatum* Raf. (western horsenettle) -
DAOF; A; H; AB-6831
- S. elaeagnifolium* Cav. (silverleaf nightshade) -
DAOF; P; H; AB-6197

Ulmaceae

- Celtis laevigata* Willd. var. *reticulata* (Torr.) L.
Benson (netleaf hackberry) - QMJV-X,
SSBC; P; T; AB-6591
- C. laevigata* Willd. var. *texana* Sarg. (Texan
sugarberry) - QMJV-M; P; T; AB-6838
- Ulmus americana* L. (American elm) - QMJV-
M; P; T; AB-6266
- U. parvifolia* Jacq.* (Chinese elm) - DAOF; P;
T; AB-7153
- U. pumila* L.* (Siberian elm) - DAOF; P; T;
AB-6789
- U. rubra* Muhl. (slippery elm) - DAOF; P; T;
AB-6208

Valerianaceae

- Valerianella radiata* (L.) Dufr. (beaked
cornsalad) - WETL; A; H; AB-6863

Verbenaceae

- Phryma leptostachya* L. (American lopseed) -
QMJV-M; P; H; AB-6898
- Phyla nodiflora* (L.) Greene (turkey tangle
fogfruit) - QMJV-M; P; H; AB-6812
- Verbena bracteata* Lag. & Rodr. (bigbract
verbena) - DAOF, SSBC; A; H; AB-6865
- V. urticifolia* L. (white vervain) - WETL; A; H;
AB-6217

Violaceae

- Viola bicolor* Pursh (johnny jump-up) - DAOF;
A; H; AB-6915

Viscaceae

- Phoradendron tomentosum* (DC.) Engelm. ex
Gray (Christmas mistletoe) - QMJV-M,
QMJV-X; P; S; AB-6839

Vitaceae

- Ampelopsis cordata* Michx. (heartleaf
peppervine) - WETL; P; V; AB-6196
- Parthenocissus quinquefolia* (L.) Planch. (Virginia
creeper) - QMJV-M; P; V; AB-6276
- Vitis acerifolia* Raf. (mapleleaf grape) - WETL;
P; V; AB-6582
- V. aestivalis* Michx. (summer grape) - QMJV-
M; P; V; AB-6817a
- V. cinerea* (Engelm.) Millard var. *cinerea*
(graybark grape) - QMJV-M; P; V; AB-
6930
- V. vulpina* L. (frost grape) - QMJV-M; P; V;
AB-6818

Liliopsida**Agavaceae**

- Yucca glauca* Nutt. (soapweed) - SSBC; P; T;
AB-6796

Araceae

- Arisaema dracontium* (L.) Schott (green dragon)
- QMJV-M; P; H; AB-6782

Commelinaceae

- Commelina erecta* L. var. *angustifolia* (Michx.)
Fern. (whitemouth dayflower) - QMJV-
M; P; H; AB-6575
- Tradescantia occidentalis* (Britt.) Smyth (prairie
spiderwort) - SSBC; P; H; AB-6829

Cyperaceae

- Carex albicans* Willd. ex Spreng. (whitetinge
sedge) - QMJV-X; P; G; AB-6952
- C. blanda* Dewey (eastern woodland sedge) -
QMJV-M; P; G; AB-6950
- C. brevior* (Dewey) Mackenzie (shortbeak
sedge) - QMJV-M; P; G; AB-6951
- C. leavenworthii* Dewey (Leavenworth's sedge) -
QMJV-M; P; G; AB-6870

C. oligocarpa Schkuhr ex Willd. (richwoods sedge) - QSJV-M; P; G; AB-6869
Cyperus acuminatus Torr. & Hook. ex Torr. (tapertip flatsedge) - DAOF, SSBC; P; G; AB-6868
C. lupulinus (Spreng.) Marcks (Great Plains flagsedge) - DAOF, SSBC; P; G; AB-7165
C. schweinitzii Torr. (Schweinitz's flatsedge) - SSBC; P; G; AB-6579
Imbristylis puberula (Michx.) Vahl (hairy fimbry) - SSBC; P; G; AB-6949

Iridaceae

Sisyrinchium angustifolium P. Mill. (narrowleaf blue-eyed grass) - DAOF; P; H; AB-6864

Juncaceae

Juncus bufonius L. (toad rush) - WETL; A; G; AB-6867
J. tenuis Willd. (poverty rush) - QMJV-M; P; G; AB-7157

Liliaceae

Allium canadense L. var. *fraseri* Ownbey (fraser meadow garlic) - SSBC; P; H; AB-6807
Polygonatum biflorum (Walt.) Ell. (smooth Solomon's seal) - QMJV-M; P; H; AB-6794

Orchidaceae

Spiranthes lacera (Raf.) Raf. (northern slender ladies'-tresses) - SSBC; P; H; AB-6581

Poaceae

Agrostis hyemalis (Walt.) B. S. P. (winter bentgrass) - WETL; P; G; AB-6936
Andropogon gerardii Vitman (big bluestem) - SSBC; P; G; AB-6892
Aristida longespica Poir. var. *geniculata* (Raf.) Fern. (slimspike threeawn) - DAOF; A; G; AB-6594
A. oligantha Michx. (prairie threeawn) - DAOF, SSBC; A; G; AB-6622
Bothriochloa laguroides (DC.) Herter (silver beardgrass) - DAOF; P; G; AB-7163
Bouteloua curtipendula (Michx.) Torr. (sideoats grama) - SSBC; P; G; AB-6884

B. hirsuta Lag. (hairy grama) - SSBC; P; G; AB-6245
Bromus catharticus Vahl* (rescuegrass) - DAOF; A; G; AB-6910
B. japonicus Thunb. ex Murr.* (Japanese brome) - DAOF; A; G; AB-6826
B. pubescens Muhl. ex Willd. (hairy woodland brome) - QMJV-M; P; G; AB-6778
B. tectorum L.* (cheatgrass) - DAOF; A; G; AB-6920
Cenchrus spinifex Cav. (coastal sandbur) - DAOF; A; G; AB-6612
Chasmanthium latifolium (Michx.) Yates (Indian woodoats) - QMJV-M; P; G; AB-6235
Chloris verticillata Nutt. (tumble windmill grass) - DAOF; P; G; AB-6231
Cynodon dactylon (L.) Pers.* (bermudagrass) - DAOF; P; G; AB-6891
Dactylis glomerata L.* (orchardgrass) - DAOF; P; G; AB-6798
Dichanthelium aciculare (Desv. ex Poir.) Gould & C. A. Clark (needleleaf rosette grass) - QMJV-M; P; G; AB-6586
D. malacophyllum (Nash) Gould (softleaf rosette grass) - QMJV-M; P; G; AB-6836
D. oligosanthes (J. A. Schultes) Gould var. *scribnerianum* (Nash) Gould (Scribner's rosette grass) - SSBC; P; G; AB-6946
Digitaria cognata (J. A. Schultes) Pilger (Carolina crabgrass) - DAOF; WETL; P; G; AB-6626
Echinochloa muricata (Beauv.) Fern.* (rough barnyardgrass) - WETL; A; G; AB-6587
Elymus canadensis L. (Canada wildrye) - QMJV-M; P; G; AB-7162
Eragrostis curtipedicellata Buckl. (gummy lovegrass) - SSBC; P; G; AB-6879
E. intermedia A. S. Hitchc. (plains lovegrass) - SSBC; P; G; AB-6944
E. secundiflora J. Presl. subsp. *oxylepis* (Torr.) S. D. Koch (red lovegrass) - DAOF; P; G; AB-6613
E. sessilispica Buck. (tumble lovegrass) - SSBC; P; G; AB-6878

E. spectabilis (Pursh) Steud. (purple lovegrass) - SSBC; P; G; AB-6904
E. trichodes (Nutt.) Wood (sand lovegrass) - SSBC; P; G; AB-6602
Hordeum pusillum Nutt. (little barley) - DAOF; A; G; AB-6779
Leersia virginica Willd. (whitegrass) - QMJV-M; P; G; AB-6628
Lolium perenne L.* (perennial ryegrass) - DAOF; P; G; AB-6824
Muhlenbergia bushii Pohl (nodding muhly) - QMJV-M; P; G; AB-6624
M. sylvatica Torr. ex Gray (woodland muhly) - QMJV-M; P; G; AB-6603
Panicum anceps Michx. (beaked panicgrass) - QMJV-M; P; G; AB-6227
P. capillare L. (witchgrass) - DAOF; A; G; AB-6903
P. virgatum L. (switchgrass) - DAOF, WETL; P; G; AB-6270
Paspalum dilatatum Poir.* (Dallisgrass) - SSBC; P; G; AB-7150
P. setaceum Michx. (thin paspalum) - WETL; P; G; AB-6621
Phalaris caroliniana Walt. (Carolina canarygrass) - WETL; A; G; AB-6925
Phragmites australis (Cav.) Trin. Ex Steud.* (common reed) - WETL; P; G; AB-7160
Poa annua L.* (annual bluegrass) - DAOF; A; G; AB-6928
P. arachnifera Torr. (Texas bluegrass) - SSBC; P; G; AB-6909
P. chapmaniana Scribn. (Chapman's bluegrass) - SSBC; A; G; AB-6808
Saccharum giganteum (Walt.) Pers. (sugarcane plumegrass) - WETL; P; G; AB-6953
Schedonnardus paniculatus (Nutt.) Trel. (tumblegrass) - DAOF, SSBC; P; G; AB-6882

Schedonorus phoenix (Scop.) Holub.* (tall fescue) - DAOF; P; G; AB-6813
Schizachyrium scoparium (Michx.) Nash (little bluestem) - QMJV-X, SSBC; P; G; AB-6251
Setaria pumila (Poir.) Roemer & J.A. Schultes (yellow foxtail) - DAOF; A; G; AB-6583
S. viridis (L.) Beauv.* (green bristlegrass) - DAOF; A; G; AB-6873
Sorghastrum nutans (L.) Nash (Indiangrass) - SSBC; P; G; AB-6248
Sorghum halepense (L.) Pers.* (Johnsongrass) - DAOF; P; G; AB-7151
Spartina pectinata Bosc ex Link (prairie cordgrass) - WETL; P; G; AB-6203
Sporobolus cryptandrus (Torr.) Gray (sand dropseed) - DAOF, SSBC; P; G; AB-6627
S. vaginiflorus (Torr. ex Gray) Wood var. *ozarkanus* (Fern.) Shinners (Ozark dropseed) - SSBC; P; G; AB-6625
Tridens flavus (L.) A. S. Hitchc. (purpletop tridens) - DAOF, QMJV-X; P; G; AB-6242
Vulpia ciliata (Raf.) Fern. (squirreltail fescue) - DAOF; A; G; AB-6935a
Smilacaceae
Smilax bona-nox L. (saw greenbriar) - QMJV-M, QMJV-X; P; H; AB-6211
S. rotundifolia L. (roundleaf greenbriar) - QMJV-M, QMJV-X; P; H; AB-7154
S. tamnoides L. (bristly greenbriar) - QMJV-M; P; H; AB-6556

Typhaceae

Typha domingensis Pers. (Southern cattail) - WETL; P; H; AB-6875