

43) and also to Jackson County (Tyler, 1979, Stovall Mus. Contr. 2, p. 50) and Comanche County (1978, Amer. birds, 32:1182).—Lyle L. Byfield, P.O. Box 24, Wakita, Oklahoma 73771, 3 April 1979.

FROM THE EDITOR: Rod W. Smith and Jack S. Barclay have recently published in American Birds (1978, 32: 1123-27) an important paper on the westward range extension of the American Woodcock (*Philohela minor*). A summary of their findings is in order since many students of ornithology in Oklahoma may not even be aware of the fact that woodcocks nest in the state. Data were collected from North Dakota to Texas, and all states except Nebraska reported breeding considerably west of the generally accepted western limits. Earliest dates for courtship ranged from late January in Oklahoma and Texas to 24 April in North Dakota. Nesting began as early as 14 February in Oklahoma and 3 April in South Dakota. Some birds hatched in Minnesota and Wisconsin migrated through or wintered in the southern survey states. The species may be commoner west of its accepted range than has previously been believed.—Jack D. Tyler.

OFFICERS OF OKLAHOMA ORNITHOLOGICAL SOCIETY, DECEMBER 1979

President, Connie Taylor, Rt. 2, Box 130, Durant, Oklahoma 74701
 Vice President, Louis and Janet McGee, 1703 N.W. 43rd, Lawton, Oklahoma 73505
 Secretary, Kathryn Belcher, 5101 Hales Drive, Oklahoma City, Oklahoma 73112
 Treasurer, Hubert Harris, Box 344, Bethany, Oklahoma 73008
 Business Manager, John S. Tomer, 5911 E. 46th St., Tulsa, Oklahoma 74135

DIRECTORS

Charlotte Edwards, Rt. 1, Box 22, Claremore, Oklahoma 74017
 Brad Carlton, 12000 Royal Coach Drive, Yukon, Oklahoma 73127
 Everett M. Grigsby, 288 Redbud Lane, Tablequah, Oklahoma 74464
 Warren D. Harden, 2409 Butler Drive, Norman, Oklahoma 73069
 James L. Norman, 502 N. 14th St., Muskogee, Oklahoma 74401
 Joyce Varner, Rt. 1, Box 1, Welling, Oklahoma 74471

INDEX OF BIRD NAMES

BY LOUIS E. MCGEE AND JANET MCGEE

- | | | |
|--|--|--|
| <i>Actitis macularia</i> : 20-21 | <i>australis</i> , <i>Leucosticte</i> : 34 | <i>Carpodacus mexicanus</i> : 34 |
| <i>acuta</i> , <i>Anas</i> : 14 | <i>Avocet</i> , American: 12, 14, 20 | <i>purpureus</i> : 7 |
| <i>albifrons</i> , <i>Sterna</i> : 20 | <i>Aythya</i> : 31 | <i>caspia</i> , <i>Sterna</i> : 21 |
| <i>alexandrinus</i> , <i>Charadrius</i> : 20 | | <i>Catoptrophorus semipalmatus</i> : 13 |
| <i>americana</i> , <i>Fulica</i> : 13 | | <i>celata</i> , <i>Vermivora</i> : 16 |
| <i>americana</i> , <i>Recurvirostra</i> : 12, 14, 20 | <i>bicolor</i> , <i>Iridoprocne</i> : 24 | <i>Chaetura pelagica</i> : 26 |
| <i>americana</i> , <i>Spiza</i> : 34 | Blackbird , <i>Rusty</i> : 6-7 | <i>Charadrius alexandrinus</i> : 20 |
| <i>Anas acuta</i> : 14 | <i>Bubo virginianus</i> : 5-6 | <i>coccyzus</i> : 20, 28 |
| <i>clypeata</i> : 13, 14, 31 | <i>Buteo jamaicensis</i> : 5 | <i>chloropus</i> , <i>Gallinula</i> : 19 |
| <i>crecca</i> : 13, 14, 31 | | <i>citrea</i> , <i>Protonotaria</i> : 15-16 |
| <i>discors</i> : 13, 14 | <i>californicus</i> , <i>Larus</i> : 17-19 | <i>clypeata</i> , <i>Anas</i> : 13, 14 |
| <i>platyrhynchos</i> : 13, 14 | <i>Calypte anna</i> : 22 | <i>Colaptes auratus</i> : 26, 27 |
| Ani , <i>Groove-billed</i> : 32-33 | <i>Capella gallinago</i> : 7 | <i>colubris</i> , <i>Archibolbus</i> : 22, 23 |
| <i>anna</i> , <i>Calypte</i> : 22 | Cardinal : 33 | Coot , American: 13 |
| <i>arborea</i> , <i>Spizella</i> : 33 | <i>Cardinalis cardinalis</i> : 33 | <i>coronata</i> , <i>Dendroica</i> : 16 |
| <i>Archibolbus colubris</i> : 22, 23 | <i>Carduelis flammea</i> : 7-8 | <i>cowbird</i> , Brown-headed : 32 |
| <i>Ardea herodias</i> : 31 | <i>hornemanni</i> : 8 | <i>crecca</i> , <i>Anas</i> : 13, 14, 31 |
| <i>argentatus</i> , <i>Larus</i> : 17-19 | <i>pinus</i> : 7, 8 | <i>cristata</i> , <i>Cyanocitta</i> : 24, 32, 33 |
| <i>ater</i> , <i>Molothrus</i> : 32 | <i>tristis</i> : 6-7, 8, 33 | <i>Crotaphaga sulcirostris</i> : 32-33 |
| <i>atrifrons</i> , <i>Larus</i> : 21 | <i>carolinus</i> , <i>Euphagus</i> : 6-7 | <i>cutellatus</i> , <i>Lophodytes</i> : 31 |
| <i>auratus</i> , <i>Colaptes</i> : 26, 27 | | <i>Cyanocitta cristata</i> : 24, 32, 33 |