

Soc. 27:13-14). According to files of the Oklahoma Bird Records Committee (J.A. Grzybowski, pers. comm.), there have been no previous fall occurrences of the Common Poorwill in northeastern Oklahoma. The above six (or seven) sightings are not only the second through seventh for northeastern Oklahoma, but that of 11 November 1994 postdates the latest record for the state by two days.

One wonders just how common the silent Common Poorwill is in Tulsa County during fall migration. The Williams Center Green, with its obvious attraction to migrating birds and the ease with which one can observe them, deserves further study.--James W. Arterburn, 5806 East 78th Place, Tulsa, Oklahoma 74136, 6 August 1995.

INDEX OF BIRD NAMES

By

Jack D. Tyler

- Accipiter*, sp.: 2-3
cooperii: 2-3
striatus: 2-3
Actitis macularia: 4
Agelaius acadicus: 17-19
Aix sponsa: 138
Ayaia ajaja: 13
Archilochus colubris: 10, 11, 12
Ardea herodias: 13
Asio flammeus: 17, 18, 20, 24-26, 26-28
 otus: 17, 18, 20-21
Bubo virginianus: 17, 18, 21-22, 22-24, 26
Buteo jamaicensis: 21, 25, 26, 28
 lagopus: 28
 lineatus: 22-24
 regalis: 5
Butorides striatus: 13
Calidris bairdi: 5
Carpodacus mexicanus: 1-2
Casmerodius albus: 13
Chaetura pelagica: 2
Charadrius montanus: 3-4, 4-5
 occiferus: 5
Circus cyaneus: 25-27, 28
Colinus virginianus: 28
Corvus brachyrhynchos: 20
 Cowbird, Brown-headed: 6-7, 7-8
 Crow, American: 20
 Duck, Wood: 13
 Eagle, Bald: 28
 Egret, Great: 13
 Snowy: 13
Egretta thula: 13
Eremophila alpestris: 3-4, 27
 Falcon, Peregrine: 3-4
Falco peregrinus: 3-4
 Finch, House: 1-2
 Gull, Glaucous: 14, 15
 Herring: 14
 Iceland: 14-15
Haliaeetus leucoccephalus: 28
 Harrier, Northern: 25-27, 28
 Hawk, Cooper's: 2-3
 Ferruginous: 5
 Red-shouldered: 22-24
 Red-tailed: 21, 25, 26, 28
 Rough-legged: 28
 Sharp-shinned: 2-3
 Heron, Great Blue: 13
 Green: 13
 Hummingbird, Allen's: 12
 Ruby-throated: 10, 11, 12
 Rufous: 10, 12
Ictinia mississippiensis: 2
 Junco, Gray-headed: 1-2
Junco hyemalis caniceps: 1-2
 Killdeer: 5
 Kite, Mississippi: 2
 Lark, Horned: 3-4, 27
Larus argentatus: 14
 glaucoides: 14-15
 glaucoides kumlieni: 15
 hyperboreus: 14-15
 Meadowlark, Western: 3, 4
Mimus polyglottos: 7-8
 Mockingbird, Northern: 7-8
Molothrus ater: 6-7, 7-8
Myiacteria americana: 13
Nyctea scandiaca: 17, 18, 27-30
 Otus asio: 17
 kennicottii: 17
 Owl, Barred: 17, 18, 22-24
 Burrowing: 17, 18
 Common Barn: 17, 18, 20
 Eastern Screech: 17
 Great Horned: 17, 18, 21-22, 22-24, 26
 Long-eared: 17, 18, 20-21
 Northern saw-whet: 17-19
 screech: 18
 Short-eared: 17, 18, 20, 24-26, 26-28
 Snowy: 17, 18, 27-30
 Western Screech: 17
Pelecanus erythrorhynchos: 13
 Pelican, White: 13
Phalaenoptilus nuttallii: 30-32
 Phalarope, Red: 5,6
 Red-necked: 5
 Wilson's: 5
Phalaropus fulicaria: 5-6
 lobatus: 5
 tricolor: 5
 Plover, Black-bellied: 4
 Lesser Golden: 4
 Mountain: 3-4, 4-5
Pluvialis dominica: 4
 squatarola: 4
 Poorwill, Common: 30-32
 Quail, Bobwhite: 28
Riparia riparia: 15-16
 Robin, American: 2
 Sandpiper, Baird's: 5
 Spotted: 4
Selasphorus rufus: 10, 12
 sasin: 12
Spectylo cucularia: 17, 18
 Spoonbill, Roseate: 13
 Starling, European: 2, 4
Stegidopteryx serripennis: 16
Sterna antillarum: 15
Sternella neglecta: 3-4
 Stork, Wood: 13
Strix varia: 17, 18, 22-24
Sturnus vulgaris: 2, 4
 Swallow, Bank: 15-16
 Rough-winged: 16
 Swift, Chimney: 15
 Tern, Least: 2
 Thrasher, Brown: 7
Thryothorus ludovicianus: 6-7
Toxostoma rufum: 7
Tringa flacipes: 5
Turdus migratorius: 2
Tyto alba: 17, 18, 20
 Wren, Carolina: 6-7
 Yellowlegs, Lesser: 5